





Basic catalogue

To design inspiring spaces for learning – that has always been the vital challenge that VS Vereinigte Spezialmöbel-fabriken GmbH & Co. KG has set itself. As one of Europe's leading manufacturers of school furniture and a full-range supplier with a wide portfolio, this is exactly what we offer our customers: comprehensive, stimulating furnishing, spatial and media solutions for educational establishments. In addition, we offer an extensive range of services such as planning, project support and customer service.

Our products stand out for their quality, functionality and durability. As has been proved by comparisons worldwide. The issue of sustainability is extremely important for us. And so too, of course, is safety. And you will find information about both these topics in this catalogue.

We hope you enjoy browsing through it, discovering new ideas and planning your space! If you need answers to any questions, advice or project support, our qualified customer support staff will be delighted to assist you personally.

dood to know	
FloorFriends	. 15
Students' chairs	
Students' chairs (high seating)	. 47
Teachers' chairs	
Students' desks	
Teachers' desks	. 93
Media rail systems	105
Boards	115
Multipurpose chairs, office swivel chairs	129
Upholstery elements	163
Multipurpose tables	175
School office	203
Serie 2000 (partition walls)	213
SPACE (storage space)	
Shift+ (storage space)	221
LearnBox (personal storage space)	229
Serie 600 (mobile storage space)	233
Serie 800-Mobil (mobile storage space)	241
Serie 800 (cabinet walls)	
List of materials	291

Good to know





Furniture supplier and fitter for the knowledge society since 1898

VS Vereinigte Spezialmöbelfabriken GmbH & Co. KG is one of the most expert and dynamic full-range suppliers of school equipment in Europe – with a wide range permitting comprehensive equipment concepts for schools, public authorities, offices and conference spaces.


This family-owned company has been developing, manufacturing and marketing furniture and media equipment for the knowledge society for over 120 years. Its head office and sole production site is located in Tauberbischofsheim in Baden-Württemberg, Germany.

It is from here that VS controls the entire logistics chain. This includes consulting and planning by its own specialists as well as delivery, assembly and project support from customer support and service staff. In this way, it is able to develop high-performance, economically attractive end-to-end solutions for its customers.

Whereas in the past, the task was to translate reforming educational ideas into room concepts, the focus nowadays is on modern pedagogic and educational requirements: To design schools as a learning and living space for students and teachers; to provide space for variable learning settings; to create possibilities for differentiated and individual, collaborative and personal, teacher-centered and self-driven learning.

Solutions for digital learning landscapes also play an important role. "VS – Das Systemhaus" is the VS Vereinigte Spezialmöbelfabriken centre of expertise for technical allround solutions covering every aspect of digital media. As a specialist in the integration of digital media in school and teaching environments, "VS – Das Systemhaus" can supply everything required: interactive displays and boards, peripheral equipment, support systems, safe and secure connection solutions and simple device management. The technical solutions are integrated in the corresponding room and furnishing concepts.





Reliable, sustainable, responsible

As a large, family-owned SME, VS stands for a reliable, responsible and independent business approach. The company has adopted a long-term strategy geared towards sustainability. This has given it its successful competitive position.

Continuity at the company site

VS develops and manufactures its products directly at its headquarters in Tauberbischofsheim and continuously invests in modern production facilities and highly efficient processes. This results in the creation of economically attractive furniture with convincing functionality.

Data and facts

- VS was founded in 1898 as Vereinigte Schulbankfabriken.
 One of the milestones in the company's history was the development of the wooden skid chair in 1950.
- VS is a family-owned company with 1,500 employees.
 The Managing Director is Philipp Müller.
- VS has always supported contemporary pedagogic initiatives. VS is developing comprehensive room concepts for educational establishments in the company of the Federal association for posture and movement promotion (Bundesarbeitsgemeinschaft für Haltungs- und Bewegungsförderung e.V) and the consulting firm LernLandSchaft.


Quality and environmental standards


- Quality management system as per DIN EN ISO 9001.
- Environmental management system as per DIN EN ISO 14001.
- Energy management system as per DIN EN ISO 50001.
- Various quality and environmental certificates awarded to VS products by external test institutes, for example Cradle to Cradle Certified, European Level, GS label for tested safety, the label "TÜV Rheinland certified: Emission-tested. Pollutant-tested", AGR Healthy Back Campaign quality label (Aktion gesunder Rücken e.V.), Greenguard certificate.

Training and vocational education

- Training through seven occupational courses and six work/study courses in the industrial, technical and commercial sectors.
- An in-house technical training center.
- Cooperations with schools and universities.
- Awarded the Dualis label by IHK Heilbronn-Franken as a company with superb training opportunities.
- Gold partner of the Baden-Wuerttemberg Cooperative State University, Mosbach.











EPI: our new Environmental Product Information

How sustainable are our products? What environmental impact do they have in their various life cycle stages, in terms of materials, transport, manufacturing and recycling? Our new environmental product information, the UPI, provides information about this. Among other things, it explains how high the proportion of recycled material is in our products and how low the $\rm CO_2$ emissions are in their production. In addition, it shows further environmental impacts in a detailed life cycle assessment. In addition to product–specific environmental statements and data, the UPI also contains general statements from VS on the subject of sustainability.

The data basis comes from the so-called GaBi database. Its data sets provide the basis for a standardised life cycle assessment calculation. In addition, the GaBi database is constantly updated and adapted to the latest technologies and economic changes. This means that the LCA results of the new UPI from VS are one-to-one comparable with the EPDs, the Environmental Product Declarations, or other sustainability data sheets.

In addition, a UPI contains statements about the $\rm CO_2$ footprint and the cradle-to-gate balance. This is the life cycle assessment of the life cycle stages from the purchase of materials to the delivery of materials to the production of the furniture.

This is how our EPI is structured:

- The first page contains a general product description as well as information on the materials used and recycled content. The product life cycle and the carbon footprint are also presented here.
- The life cycle assessment table on the second page includes the global warming potential as well as other environmental impacts – such as soil acidification or ozone layer depletion potential – and a cradle-to-gate balance, i.e. the summary of life cycle stages A1-A3. This also includes information on transport and impacts during use, as well as information on the disposal and recycling phase.
- On the last page of the UPI, we show how we are committed to sustainability.

All in all, the EPI gives us and our customers a comprehensive view of the environmental product characteristics.









Spare parts

The VS spare parts service: Sustainability in practice

Our products are designed for maximum durability and many years of use. Even long after you have invested in our furniture, you will still receive spare parts – whether chair glides, locks or keys and much more. This saves all our resources and your wallet.

Reordering is very easy. On our website you will find spare parts lists for the most common school products as PDF files for downloading:

- Order form master keys and spare parts
- Spare parts lists blackboards and interactive media
- Spare parts lists for lockers
- Spare parts lists chairs
- Spare parts lists tables
- Organisation accessories for containers

With the help of diagrams and detailed illustrations, the required parts can be easily identified here and ordered immediately. If the part you need is not included or you are not sure what you need, simply call our spare parts team. Or send a photo by e-mail:

In addition, the spare parts service offers you tips and advice on the proper care, cleaning and disinfection of our products – from furniture surfaces to seat shells, fabric and imitation leather to displays. These PDFs are also available for download on the Spare Parts Service page.





SPACE: Storage space to go

Modern teaching thrives on changing work scenarios in different rooms throughout the day. Ideally, the work materials should also be available in a flexible manner – sometimes in one room, sometimes in another. To leave, to exchange, to take back. This is possible with Space, our storage space to go.

SPACE is available in two versions: as a stationary wall-mounted module SpaceStation-G and as a mobile module with castors SpaceWalk-G. The system is based on the Gratnell® system. The system is based on the Gratnell boxes. In the stationary module, the boxes are stored in a central location, prepared with teaching materials: for example, with everything needed for a specific task. Or with utensils for handicrafts and crafts. Or the equipment for experiments. The different colours of the boxes and the labelling on the front provide an overview.


The principle

From SpaceStation-G, the required boxes are repacked into the mobile module SpaceWalk-G and rolled to the class-room. Here, the pupils take the boxes and bring them to their workplaces.


This is where it pays off that SPACE is coordinated with our other furniture systems: the Gratnell boxes can be pushed under the corresponding pupil desks. They can be stored in the Shift+ Landscape and Series 800 storage units. And they fit under the Shift+ Up pedestal.

When the students have finished their task, they put the boxes back into SpaceWalk-G. This makes keeping order easy. Afterwards, SpaceWalk-G remains in the classroom until the next assignment or is pushed into the next room. The teacher can also take the module together with the boxes into the teachers' room to correct the work results.









Whether in frontal teaching or for individual and group work, whether in the classroom, in the compartment or in science rooms: work utensils can be easily transferred from one piece of furniture to the next in the Gratnellsboxes. Even entire class sets can be moved from the central storage areas to the respective place of use with the help of the mobile units.

Construction and equipment

Since Space is subject to a lot of stress, the modules have to be robust and – in the case of SpaceWalk-G – still easy to move. High load-bearing capacity, simple operation and an appealing design were therefore decisive for us in the design.

The frame of the SPACE modules is made of powder-coated rectangular steel tubing at our factory in Tauberbischofsheim. Top shelves, side panels and doors are made of powder-coated sheet steel. The door is only available with a lock and can be opened 180°. The guide rails for the Gratnell boxes have pull-out stops.

SpaceWalk-G is equipped with four lockable double swivel castors. There are models that can be used on one, both sides or alternately. SpaceStation-G has plastic glides; this module is always attached to the wall. If several SpaceStation-G are placed next to each other, they should be linked with row connectors.

SpaceStation-G can hold 18 flat or 8 high boxes per row, with or without lids. SpaceWalk-G can hold a maximum of 9 flat or 4 tall boxes per row, also with or without lids. Each box can be loaded with a maximum of 5 kilograms.

SPACE is available in various designs: with or without side panels, with or without doors, plain or in different colours for each component.







Tano: one table, many placement options

The unusual shape of the tabletop is the hallmark of our new Tano student's table: an asymmetrical student's table where one corner has a slightly blunter design. Thanks to this shape, Tano is particularly versatile and very easy to combine: In no time at all, the fully-fledged individual workstation becomes a table for partner or small group work or for the large group.

Tano is available in the fixed size categories from 2 to 7, as well as in size 0 and 30 centimetres for learning close to the floor and table height 74 centimetres for office use or fivefold height-adjustable. All models are available in two

widths. The stackable table is thus suitable for flexible learning and working from primary school to grade 13 and in the staff room.

A Gratnell box can be inserted under the tabletop. A folder hook can be attached to the side of the table.

To make Tano easier to move, it is also available with two lockable castors. It is available in various materials and colours. All in all, a flexible multifunctional table for any size of room.











New learning space concepts, many ways to learn

The school day is becoming ever more dynamic and varied. It is moving away from continuous teacher-centred teaching, the time spent at school is increasing and full-day schools offering optional extra-curricular activities are becoming ever more popular. All this demands new types of space concepts.

Mobile furniture such as the Shift+ range and the elements in the FloorFriends concept support this need for versatile learning and working landscapes. Further modules are now being added: the ShiftUp stage element and the Leaf tent element. These provide an uncomplicated way of designing varied teaching scenarios that respond particularly well to children's needs.

Both of these elements can be erected and dismantled quickly and easily and can be stored away to save space after use. As a result, the space can be designed to meet the current needs at any time. These elements are intuitive to use. Even children under the age of 12 years are able to use them to create learning spaces on their own initiative.

ShiftUp is a simple stage unit that can be combined in many different configurations and can also be used as a low table or table-bench combination. The dimensions have been designed for use with the FloorFriends floor mats and the Shift+ Landscape shelf and cabinet elements. The basic shapes available are triangular and rectangular. The top can be turned over without the need for any tools so that either the walking or writing surface is facing upwards. In the school environment, ShiftUp is suitable for use in classrooms just as much as it is in shared spaces such as the canteen, main hall or library.

The Leaf tent element opens up a completely new dimension for learning spaces. Children love nooks and crannies and sheltered places to retreat into. With Leaf, such spaces can be created in moments. In this way, it is possible to create tunnels, group tents or individual refuges where children will find exactly the learning conditions that they need for concentrated individual work or quiet discussions. One space becomes many spaces, groups can be split up and variety and individuality are encouraged.





VS Stakki, a new, iconic chair

Three legs, triangular basic shape, minimized design, manufactured from a single part. The VS Stakki chair stands out at first sight. It is visually and functionally unique – an iconic chair. It is also sustainable thanks to the low rawmaterial input and the recyclable material used.

VS Stakki is manufactured as a monoblock unit using multicomponent injection moulding coupled with an internal gas pressure process. This gives it volume and stability at a weight of only 3.8 kilograms.

Users can sit on VS Stakki equally well and ergonomically in any way they want: front-on, side-on or astride. The triangular basic shape also helps save space. The chairs can be accommodated like the pieces of a cake under a round table. The dual-component glide elements ensure stability and are also very gentle on the floor. Their stepped shape and the concave leg profile permit intuitive stacking of the chairs. Ten units can be stacked almost vertically on top of one another.

VS Stakki has been comprehensively tested and is certified as being safe. The tests conducted by the TÜV certification authority certify that it is suitable and approved for indoor and outdoor use.

VS Stakki was designed by Martin Ballendat. The designer and his studio have already worked for numerous international companies and brands. He designs furniture for residential, office and other non-residential uses. He has always been fascinated by the guestion of chairs.

In the case of VS Stakki, he has provided an extreme example of the designer's art. He wanted to reduce the chair to the absolute minimum: As little as conceivably possible to provide the greatest possible functionality. And he has succeeded. Thanks to the "high design quality", VS Stakki received a Red Dot in the categories Innovative Product and Furniture Design at the Red Dot Award 2020.







Hokki, Hokki+ Height-adjustable active stool

Hokki is the solution for dynamic sitting. Thanks to its rounded base, it can move in all directions and consequently permits permanent changes of posture without difficulty. Not only is this fun, it also aids motor capabilities.

The Hokki is now also available as the height-adjustable Hokki+ variant. The two models have a height adjustment range of 38 to 50 or 50 to 68 centimetres. This makes it possible to cover all school requirements.

Just like the fixed-height Hokkis, both models of the Hokki+ possess the quality label awarded by the Healthy Back Campaign (Aktion Gesunder Rücken e.V.) and have been tested and recommended by the Bundesverband deutscher Rückenschulen e.V. (German federal back training association) and the forum Gesunder Rücken – besser leben e.V. (Healthy back for a better life).


The Hokki+ is extremely stable but also so light that even children and young people are able to carry it. The adjustment mechanism with its gas spring is immediately accessible and can be activated from anywhere under the seating surface.

The basic body of the Hokki and Hokki+ is made from recyclable polypropylene. This makes this active stool extremely scratch-resistant. Even the toughest everyday conditions pose practically no threat.









Level-LuPo and Level-VF Healthy sitting for all ages

Ergonomics plays a major role at school. That is why DIN EN 1729 defines the dimensions required of school furniture so that children and young people of all sizes can work at it productively and healthily.

Conventionally equipped classes contain chairs and tables of different sizes in one and the same room. The size of the chair is determined by the distance between the floor and the seating surface and the size of the seat shell. The table height is harmonized with this.

In multi-year learning environments, there is only one common table height. It is the chairs that ensure ergonomic seating. In this case, the chair size is defined by the distance from the foot support to the seating surface, the distance from the seating surface to the table top and the size of the seat shell.

The frames of the Level-LuPo and Level-VF chairs have drill holes at four different fixed heights. These make it possible to adjust the height of the foot support in accordance with the specified standard sizes as well as for further seating heights.

Two Level models have been developed for the **table height of 71 centimetres**: with seat shell S for the standard chair sizes 2 and 3, and with seat shell M for standard size 4.

For the **table height of 76 centimetres**, there are three models: with seat shell S for the standard sizes 2 and 3, with seat shell M for the standard sizes 4 and 5, and with seat shell L – in this case without foot support – for standard size 6.

In multi-year learning environments, Gratnells boxes, lattice-type book storage or chair suspensions restrict the freedom of the legs and should therefore not be used.



Detailed information on the Level and the other chairs in the series can be found in the "Level" catalogue.

FloorFriends





PRODUCT INFORMATION Welcome_TY_EN - 29.11.2021 - www.vs-furniture.com

Welcome

Cloakroom system for kindergartens and primary schools with the "slippers in class" principle

System consisting of an optionally combinable wall panel with clothes hooks, a shoe cabinet and a wall cabinet. Wall panel made from 19-mm-thick melamine resin-coated chipboard with four black double hooks offset from one another. The hooks, which have been certified by the TÜV product testing authority are rounded and equipped with a curved top part to prevent injury. The gap to the wall required for installation is covered with a sealing lip. The wall panels are available in two heights, making them suitable for kindergartens and primary schools and each panel can be used by a maximum of eight children.

Shoe cabinet consisting of a body made from melamine resin-coated chipboard with a central partition and two fixed, glued panels. The four shoe compartments for eight pairs of shoes can optionally be equipped with a black plastic base for putting shoes on. A tough HPL cover panel can be mounted on the top panel. The shoe cabinet, which possesses a set-back 8-mm base, is positioned in front of the wall panel and is screwed to it.

Wall cabinet consisting of a body which is subdivided into four compartments and made from melamine resin-coated chipboard. The wall cabinet is fixed directly to the wall above the wall panel.

The following material groups are available: Body made of chipboard: L6; Wall panel: L3.

		B 8 8	B B B		WAS TO SERVICE A SERVICE AS A S		
Welcome		40030	40031	40032	40033	40034	40035
	w·h·d	100-121,5-9	100-159-9	100-40,4-35	100-30-25	100-35,5-1,3	47,1.4,4.31,9
	FH	3	4				
		Cloakroo	m panel	Shoe cabinet	Wall-mounted cabinet	Cover panel	Shoe compartment tray



PRODUCT INFORMATION Shift-p-Up_TY_EN - 22.12.2022 - www.vs-furniture.com

Shift+ Up Table-bench platform for presentations and floor-level learning.

Multipurpose unit which can be used as a platform, table or bench. Stage-like landscapes of a maximum of two levels can be created from the rectangular and triangular elements. Centre distances matching the storage room units and mats of the Shift+ series.

Frame made from circular steel tubing with all-round rectangular tube edge. The legs are equipped with conical stacking and glide elements and can be securely stacked on top of one another up to a height of two using a spring buffer. Elements located next to one another (max 20 sqm) must be linked together using a flexible rotary connector. Optionally with guide for plastic Gratnells boxes.

Tops made from plywood. One side with anti-slip screen-printed structure for standing on and the other with a smooth surface for use as a table or for writing. The top can also be turned without the need for any tools. The sides can be closed off with an insertable panel for use as a stage.

Transport cart for the tops and the elements inserted in one another.

The following material groups are available: Frame made of steel tube: M1; (plain black); Gratnells plastic box: C3.

							•	
Shift+ Landscape		09451	09452	09453	09454	09456	09457	09455
	w·d	105,5.85	104·104			174.83		
	W			77,5	98			
	h	3	2	22	2,5	91		
	h (2-high)	5	9					
			60°					
	Capacity of transport trolley					6 platforms		
	Packaging unit							2 pieces





PRODUCT INFORMATION Leaf_TY_EN - 11.01.2024 - www.vs-furniture.com

Leaf

Tent element for floor-level learning.

Tent elements for creating individual withdrawal areas in the classroom for individual children or small groups. The triangular material elements can be combined with the mats from the Shift+ series to create tent configurations and nooks and crannies. Similarly, the textile sail-type elements can be fixed to any magnetic surface (cabinets from the Shift+ series) using magnetic fastenings. A tent pole, which can also be used in combination with the Gugl storage element and/or the triangular Shift+-Landscape mats, makes it possible to construct a round tent consisting of a maximum of 6 sail elements. Textile sail element, consisting of a stretch fabric and glass fibre rods for tensioning the triangular surface. With 3 fixing points on the long and one fixing point on the short side.

Tent pole, consisting of a solid wood pole with stand plate made of HPL solid board and with a 6-way adapter in two heights, positionable using a bayonet fixing.


Shift+-Landscape mats, optionally with 1 to 3 fixing points (see above).

Magnetic fixings to fasten the sail elements to any magnetic surface.

Storage bag for transporting and storing the sail elements and curved glass-fibre rods.

Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available: Fabric sails: S77; Fabric cover: S40,64,82.







PRODUCT INFORMATION Gugl_TY_EN - 23.06.2023 - www.vs-furniture.com

Gugl

Occasional-element with integrated storage space. FloorFriends for floor-level learning.

Body made from deep-drawn, conical ABS plastic. The body is stackable.

Top made from HPL top. The top can be removed to access the storage space and is equipped with a groove to protect it against slipping. The storage space can accommodate back casters (09379), carpets (09440) or upholstery mats (09445). Padded mats consisting of a thick, foam-padded body with anti-slip bottom, side carrying loop and a black, all-round surrounding strap. The top seating surface consists of a hard-wearing, coloured covering.

Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

Equipment: Optionally available with a black polypropylene pen insert in the top.

The following material groups are available: Body made of plastic: C(white, black grey RAL 7021); HPL-top: L4; Fabric cover: S40,64,82.

	DIN EN h = 40 ○ 0			<u> </u>		•
Gugl		09447	09379	09440	09445	01486
	W	106	525	41	10	
	d	25.87		33	34	
	h	8		7	30	400
	Ø		200			635/473
	Arc	60°				
	Storage in the table until max.		3	30	20	





PRODUCT INFORMATION Shift-p-LSitz_TY_EN - 23.06.2023 - www.vs-furniture.com

Shift+ Landscape Soft seating elements.

Upholstered-element system consisting of carcass and seating elements.

Seating elements are linear or curved stools. Individual elements can be combined to form complete landscapes. Elements consisting of a floor plate with plastic or felt glide elements and a cushion of foam with leatherette cover.


Upholstered–element in 3 fixed heights.

Carcass of melamine-resin-coated chipboards with glued-on plastic edge. With glued centre wall for partitioning the carcass. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel.

Function: Curved Landscape seating and cabinet elements can be combined linearly and, thanks to the matched inner and outer radii, back to back to create circular and serpentine seating/cabinet landscapes.

Fire protection of the upholstery elements optionally according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available: Body made of chipboard: L4; Perforated-plate: M1; Fabric cover: S40,64,82.







 $\textbf{PRODUCT INFORMATION} \ Shift-p-LMatten_TY_EN \ -\ 23.06.2023 \ -\ www.vs-furniture.com$

Shift+ Landscape Padded mats, carpets and back support rolls. FloorFriends for floor-level learning.

Padded mats consisting of a thick, foam-padded body with anti-slip bottom, side carrying loop and a black, all-round surrounding strap. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. Can be used as a floor covering for one person or as a chair covering. The top seating surface consists of a hard-wearing, coloured covering.

Carpet consisting of a top surface made from black, hard-wearing artificial fibres and a rubberized, slip-proof bottom side. With side carrying loop. Available in rectangular form or as a 60° wedge-shaped element to match the Shift+ cabinets. Back support roll consisting of a foam-padded body with black side element and hard-wearing, coloured covering. Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available: Fabric cover: \$40,64,82.

Shift+ Landscape				Carpet			Padded mats	
		09379	09440	09441	09442	09445	09446	09447
	w·d		410-334	1050-850	1064/240·878	410-334	1050-850	1062/250-868
	W	525						
	h			7		30	80	
		200						
	Ø	200						





PRODUCT INFORMATION Stapelstein_TY_EN - 13.07.2023 - www.vs-furniture.com

Stapelstein

Multifunctional sitting and play elements. FloorFriends for floor-level learning.

Structure made from expanded polypropylene (EPP). The "stone" (180g) and "spinning stone" (268g) are lightweight, odourless, water-resistant and free from chemical propellants. Stacking stones can be stacked to save space. Multifunctional and ideal for sitting, swaying, learning and playing. Both products can be combined to create active seating of varying heights. Maximum load: 180kg.

Sets of 6 or 12 stacking boards, optionally available with bag. 6 boards optionally with storage column.

The following material groups are available: Stapelstein Body made of EPP: C5.

						1
Stapelstein		09388	09389	09387	09397	09374
	ø mm	27	70	35	55	
	h mm	12	20	80)	
	Amount	6	12	1	6	
	maximum load kg	18	30	12	10	
	Weight g	18	30	26	8	
		Stackab	le bricks	Balance	board	Play cards





PRODUCT INFORMATION EcoTable-R-Floor_TY_EN - 11.09.2023 - www.vs-furniture.com

EcoTable-R

FloorFriends tables for floor-level learning.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from circular tubular steel, powder-coated with coloured epoxy resin. Table with levelling screw-type feet, glide elements for hard or soft floorings or universal glide elements.

Tables in extra-low heights of 40 cm for floor-level learning.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. Some also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

Optionally available with plastic Gratnells box integrated in the edge frame.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; HPL-top: L4; Chipboard with laminate: L2.

EcoTable-R	d = 50	23000 23001 23002	23003
	d = 60	23005 23006 23007	23008
	d = 65	23010 23011	23013
	W	70 75 120	130
	h other cm	40	









PRODUCT INFORMATION Jumper-Air-S-Active_TY_EN - 03.02.2023 - www.vs-furniture.com

JUMPER Air Active

Forward-sprung cantilevered chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. In sizes 4-7, with an extremely stable strut between the skids. The chair is stackable (see table).

Chair in 6 fixed heights.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Comfort model with large seat shell available for sizes 5 and 6.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

		Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm	3		
JUMPER Air Active				33400	
	Comfort				33401
		Fixed height	23	4567	
		Fixed height cm			43.46
		Seat shell	SS	M M L XL	L XL
		Stacking height		5	





PRODUCT INFORMATION Jumper-Air-S-Four_TY_EN - 03.02.2023 - www.vs-furniture.com

JUMPER Air Four Four-legged chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Chair in 6 fixed heights.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

	Seating heights (± 1 cm) for students' chairs • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm	
JUMPER Air Four		33300
	Fixed height	234567
	Seat shell	S S M M L XL
	Stacking height	5





PRODUCT INFORMATION Jumper-Air-S-Move_TY_EN - 03.02.2023 - www.vs-furniture.com

JUMPER Air Move Height-adjustable swivel chair for students.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Chair in fixed height or height-adjustable.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or particularly easy-to-use 3D tilt mechanism. With piggy-back hook for suspension of chair on table tops.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: C4.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm When fitted with castors, the height increases by 23,5 mm.			
JUMPER Air Move	Fix		33501		
	Lift			33502	33506
		Fixed height	6		
		Variable height adjustment		35-43,9 cm (3 4 5)	41,8-54,6cm (5 6 7)
		Seat shell	L	M	L





 $\textbf{PRODUCT INFORMATION} \ \, \textbf{Jumper-Ply-S-Active_TY_EN-07.08.2023-www.vs-furniture.com}$

JUMPER Ply Active

Forward-sprung cantilevered chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. In sizes 4–7, with an extremely stable strut between the skids. The chair is stackable (see table). Chair in 6 fixed heights.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Comfort model with large seat shell available for sizes 5 and 6.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

		Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm			
JUMPER Ply Active				33450	
	Comfort				33451
		Fixed height	23	4567	
		Fixed height cm			43.46
		Seat shell	SS	M M L XL	L XL
		Stacking height		5	





PRODUCT INFORMATION Jumper-Ply-S-Four_TY_EN - 07.08.2023 - www.vs-furniture.com

JUMPER Ply Four Four-legged chair for students.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Chair in 6 fixed heights.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs (Size 6).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.







PRODUCT INFORMATION Jumper-Ply-S-Move_TY_EN - 07.08.2023 - www.vs-furniture.com

JUMPER Ply Move Height-adjustable swivel chair for students.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Chair height-adjustable.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or particularly easy-to-use 3D tilt mechanism. With piggy-back hook for suspension of chair on table tops.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: H1.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm			
		When fitted with castors, the height increases by 23,5 mm.			
JUMPER Ply Move	Lift			33552	33556
		Variable height adjustment		33,3-43,4 cm (3 4 5)	41,5-56,7 cm (5 6 7)
		Seat shell		M	L





PRODUCT INFORMATION PMove-LuPo-Schul_TY_EN - 03.02.2023 - www.vs-furniture.com

PantoMove-LuPo Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Chair in fixed height or height-adjustable.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion. With concealed seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D rocker mechanism. Model 31505 with reduced weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm When fitted with castors, the			
PantoMove-LuPo	Fix	height increases by 23,5 mm.	31501	• 8	
	Lift			31505	31506
		Fixed height	6		
		Variable height adjustment		34,1-43 cm (3 4 5)	42,4-55,2 cm (5 6 7)
		Seat shell	L	M	L





PRODUCT INFORMATION PSwing-LuPo-Schul_TY_EN - 03.02.2023 - www.vs-furniture.com

PantoSwing-LuPo

Forward-flexing cantilever chair – the ergonomic seating solution.

Frame made from bent, powder-coated or chrome-plated round steel tubing. For sizes 4-7 with extra sturdy cross-strut between the skids.

Chair in 6 fixed heights.

Seat shell of double-walled textured polypropylene (LuPo) for comfortable sitting with air-cushion effect. Concealed seat attachments and grip hole. Comfort model for sizes 5 and 6 with large seat shell.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

		Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm	Optionally with table-edge protection for piggy-back chair mounting.			
PantoSwing-LuPo					31400	
	Comfort					31401
		Fixed height		23	4567	
		Fixed height cm				43.46
		Seat shell		SS	M M L XL	L XL





PRODUCT INFORMATION Compass-LuPo-Schul_TY_EN - 06.03.2023 - www.vs-furniture.com

Compass-LuPo Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube. Chair in 6 fixed heights.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or 2C universal glide elements as well as with hard or soft castors.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.







PRODUCT INFORMATION PMove-VF-Schul_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoMove-VF Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Chair height-adjustable.

Seat shell made from plywood with anti-slip paint, visible seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D rocker mechanism. With piggyback hook for chair suspension on tabletops.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: H1.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm When fitted with castors, the height increases by 23,5 mm.		
PantoMove-VF	Lift		31525	31526
		Variable height adjustment	32,8-42,9 cm (3 4 5)	41,5-56,7 cm (5 6 7)
		Seat shell	M	L





PRODUCT INFORMATION PSwing-VF-Schul_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoSwing-VF

Forward-flexing cantilever chair – the ergonomic seating solution.

Frame of one-piece bent powder-coated or chrome-plated round steel tube. With extra stable cross member between the skids.

Chair in 6 fixed heights.

Seat shell made from plywood (VF) with anti-slip paint and invisible seat mounting. Comfort model for sizes 5 and 6 with large seat shell.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.







PRODUCT INFORMATION Compass-VF-Schul_TY_EN - 07.08.2023 - www.vs-furniture.com

Compass-VF Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube. Chair in 6 fixed heights.

Seat shell made from plywood (VF) with anti-slip paint and concealed seat fixing.

Equipment and options. Glide elements for hard or soft floors or 2C universal glide elements as well as with hard or soft castors. See table for maximum stacking capacity (ST).

Accessories. Stacking trolley model 31198 for 1 stack of chairs of chair size 6 (46 cm).

The following material groups are available: Frame made of steel tube: M1,2,7; Seat and backrest: H1,2.







PRODUCT INFORMATION KN-39-Schul_TY_EN - 07.08.2023 - www.vs-furniture.com

KN-39 Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chair in 4 fixed heights.

Seat and backrest of plywood with visible seat attachments. Optionally with firm upholstery on one side. Features and options. Glide elements for hard and soft floors. For maximum number stackable, see table. Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs of chair size 6. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

	Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm		R
KN-39		03901 03902	03903
	Fixed height	3456	9
	Stacking height	10	





PRODUCT INFORMATION Classic_TY_EN - 03.02.2023 - www.vs-furniture.com

Classic Skid-chair.

Frame of sides, skids and seat support of solid beechwood. Seat support with pickapack fitting for storage on table top. Chair in 5 fixed heights.

Seat and backrest of solid beech and beech plywood with visible backrest attachments.

Features and options. Glides for hard and soft floors.

The following material groups are available: Frame made of wood: H(natural); Seat and backrest: H(natural).

	Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm		3
Classic		03100	03101
	Fixed height	2	3456





PRODUCT INFORMATION LuPoGlide_TY_EN - 03.02.2023 - www.vs-furniture.com

LuPoGlide Skid-chair.

Frame of welded U-shaped skid and seat support, of powder-coated oval steel tube. Pickapack fitting for storage on table top. Model XL with extra wide seat.

Chair in 6 fixed seat heights.

Seat and backrest of double-walled textured polypropylene for comfortable sitting with air-cushion effect. Back with grip. Features and options. Glides for hard and soft floors or universal glides (2K). For maximum number stackable (ST) see table. Accessories. Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 / 6. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C(black grey RAL 7021, dolphin grey).

		Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm		
LuPoGlide	Standard		03430	
	Comfort			03434
		Fixed height	23456	60
		Seat shell	MMMLL	XL XL
		Stacking height	10	D





PRODUCT INFORMATION BasicGlide_TY_EN - 07.08.2023 - www.vs-furniture.com

BasicGlide Skid-chair.

Frame of welded U-shaped skid and seat support, of powder-coated oval steel tube. Pickapack fitting for storage on table top. Model XL with extra wide seat.

Chair in 6 fixed heights.

Seat and backrest of plywood with visible seat attachments. Optional with firm upholstery on one side. Features and options. Glides for hard and soft floors or universal glides (2K). For maximum number stackable (ST) see table. Accessories. Stacking wagon Model 3414 for 2 stacks and stacking trolley Model 3415 for 1 stack of chairs sizes 5 and 6. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

		Seating heights (± 1 cm) for children's chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm			\$	\$
BasicGlide	Standard		03402			
	Comfort			03405	03406	03407
		Fixed height	23456		67	
		Seat shell	SMMLL		XL XL	
		Stacking height		1	0	





PRODUCT INFORMATION Hokki_TY_EN - 25.10.2023 - www.vs-furniture.com

Hokki, Hokki+ Stool, height-adjustable stool.

Stool made from stable, durable and extremely scratch-resistant polypropylene, fully recyclable. Comes with a lightweight foam seat shell (grey) or optionally with an extra-soft padded artificial leather cover (black). Thermoplastic base screwed to the polypropylene body.

Chair in 4 fixed heights and two versions with gas-spring height adjustment.

Function: Offers freedom of movement in controlled conditions thanks to curved surfaces that stimulate the entire musculo-skeletal system. Easy to carry thanks to ergonomically shaped, undulating seating edge that is easy to grip and also prevents the user from slipping off. The stools are easy to transport and can be moved together to save space. Height-adjustable models with all-round activation mechanism and ergonomic depth suspension.

The following material groups are available: Body made of plastic: C2.

		Seating heights (± 1 cm) for students' stools • 2 = 31 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm • 7 = 51 cm			
Hokki	Fix		03825		
Hokki+	Lift			03813	03814
		Fixed height	2467		
		Variable height adjustment		38-50cm (46 67)	50-68 cm (7)
		Seat w cm		34,5	
		Optimum table height	2467	61-80 cm (46 67)	73-98cm (7)















PRODUCT INFORMATION Solo_TY_EN - 07.08.2023 - www.vs-furniture.com

Solo Four-legged stool.

Frame of welded, powder-coated round steel tube.

Stool in 5 fixed heights. Each model with 4 seating heights, due to the cross struts positioned at different heights as foot supports.

Seat of plywood with concealed seat fixings.

Features and options. Plastic or felt glide elements.

The following material groups are available: Frame made of steel tube: M1; Seat made of wood: H1.

		A				
Solo						03826
	Seat w cm			5		
	Distance of seat to floor cm	46	52	61	65	83
	Distance of seat to foot support h cm	24,8/29,8/34,8/39,8		29,8/34,8/3	9,8/44,8	
	Optimum table height cm	69-76	75-82	84-91	88-95	106-113
	Stacking height		4	4		















PRODUCT INFORMATION Rondo-FixLift_TY_EN - 07.08.2023 - www.vs-furniture.com

Rondo

Four-legged stool, stool with five-star foot.

Rondo-Fix.

Frame of welded, powder-coated round steel tube.

Stool in 6 fixed heights.

Seat of plywood with concealed seat attachments.

Features and options. Glides for hard and soft floors. For maximum number stackable see table.

Rondo-Lift

Frame consists of aluminium 5-star foot and a gas-spring with plastic cover.

Frame sizes adjustable in height.

Seat of plywood with concealed seat attachments.

Features and options. Glide elements or castors for hard or soft floors or 2C universal glide elements. Can be swivelled.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat made of wood: H1.

		Seating heights (± 1 cm) for students' stools 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm When fitted with castors, the height increases by 25 mm.		
Rondo	Fix		03823	
	Lift			03822
		Fixed height	34567 55cm	
		Variable height adjustment		37,5-50 cm (4660)
		Seat ø cm	3!	5
		Optimum table height cm	345 6778-85cm	60,5-80 cm (4 5 6 7)
		Stacking height	15	











PRODUCT INFORMATION LuPoStool_TY_EN - 18.01.2023 - www.vs-furniture.com

LuPoStool Skid stool.

Frame made from welded U-shaped skid and seat supports made from chromium-plated or powder-coated oval steel tubing. Piggy-back design for suspension from table top. Small model without foot support, medium and large model with foot support.

Chair sizes for raised seating in 3 fixed heights in accordance with DIN EN 1729.

Seat made from double-walled, structured polypropylene for comfortable seating with air cushion effect. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. See table for maximum stacking capacity.

Accessories. Stacking cart model 03414 for 2 stacks and stacking trolley model 03415 for 1 stack of chairs. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C(black grey RAL 7021, dolphin grey).

		B			3	3	
LuPoStool				03428			03429
	Seat w cm			3	7		
	Distance of seat to floor cm	46	56	61	46	56	61
	Distance of seat to foot support h cm		4	0		40)
	Optimum table height cm	69-76	79-86	84-91	69-76	79-86	84-91
	Stacking height	6	2	3	6	2	3



Students' chairs (high seating)





PRODUCT INFORMATION Jumper-Air-S-Level_TY_EN - 07.11.2023 - www.vs-furniture.com

JUMPER Air Level Skid chair for ergonomic sitting at high tables.

Frame made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 33409) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair for raised seating at 71 or 76 cm-high tables. In fixed heights each with 4 foot support settings. Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. For maximum number stackable with foot supports in upper "park position" (ST), see table. Footrest with optional release protection.

Recommendation. JUMPER Air Level can be combined with school tables (without bookshelf and chair suspension) of height 71 or 76 cm.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

	Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm				o			
JUMPER Air Level		33407	33406	3340)5	3340	8	33409
	Fixed height	2 3	4	2	3	4	6	6
	Seat shell	S	M	S		M		L
	Distance of seat to floor cm	48	51,2	53,6	6	53		46
	Distance of seat to foot position h cm	31 35	38	31	35	38	43	46
	Optimum table height cm	71				76		
	Stacking height	3			4			3





PRODUCT INFORMATION Jumper-Air-S-MoJue_TY_EN - 03.02.2023 - www.vs-furniture.com

JUMPER Air Move HS Star-foot chair with foot ring for ergonomic seating at high tables.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism and height adjustment. Chair for raised seating at 71 cm-high tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and particularly easy-to-use 3D rocker mechanism. Model with reduced-weight gas spring mechanism suitable for children. With piggy-back hook for suspension of chair on table tops.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: C4.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
JUMPER Air Move HS	Lift		33503
		Variable height adjustment	41,8-54,5 cm (3 4 5)
		Seat shell	M
		Optimum table height cm	71





PRODUCT INFORMATION Jumper-Ply-S-Level_TY_EN - 07.11.2023 - www.vs-furniture.com

JUMPER Ply Level Skid chair for ergonomic sitting at high tables.

Frame made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 33409) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair for raised seating at 71 or 76 cm-high tables. In fixed heights each with 4 foot support settings.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. For maximum number stackable with foot supports in upper "park position" (ST), see table. Footrest with optional release protection.

Recommendation. JUMPER Ply Level can be combined with school tables (without bookshelf and chair suspension) of height 71 or 76 cm.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

	Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm							
JUMPER Ply Level		33457	33456	33455		33458		33459
	Fixed height	2 3	4	2	3	4	6	6
	Seat shell	S	M	S		M		L
	Distance of seat to floor cm	48	50,3	52,9		53		46
	Distance of seat to foot position h cm	31 35	38	31	35	38	43	46
	Optimum table height cm	71				76		
	Stacking height	3			4			3

3





 $\textbf{PRODUCT INFORMATION} \ \, \textit{Jumper-Ply-S-MoJue_TY_EN-07.08.2023-www.vs-furniture.com}$

JUMPER Ply Move HS Star-foot chair with foot ring for ergonomic seating at high tables.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism and height adjustment. Chair for raised seating at 71 cm-high table tables.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and particularly easy-to-use 3D rocker mechanism. Model with reduced-weight gas spring mechanism suitable for children. With piggy-back hook for suspension of chair on table tops.

The following material groups are available: Foot of aluminum: M1; Seat and backrest: H1.

	Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.		
33553		Lift	JUMPER Ply Move HS
41,7-56,9 cm (3 4 5)	Variable height adjustment		
M	Seat shell		
71	Optimum table height cm		





PRODUCT INFORMATION Level76-LuPo_TY_EN - 07.11.2023 - www.vs-furniture.com

Level-LuPo Skid chair for ergonomic sitting at high tables.

Frame made from bended, powder-coated or chromium-plated circular steel tube with step-by-step, height-adjustable foot support (optional in the 31409) for adaptation to the child's height. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair for elevated seating (for table height 71 or 76 cm) in fixed heights, each with four foot support settings. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking. Footrest with optional release protection.

Recommendation. The Level can be combined with school tables of height 71 or 76 (without book shelf and chair suspension).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

	Seating heights (± 1 cm) for students' chairs • 2 = 31 cm • 3 = 35 cm • 4 = 38 cm • 5 = 43 cm • 6 = 46 cm					
Level-LuPo		31407	31406	31405	31408	31409
	Fixed height	2 3	4	2 3	4 5	6
	Seat shell	S	М	S	M	L
	Distance of seat to floor cm	48	49	52,6	53	46
	Distance of seat to foot position h cm	31 35	38	31 35	38 43	46
	Optimum table height cm	7	1		76	
	Stacking height	3	4	3	4	





PRODUCT INFORMATION PMove-LuPo-Jue_TY_EN - 06.03.2023 - www.vs-furniture.com

PantoMove-LuPo HS Star-foot chair with foot ring for ergonomic seating at high tables.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. All models are height-adjustable Chair for raised seating at 71 cm-high table tables.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion. With concealed seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and also optionally with particularly easy-to-use 3D rocker mechanism. Model 31509 with reduced-weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C1.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
PantoMove-LuPo HS	Lift		31509
		Variable height adjustment	41,1-53,9 cm (3 4 5)
		Seat shell	M
		Optimum table height cm	71





PRODUCT INFORMATION Level76-VF_TY_EN - 07.11.2023 - www.vs-furniture.com

Level-VF Skid chair for ergonomic sitting at high tables.

Frame made from curved, powder-coated or chromium-plated circular steel tube with height-adjustable foot support (optional in 31429) that can be adapted step-by-step to the required size without any tools. Two robust cross-pieces between the skids ensure the smooth, precise guidance of the foot supports.

Chair for elevated seating (for table height 71 or 76 cm) in fixed heights, each with four foot support settings. Seat shell made from plywood with anti-slip paint. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking. Footrest with optional release protection.

Recommendation. The Level can be combined with school tables of height 71 or 76 (without book shelf and chair suspension).

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1.

	Seating heights (± 1 cm) for students' chairs 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm							
Level-VF		31427	31426	31425		31428		31429
	Fixed height	2 3	4	2	3	4	5	6
	Seat shell	S	М	S		M		L
	Distance of seat to floor cm	48	48,5	52,6		53		46
	Distance of seat to foot position h cm	31 35	38	31	35	38	43	46
	Optimum table height cm	71		<u>'</u>		76		
	Stacking height			3				

3





PRODUCT INFORMATION PMove-VF-Jue_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoMove-VF HS Star-foot chair with foot ring for ergonomic seating at high tables.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Chair for raised seating at 71 cm-high table tables.

Seat shell made from plywood with anti-slip paint, visible seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. With foot ring and also optionally with particularly easy-to-use 3D rocker mechanism. Model 31529 with reduced weight gas spring mechanism suitable for children. With piggyback hook for chair suspension on tabletops.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: H1.

		Seating heights (± 1 cm) for students' chairs 3 = 35 cm 4 = 38 cm 5 = 43 cm When fitted with castors, the height increases by 23,5 mm.	
PantoMove-VF HS	Lift	neight mercases by 25,5 mm.	31529
		Variable height adjustment	41,2-56,4cm (3 4 5)
		Seat shell	M
		Optimum table height cm	71



Teachers' chairs





PRODUCT INFORMATION Jumper-Air-D-Active_TY_EN - 23.06.2023 - www.vs-furniture.com

JUMPER Air Active Forward-sprung cantilevered chair for lecturers.

Frame made from curved, powder-coated or chromium-plated circular steel tube with an extremely stable strut between the skids. The chair is stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm.		
JUMPER Air Active		33400	33402
	Seat w·h·d	440·460·425	455-475-425
	Total w·h·d	525-81	12-523
	Seat shell	I	-
	Stacking height	3	5





 $\textbf{PRODUCT INFORMATION} \ Jumper-Air-D-Four_TY_EN-23.06.2023-www.vs-furniture.com$

JUMPER Air Four Four-legged chair for lecturers.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm.		
JUMPER Air Four		33316	33317
	Seat w·h·d	440·460·425	455-475-425
	Total w·h·d	512:80	9.529
	Seat shell		=
	Stacking height	5	5















PRODUCT INFORMATION Jumper-Air-D-Move_TY_EN - 23.06.2023 - www.vs-furniture.com

JUMPER Air Move Height-adjustable swivel chair for kindergarten teachers.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. All models have height adjustment. Model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the size L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism. With piggy-back hook for suspension of chair on table tops. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 15 mm. When fitted with castors, the height increases by 23,5 mm.		
JUMPER Air Move	Kiga (Low)		33538	33537
		Seat w·h·d	455-363-453-425	440-348-437-425
		Total w·h·d	600.710-	799-600
		Seat shell	L	-





PRODUCT INFORMATION PMove-LuPo-Doz_TY_EN - 23.06.2023 - www.vs-furniture.com

PantoMove-LuPo Star-foot chair for lecturer, tutor or teacher.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. All models are height-adjustable. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With concealed seat fixing and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism. With piggy-back hook for suspension of chair on table tops. Plus model for raised seated/standing workplaces (68–115 cm) with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

Kiga model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 20 mm. When fitted with castors, the height increases by 23,5 mm.						
PantoMove-LuPo	Lift		31506	31577				
	Plus (High)				31507	31578		
	Kiga (Low)						31508	31579
		Seat w·h·d	430-424-552-410	450-444-572-410	430-503-751-410	450-523-723-410	430-354-443-410	450-374-463-410
		Total w·h·d	601.785	-913·601	601-866-	1114-601	601.715	-803-601
		Seat shell			l	L		





PRODUCT INFORMATION PSwing-LuPo-Doz_TY_EN - 07.03.2024 - www.vs-furniture.com

PantoSwing-LuPo Forward-flexing cantilever chair for lecturer, tutor or teacher.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Optionally available with upholste red seat or all-round fabric consisting of plastic cor e

with taut fabric cover.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggy-

back chair stacking.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

Upholstery: Optionally with table-edge protection Seat 20 mm. for piggy-back chair mounting. Backrest 15 mm. PantoSwing-LuPo 31400 31479 PantoSwing-Soft 31415 Seat w·h·d 430-460-410 450-480-410 480-480-450 Total w·h·d 525.812.504 520.835.545 Seat shell XL





 $\textbf{PRODUCT INFORMATION} \ \texttt{Compass-LuPo-Doz_TY_EN-23.06.2023-www.vs-furniture.com}$

Compass-LuPo Four-legged chair for lecturers and teachers.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. With covered seat fixing and grip hole. Optionally available with upholstered seat consisting of plastic core with taut fabric cover. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1; Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 15 mm.		
Compass	LuPo		31300	31379
		h	460	475
		Seat w	430	450





PRODUCT INFORMATION PMove-VF-Doz_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoMove-VF Star-foot chair for lecturer, tutor or teacher.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Available as Fixed model with non-adjustable seat height or height-adjustable Lift model.

Seat shell made from plywood with anti-slip paint, visible seat fixing and grip hole.

Equipment and options: Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly easy-to-use 3D rocker mechanism.

Plus model for raised seated/standing workplaces (68–115 cm) with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

Kiga model optimized for kindergarten teachers. Adjustable to particularly low seat heights for eye-level work with children. The following material groups are available: Frame made of steel tube: M1; Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 20 mm. Backrest 20 mm. When fitted with castors, the height increases by 23,5 mm.					
PantoMove-VF	Lift		31526				
	Plus (High)			31527			
	Kiga (Low)				31530	31531	31532
		Seat w·h·d	430-415-567-440	430-506-779-440	430-331-432-440	430·351-452·440	430·351-452·440
		Total w·h·d	601.811-963.601	601-901-1176-601	,	601-727-828-601	
		Seat shell		·	L		

Students' desks





PRODUCT INFORMATION Tano_TY_EN - 19.03.2024 - www.vs-furniture.com

Tano

Asymmetrical polygonal table.

Frame consisting of an rectangular tubular steel frame with welded tubular steel table legs, colour epoxy powder-coated. Table with floor levelling screws, glides for hard or soft floors or with universal glides or with 2 or 4 lockable castors. The table can be stacked 6 high.

Tabletop shape ideal for a variety of combinations and set-ups for individual, double and group work.

Tables in 7 fixed heights or with 5-position Allen-key height adjustment, all in accordance with DIN EN 1729, as well as in 74 cm office height.

Tabletop made of melamine resin or laminate coated 19 mm or 25 mm chipboard with glued-on plastic edge. Partly also with a firm 13 mm HPL solid core board. In each case with rounded corners.

Optionally with a Gratnells plastic box integrated in the frame and lateral folder hook.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; Chipboard with laminate: L2,(white writable); HPL-top: L4.

	Table heights (± 2 cm) for students' desks 0 = 40 cm 2 = 53 cm 3 = 59 cm 4 = 64 cm 5 = 71 cm 6 = 76 cm 7 = 82 cm	Configuration	B	c		
Tano					01492	01493
	w·d cm				70.66/43	80.69/43
	w·d cm Configuration A				158·142	171-154
	w·d cm Configuration B				140·140	160-160
	w·d cm Configuration C				178·164	194-179
	Fixed heights				02349	74 cm 6 7
	Height adjustable in steps					4cm 6 7
	Stacking height				(6





PRODUCT INFORMATION Shift-p-B4Bein_TY_EN - 11.09.2023 - www.vs-furniture.com

Shift+ Base Stackable four-legged tables.

Frame consisting of welded round tubular steel legs, some of which are offset outwards, with a central edging made from rectangular steel tubing, all powder-coated. Some models have tube-in-tube Allen-key height adjustment (see table). Desks with four plastic, felt or 2C universal glide elements or with glide elements and two lockable castors.

Table in 7 fixed heights or with 5-position Allen-key height adjustment.


Table top made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

Function: It is possible to combine the two mirrored concave-convex basic shapes in many ways to create circles, rows and groups. In the park position, the tables are stackable up to a height of six tables and are equipped with stack protection at the lower edge of the top frame.

Warning: A maximum of three stacked (unloaded) tables may be moved together on castors.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Further products on this page: PantoMove-LuPo.







PRODUCT INFORMATION Shift-p-BForm_TY_EN - 11.10.2023 - www.vs-furniture.com


Shift+ Base Four-legged table.

Frame made from welded round tubular steel legs with set-back rectangular tubular steel top frame, all powder-coated. Optionally with tube-in-tube Allen-key height adjustment (see table). Tables with four plastic, felt or 2C universal glide elements or with glide elements and four lockable castors. Model 01448 can be stacked up to a height of 8 units. Table in 7 fixed heights or with 5-position Allen-key height adjustment.

Table top in each case made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Further products on this page: JUMPER Air Move.







PRODUCT INFORMATION Shift-p-BFlip_TY_EN - 11.09.2023 - www.vs-furniture.com

Shift+ Base Folding table.

Designed (FlipTable) with a centrally positioned tubular steel cross-piece with an articulated bracket. The table can be folded using a two-handed safety mechanism under the table top. It has a fitting to secure the table in both the horizontal and vertical positions.

Frame consisting of two curved, powder-coated steel tubes and four lockable castors.

Table in 4 fixed sitting heights or 2 standing heights according. Optionally height-adjustable.

Function. When the top is tilted upwards, any number of tables can be pushed together to save space.

Table top in each case made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Further products on this page: JUMPER Air Move.

	Table heights (± 2 cm) for students' desks Sitting (Annex A) Standi ● 4 = 64 cm ● 5 = 71 cm ● 6 = 76 cm ● 7 = 82 cm	: 88 cm	R
Shift+ Base			01451
	w·d cm		141.79
	Fixed heights	h Sitting	4 5 74cm 6
		h Standing	C4 (6)
	Height-adjustable, type 1	h Sitting	4 6 74cm 6
	Height-adjustable, type 2		74cm 6 7
		h Standing	C4 97cm





PRODUCT INFORMATION Shift-p-BHRund_TY_EN - 11.09.2023 - www.vs-furniture.com

Shift+ Base Semi-circular tables.

Frame made from welded round tubular steel legs with 5-cornered all-round rectangular tubular steel top frame, all powder-coated. Some models have tube-in-tube Allen-key height adjustment (see table). Tables with five plastic, felt or 2C universal glide elements or with five castors, two of which are lockable.

Table in 7 fixed heights or with 5-position Allen-key height adjustment.


Table top made from melamine resin or laminate-coated chipboard with glued plastic edge or high-strength solid HPL top. The corners have 25 mm rounding.

Equipment (01443): With a cable outlet (back) and a lockable, foldable metal cable tray.

Options (01443): With cable clamp, built-in socket, 5-way socket and convenient monitor arm.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Further products on this page: PantoMove-LuPo.







PRODUCT INFORMATION Shift-p-BStandStud_TY_EN - 08.11.2023 - www.vs-furniture.com

Shift+ Base

Height adjustable sit-at/stand-at school table.

Frame made from welded, powder-coated, U-shaped steel skids and a centrally positioned upright. Skids with four castors as standard, two of which are lockable. Optionally with bookshelf and/or screen.

Function: The gas spring is triggered using a handswitch at the edge of the desk top. The handswitch is equipped with a safety cover to protect against unintentional activation.

Desk height continuously height-adjustable with built-in gas spring.

Desk top made from laminate- or melamine resin-coated chipboard with glued plastic edge or from high-strength solid HPL board.

Equipment: Optionally available with a bookshelf made from metal sheet bended on three sides below the table top and/or a chipboard or HPL screen.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Shift+ Base		01452	01453	
	Fixed height cm	91,5 (110,2)		
	Variable height adjustment cm		74-117	
	w·d cm	75	75.65	
	Optional	Book	Bookshelf	
		Scr	Screen	
		Rech	narge	





PRODUCT INFORMATION EcoTable-Q-Edu_TY_EN - 16.02.2024 - www.vs-furniture.com

EcoTable-Q Student's table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 castors, 2 of which are lockable.

Table in 8 fixed heights.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. Equipped with angled corners in all cases. Optionally available with a built-in plastic Gratnells box, chair suspension rails or storage basket under the table top, satchel hooks on the side and under-table screen at side opposite from user.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; HPL-top: L4; Chipboard with laminate: L2.

Further products on this page: JUMPER Air Active.

EcoTable-Q	Chipboard-PL Laminate-PL	0 7 = 82 cm d = 50 cm d = 60 cm	23100 23105	23101	23102 23107	23103 23108
	HPL	d = 60 cm	23110	23111	23107	23113
	Chipboard-PUR	d = 50 cm d = 65 cm	23100	23111		23103 23113
		w cm Fixed height	70	75 02345	120 74 cm 6 7	130





PRODUCT INFORMATION EcoTable-R-Edu_TY_EN - 16.02.2024 - www.vs-furniture.com

EcoTable-R

Student's table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 castors, 2 of which are lockable.


Table in 8 fixed heights, with 5-position Allen-key height adjustment.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

Optionally available with a built-in plastic Gratnells box, chair suspension rails or storage basket under the table top, satchel hooks on the side and under-table screen at side opposite from user.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; HPL-top: L4; Chipboard with laminate: L2.

Further products on this page: JUMPER Air Active.







PRODUCT INFORMATION Cross-Q-Edu_TY_EN - 03.02.2023 - www.vs-furniture.com


Cross-Q

Group table with square tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from square tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table in 8 fixed heights.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.







PRODUCT INFORMATION Cross-R-Edu_TY_EN - 03.02.2023 - www.vs-furniture.com


Cross-R

Group table with round tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from round tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table in 8 fixed heights or with 6-position Allen-key height adjustment.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. All models available with angled or curved (radius = 25 mm) corners.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.







PRODUCT INFORMATION LiteTable-ST-Schul_TY_EN - 11.10.2023 - www.vs-furniture.com

LiteTable-ST Stackable table.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the table is stackable. What is more, they can be rotated to form continuous rows. Tables with glide elements for hard or soft floorings or with 2C universal glide elements and, optionally, with two castors at the outer legs.


Table in 7 fixed heights.

Table top with HPL or chipboard top and continuous, molded (PUR) polyurethane safety border or chipboard top and glued plastic border. Tops with KU border available with edged or rounded corners as required.

Warning: A maximum of four stacked (unloaded) tables may be moved together on castors.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; Top made of chipboard with PUR edge: L2; Chipboard with laminate: L2,(white writable); HPL-top: L4.

Further products on this page: Compass-VF.







PRODUCT INFORMATION TriTable-III_TY_EN - 11.09.2023 - www.vs-furniture.com

TriTable-III Triangular table.

Frame made from welded round tubular steel legs with rectangular tubular steel top frame, all powder-coated. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Table in 7 fixed heights or with 5-position Allen-key height adjustment.

Table top (right-angle triangle with two equal sides) made from melamine resin or laminate-coated chipboard with glued plastic edge or with a high-density, solid HPL top, both with rounded corners (radius 25 mm).

Function: Many combinations possible to form rows or group workspaces. The tables are stackable up to a height of eight tables and are equipped with stack protection at the lower edge of the frame. Optionally available with removable plastic tray on the long table side.

Equipment: Optionally available with castor at the 90° corner or with three castors.

The following material groups are available: Frame made of steel tube: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable); Gratnells plastic box: C3.

Further products on this page: Compass-VF.

	Table heights (± 2 cm) for students' desks 0 = 40 cm 2 = 53 cm 3 = 59 cm	Configurations			
	4 = 64 cm 5 = 71 cm 6 = 76 cm 7 = 82 cm				
TriTable-III			01426	01427	01428
	w·d cm		111/80-80	118/85-85	125/90-90
	w·d Configuration 2 tables cm		83.83	88.88	93.93
	w·d Configuration 4 tables·cm		114-114	121-121	128-128
	Fixed height		0	23456	7
	Height adjustable in steps		(34567	





PRODUCT INFORMATION JU-StudioTable-Edu_TY_EN - 11.10.2023 - www.vs-furniture.com


JUMPER StudioTable Stackable four-legged table for school use.

Frame consisting of welded legs with all-round edging made from powder-coated or chromium-plated precision rectangular steel tubing. Due to the asymmetrically positioned table top, the tables are stackable but can nevertheless be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Table in 7 fixed heights.

Table top With a 19-mm melamine or laminate-coated chipboard top and glued plastic edge or a 13-mm HPL top. **Function.** The rectangular table can be stacked by a single person due to the lightweight but tough materials. See table for maximum stacking capacity.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).







PRODUCT INFORMATION Uno-C_TY_EN - 10.01.2024 - www.vs-furniture.com

Uno-C Skid desk.

Frame made C-shaped upright and flat-ended skids with plastic kick protection. Desk legs made from powder-coated or chrome-plated VS special steel tubing and cross-strut made from circular steel tubing.

Table in 6 fixed heights or with 6-stage grid height adjustment using an Allen key fixing.

Table tops are – chipboard with laminate coating and seamless moulded-on (PUR) polyurethane safety edge. – Chipboard with melamine resin coating and glued-on plastic edge. – Chipboard with melamine resin coating and seamlessly cast-on (PUR) polyurethane safety edge. – Durable LIGNOdur safety board with rounded edge. – HPL solid core board with ground edge.

Equipment and options. With glide elements for hard and soft floors or 2K universal glide elements. Also with screen, satchel hooks, lattice-type book storage, plastic box or different kinds of chair suspension.

Warning: Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available: Frame made of steel tube: M1; Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2; Top made of chipboard: L4; HPL-top: L4.

		ı	1	w cm	70	75	130)
	16 mm	LIGNOdur	-		22430	22431	22432	
	19 mm	Chipboard + Laminate	PUR					
	19 mm	Chipboard + Melamine		d = 65 cm		22431		22433
	19 mm	Chipboard + Melamine						
	13 mm	HPL	-	d = 50 cm	22430		22432	
	Thickness	Material	Edge					
				Height adjustable in steps		2345	UU	
Uno-C				Fixed height		020 6	<u> </u>	
				● 7 = 82 cm				
				● 6 = 76 cm				
				● 5 = 71 cm				
				• 4 = 64 cm				
				3 = 59 cm				
			o	●2 = 53 cm				
				Table heights (± 2 cm) for students' desks				





PRODUCT INFORMATION Uno-M_TY_EN - 19.07.2023 - www.vs-furniture.com

Uno-M, Uno-M-Step Skid desk.

Frame made from powder-coated tubular steel with central upright on flat-ended skids with plastic kick protection. Desk legs made from flat oval steel tubing and cross-strut made from circular steel tubing.

Table in 6 fixed heights or with 5-stage grid height adjustment using an Allen key fixing.

Table tops are - Chipboard with laminate coating and seamless cast-on (PUR) polyurethane safety edge. - Chipboard with laminate coating and glued-on plastic edge. - Chipboard with melamine resin coating and seamlessly cast-on (PUR) polyurethane safety edge. - Chipboard with melamine resin coating and glued-on plastic edge. - Durable LIGNOdur safety board with rounded edge.

Equipment and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension.

Warning: The desk height may vary depending on the type of desktop and the glide elements. Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of LIGNOdur: L1; Top made of chipboard: L4; Top made of chipboard with PUR edge: L2; Chipboard with laminate: L4.

				Table heights (± 2 cm) for students' desks				\$	7	4			\$	7
Uno-M							Uno-M				Ur	io-M-St	ер	
				Fixed height		2	456	0						
				Height adjustable in steps							3	466	7	
	Thicknes	Material	Edge											
	16 mm	LIGNOdur	-	d = 50 cm	02408			02405		22408			22405	
	25 mm	Chipboard + Melamine	KU	1 05		00400					00400			
	19 mm	Chipboard + Laminate	PUR	d = 65 cm		02409					22409			
	25 mm	Chipboard + Melamine	KU	d = 60 cm	02412		02413			22412		22413		
	25 mm	Chipboard + Laminate	KU											
	25 mm	Chipboard + Melamine	PUR	d = 65 cm		02410		02406	02407		22410		22406	22407
				w cm	70	75	120	130	150	70	75	120	130	150





PRODUCT INFORMATION UnoBean_TY_EN - 03.02.2023 - www.vs-furniture.com

UnoBean, UnoBean-Step Skid desk with free-form top.

Frame made from powder-coated tubular steel with central upright on flat-ended skids with plastic kick protection. Desk legs made from flat oval steel tubing and cross-strut made from circular steel tubing.

Table in 6 fixed heights or with 5-stage grid height adjustment using an Allen key fixing.

Desktop made from melamine-resin coated chipboard with continuous, moulded (PU) polyurethane safety edge.

Equipment and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension.

Warning: The desk height may vary depending on the type of desktop and the glide elements. Polyurethane edges are extremely tough. However, their colour may change over time.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

			Table heights (± 2 cm) for students' desks ● 2 = 53 cm ● 3 = 59 cm ● 4 = 64 cm ● 5 = 71 cm ● 6 = 76 cm ● 7 = 82 cm	200 300	2	P
UnoBean		LIGNOpal-PUR	d = 58,6 cm		01467	
	Step					01468
			w cm		79	·
			Fixed height		234567	
			Height adjustable in steps			34567
			ø cm	20° circle setup with 18 tables (without chairs)	5	10
				30° circle setup with 12 tables (without chairs)	36	60





PRODUCT INFORMATION StepByStep-I_TY_EN - 03.02.2023 - www.vs-furniture.com

StepByStep-I Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table with h eight adjustment in 6 steps with Allen-key or hand-wheel.

Table top made from melamine-resin-coated chipboard with a seamlessly cast-on safety edge made from (PUR) polyurethane. Optionally with an extremely robust LIGNOdur safety top with softly rounded edges.

Features of top. Fixed horizontal working surface.

Accessories and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension.

Important notice. The table height can vary slightly depending on the type of top and the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available: Frame made of steel tube: M1; Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

		Table heights (± 2 cm) for students' desks 2 = 53 cm 3 = 59 cm 4 = 64 cm 5 = 71 cm 6 = 76 cm 7 = 82 cm			N		
StepByStep I	LIGNOdur	d = 50 cm		02904	02905		
		d = 65 cm	02901				
	Chipboard-PUR	d = 65 cm				02993	02994
		w cm	75	70	130	75	130
		Height adjustable in steps	·	•	34567)	





PRODUCT INFORMATION Ergo-I_TY_EN - 03.02.2023 - www.vs-furniture.com

Ergo-I

Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table with c ontinuous height adjustment with winding handle.

Table top made from melamine-resin-coated chipboard with a seamlessly cast-on safety edge made from (PUR) polyurethane.

Features of top. Fixed horizontal working surface.

Accessories and options. Glides for hard and soft floors and briefcase (satchel) hooks. Plywood or grid bookshelf or chair suspension for all VS school chairs (PantoSwing up to size 4).

Important notice. The table height can vary slightly depending on the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available: Frame made of steel tube: M1; Top made of chipboard with PUR edge: L2. Further products on this page: PantoMove-LuPo.

		Table heights (± 2 cm) for students' desks 3 = 59 cm 4 = 64 cm 5 = 71 cm 6 = 76 cm 7 = 82 cm		
Ergo I	Chipboard-PUR	d = 65 cm	02970	02971
		w cm	75	130
		Variable height adjustment	59-82 cm (3	4567)





PRODUCT INFORMATION ClassicTisch_TY_EN - 03.02.2023 - www.vs-furniture.com

Classic Skid-table.

Frame of solid beechwood with middle legs on flat tapering skids.

Table in 5 fixed heights.

Table top of melamine-resin coated chipboard with seamless moulded-on (PUR) polyurethane safety edges. Alternatively with extremely wear-resistant LIGNOdur safety top with soft rounded edges.

Features and options. Glides for hard and soft floors. Satchel hook, grid and plywood bookshelf (2105, 2106, 2108–2110). Depending on the type of top and castors, the table height can vary slightly.

Important notice. The table height can vary slightly depending on the type of table top and the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available: Frame made of wood: H(natural); Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: Classic.

		Table heights (± 2 cm)				
		for students' desks				
		● 2 = 53 cm				_
		3 = 59 cm			<u> </u>	
		● 4 = 64 cm ● 5 = 71 cm				
		6 = 76 cm				
Classic	LIGNOdur	d = 50 cm	02108	-	02105	
		d = 65 cm		02109		
	Chipboard-PUR	d = 65 cm		02110	02106	02107
		w cm	70	75	130	150
		Fixed height		234	96	





PRODUCT INFORMATION FlipTable2-RU-Edu_TY_EN - 13.12.2023 - www.vs-furniture.com

FlipTable-RU

Standing and sitting table with round tube frame and folding top.

Construction of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table in 4 fixed sitting heights or 2 standing heights according. Optionally height-adjustable.


Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded.

Frame consisting of two bent, powder-coated or chrome-plated steel tubes. Frame with lockable castors.

Function. When the top is folded up, any number of tables can be pushed together to optimise space.

Note. PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2, (white writable).







PRODUCT INFORMATION FlipTable2-TQ-Edu_TY_EN - 13.12.2023 - www.vs-furniture.com

FlipTable-TQ

Standing and sitting table with T-foot and square tube column and folding top.

Construction of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table in 4 fixed sitting heights or 2 standing.


Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded.

Frame consisting of a powder-coated square tube column and a powder-coated or chrome-plated runner with lockable castors.

Function. When the top is folded up, any number of tables can be pushed together to optimise space.

Note. PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2, (white writable).







PRODUCT INFORMATION FlipTable2-TR-Edu_TY_EN - 11.09.2023 - www.vs-furniture.com

FlipTable-TR

Standing and sitting table with T-foot and round tube column and folding top.

Construction of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table in 4 fixed sitting heights or 2 standing heights.

Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges and partly with rounded PUR edges (see table). The corners are angular or optionally rounded.

Frame consisting of a powder-coated round tube column and a powder-coated or chrome-plated runner with lockable castors.

Function. When the top is folded up, any number of tables can be pushed together to optimise space.

Note. PUR edges are extremely resistant, but may show colour changes over time.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2,(white writable).

	● 5 = 71 cm						
FlipTable-TR	d = 70 cm	KU	22125	22126	22127	22128	22129
	d = 80 cm		22130	22131	22132	22133	22134
	d = 90 cm		22135	22136	22137	22138	22139
	Fixed heights	h Sitting			4 5 74cm	6	
		h Standing			C4 C6)	
	w cm		140	160	180	200	220





PRODUCT INFORMATION Puzzle-Schul_TY_EN - 17.04.2023 - www.vs-furniture.com


Puzzle

Freely-shaped table for school.

Frame consisting of welded round steel-tube legs and a rectangular steel-tube frame. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table in 6 fixed heights.

Table top made of melamine-resin-coated chipboard with glued-on plastic or beech edge. The following material groups are available: Frame made of steel tube: M1; Top made of chipboard: L6. Further products on this page: Hokki.







PRODUCT INFORMATION TriUnion_TY_EN - 03.02.2023 - www.vs-furniture.com

TriUnion Stand-at table for students.

Frame made from welded, screwed, round tubular steel legs with rectangular tubular steel top frame and foot support. All powder-coated. Optionally available with chrome-plated foot support ans plastic kick protection. Table with castors or glide elements for hard or soft floorings.


Table in 3 fixed stand-at heights.

Table top (right-angle triangle with two equal sides) made from melamine-resin coated chipboard with glued plastic edge or highly compacted tops (HPL). All table tops with rounded corners.

Function: Many combinations possible to form rows or group workspaces. Optionally with table connectors.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L4; HPL-top: L4.

Further products on this page: Hokki.







PRODUCT INFORMATION M-Table_TY_EN - 09.03.2023 - www.vs-furniture.com

M-Table

Cheek table in standing and sitting height.

Construction of two side-panel elements, a table top and a stable, centrally positioned double crosspiece, each made of laminate- or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both sides with glides. As a standing table, with two additional tubular steel footrests as standard.


Table in 2 seat heights and 3 standing heights.

Electrification optionally with metal cable outlet, built-in socket or a module for wireless charging of smartphones. In the centre of the table in a maximum of 3 possible positions.

Installation: Free-standing or wall-mounted or in combination with the M-Panel as a meeting point. For use in rooms with high safety requirements, also with floor mounting.

The following material groups are available: Chipboard with laminate: L4; Top veneered: F1.

Further products on this page: PantoMove-VF.







PRODUCT INFORMATION Duo-Media_TY_EN - 18.10.2022 - www.vs-furniture.com

Duo-Media Computer table.

Frame of powder-coated steel tube with set-back double-legs (C-shape) on steel skids with plastic kicking protection. All steel tubes in flat-oval profile. Table suitable for floor fixing if required.

Table height of 72 cm.


Table top of melamine-resin coated chipboard with glued-on plastic edges.

Features. Table top with lockable sliding mechanism (12 cm) for access to the cable channel. Cable outlet through sealing lip over the full table width between top and side panel.

Accessories and options. Perforated-metal vertical cable channel attached without tools between the double legs. Inside solid metal, outside powder-coated perforated metal. Vertical cable guide consists of 3 plastic cable clips to push-onto the table legs. CPU bracket and CPU box made of arctic powder-coated sheet metal, for mounting on the table legs.

The following material groups are available: Frame made of steel tube: M1; Top made of chipboard: L4.

Further products on this page: PantoMove-LuPo.











PRODUCT INFORMATION Shift-p-BStand_TY_EN - 08.11.2023 - www.vs-furniture.com

Shift+ Base Height-adjustable teacher's desk.

Frame made from welded, powder-coated, U-shaped steel skids and a centrally positioned upright. Skids with four castors as standard, two of which are lockable.

Function: The gas spring is triggered using a handswitch at the edge of the desk top. The handswitch is equipped with a safety cover to protect against unintentional activation.

Desk height in two fixed heights or continuously height-adjustable with built-in gas spring.

Desk top made from laminate- or melamine resin-coated chipboard with glued plastic edge or from high-strength solid HPL board.

Equipment: Optionally available with a bookshelf made from metal sheet bended on three sides below the table top and/or a chipboard or HPL screen.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

Shift+ Base		01454 01455 0	1452 01453
	Fixed height cm	91,5 (110,2) 91,5 (1	10,2)
	Variable height adjustment cm	74-117	74-117
	w·d cm	67.50,6	75.65
	Optional	Bookshelf	
			Screen
			Recharge





PRODUCT INFORMATION Uno-M-Teach_TY_EN - 24.05.2023 - www.vs-furniture.com

Uno-M-Teach Teachers' desk.

Frame of powder-coated flat-oval steel tube with middle leg on flat tapering steel skids with plastic kicking protection. Table top of melamine-resin coated chipboard with seamless moulded-on (PUR) polyurethane safety edge.

Features. Built-in cupboard and drawer are lockable on request.

Handles. Choice of 2 different types such as plastic or metal bow handles.

Accessories and options. Glides for hard and soft floors or universal glides (2K).

Important notice. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available: Frame made of steel tube: M1; Top made of chipboard with PUR edge: L2; Body and front made of chipboard: L2.

Further products on this page: PantoMove-VF.







PRODUCT INFORMATION EcoTable-Q-Doz_TY_EN - 11.09.2023 - www.vs-furniture.com

EcoTable-Q

Lecturer's and teacher's table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. The table has levelling screws, glide elements for hard or soft floorings or universal glide elements.

Table heights of 74 and 76 cm.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. Equipped with angled corners in all cases. Equipped on the left, right or on both sides with a substructure with drawers or cabinet door. Optionally with panels. The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; HPL-top: L4; Chipboard with laminate: L2.

Further products on this page: JUMPER Air Move.

								\				
EcoTable-Q	Chipboard-PL Laminate-PL HPL	d = 65	23137	23120	23130	23121	23131	23122	23132	23133	23134	23135
	Chipboard-PUR		23137	23120		23121		23122				
		W	75	130	150	130	150	130			150	
		h						74	·76			





PRODUCT INFORMATION EcoTable-R-Doz_TY_EN - 11.09.2023 - www.vs-furniture.com

EcoTable-R

Lecturer's and teacher's table with round tubular legs.


Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements.

Table heights of 74 and 76 cm.

Table top made from 19-mm or 25-mm melamine resin-coated or laminate-coated chipboard with glued plastic edge or highly rigid moulded PUR edge. In some cases also with rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners.

Equipped on the left, right or on both sides with a substructure with drawers or cabinet door. Optionally with panels. The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard with PUR edge: L2; HPL-top: L4; Chipboard with laminate: L2.

Further products on this page: JUMPER Air Move.







PRODUCT INFORMATION RondoLift-Teach-Q_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-Q

Height-adjustable teacher's desk in sitting/standing height with square tube column and base.

Frame consisting of a square central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board.

Equipment: Table optionally with one or two lockable, laterally positioned pull-outs and/or a panel under the table top. Electrification (model 22247) optionally with a free-hanging cable tube.

RondoLift-Q	h = 74-117,9 cm	22245	22246	22247
Teach	w·d cm	120.70	130.84	120.84
	Star foot w·d cm		96-67	
	Drawer w·h·d cm	50-	12·37	52.7,9.48
	Optional		Screen	
		1 Di	rawer	2 Drawers
			Recharge	





PRODUCT INFORMATION RondoLift-Teach-R_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-R

Height-adjustable teacher's desk in sitting/standing height with round tube column and base.

Frame consisting of a round central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board.

Equipment: Table optionally with one or two lockable, laterally positioned pull-outs and/or a panel under the table top. Electrification: (model 22242) optionally with a free-hanging cable tube.

RondoLift-R	h = 74-117,9 cm	22240 22241	22242
Teach	w·d cm	120·70 130·84	120.84
	Star foot w·d cm	96.67	
	Drawer w·h·d cm	50-12-37	52.7,9.48
	Optional	Screen	
		1 Drawer	2 Drawers
		Recharge	





PRODUCT INFORMATION RondoLift-Q_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-Q

Height-adjustable sitting/standing table with square tube column and base.

Frame consisting of a square central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board. The square tables are optionally equipped with a foldable and lockable table top for safe transport from a width of 90 cm.

			·	
RondoLift-Q	h = 74-117,9 cm	22231	22232	22233
	w·d cm	80.80	90-90	100-100
	Star foot ø cm		104	
	Optional		Screen	
			Folding ta	able top





PRODUCT INFORMATION RondoLift-R_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-R Height-adjustable sitting/standing table with round tube column and base.

Frame consisting of a round central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board. The round tables are optionally equipped with a foldable and lockable table top for safe transport from a width of 90 cm.

RondoLift-R	h 74 117 0 am	22225	22236	22227	2220
NOTICULITE-N	h = 74-117,9 cm	22235			22238
	ø cm	80	90	100	120
	Star foot ø cm	8	5	10	4
	Optional		F	olding table top	0





PRODUCT INFORMATION MediaBox_TY_EN - 07.08.2023 - www.vs-furniture.com

MediaBox

Storage element for teacher's workplaces.

Body element with organized access to the storage space from three sides. Protected against unauthorized access from the side, front and top by means of lockable doors and flaps. Two models permitting the teacher's desk to be positioned on either the right or left.


Supporting plate for the positioning of a document camera with cabling via the gap in the flap as well as integrating the monitor arm "Flo".

Front area with PC compartment and optionally also a Gratnells tray and a separate keyboard compartment.

Side area with compartments for a document camera and small parts.

The following material groups are available: Body made of chipboard: L6; Cheek made of chipboard: L3; Cheek veneered: F1.

Further products on this page: RondoLift-Q.







PRODUCT INFORMATION InteractiveTeach_TY_EN - 10.10.2023 - www.vs-furniture.com

InteractiveTeach Media teacher's workstation with storage space.

Workstation consisting of a side substructure, a rear substructure and a table top with a generously dimensioned cable flap. Carcass, cheek and table top made of melamine-resin-coated chipboard with glued-on plastic edge.

Side substructure (left or right) consisting of a carcass with material pull-out and CPU storage space behind a lockable swing door. Fitted on the side with a sliding panel for free access to the CPU cabling. A sliding table-top segments permits access from above to further storage space (e.g. for a document camera).

Rear substructure with a lockable swing door consisting of a cable compartment for spare cable and hardware peripherals. The compartment is accessible from above through the cable flap in the table top (see below). Further storage space at the bottom; fitted with an adjustable shelf insert and brackets for cable routing. Carcass with sheet-steel legs.

Table top comprising three segments. Sliding part on the side for access from above to the substructure. Cable flap at the rear (rear substructure) and worktop on the user side. Table top with a frame of half-oval steel tube. Equipment. Optionally with monitor holder "Flo".

The following material groups are available: Frame made of steel: M1; Body and front made of chipboard: L4; Cheek made of chipboard: L6.

Further products on this page: PantoMove-LuPo, RondoLift-Q.

InteractiveTeach		0	4441	04442
	Overall / table w·h·d	104	1-80-94 / 65-7	4.65
	Storage space, substructure, side w·h·d		35-74-90	
	Storage space, substructure, rear w·h·d		63-29-13	
	Storage space for camera w·h·d		35-74-35	
	Cable cap w·d		63-20	
	Position substructure side		left	right





Media rail systems





PRODUCT INFORMATION FlexiPanel-1_TY_EN - 21.12.2022 - www.vs-furniture.com

FlexiPanel for wall or cabinet mounting Media rail with one board level.

Mounting on walls or Serie 800 special add-on cabinets. When wall-mounted, it is possible to compensate for slight wall unevenness of max. 13 mm.


System consisting of two aluminium profiles positioned above one another, equipped as standard with a hook strip and optionally with an integrated picture clamping strip. Lightweight boards can easily be inserted in and removed from the one-part profiled rail. As an option, a wall-mounted, writable base surface made from enamel steel can be inserted at the back (level 0). The end of the profile is closed with a tight-fitting plastic cap.

Boards can be used on both sides and are equipped with a fabric lining that is suitable for pins, an enamel steel surface with different rulings or a laminate coating. The wood-fibre board is equipped all-round with a moulded, shock-resistant polyurethane edge.

The following material groups are available: Writing surface made of steel: E1; Pinboard made of fabric: S72; Chipboard with writable laminate: L(white).

										750	000	8		
FlexiPanel		Single rail					Board		Pin	Magnet	Hooks	Mini-board	Hook	
	Assembly	Wall			Cabinet	for all rails			for boards		for wall-mounted rails			
	Level 1	07880				07888								
	Level 1+0		07881											
	Level 1+clamping strip			07882										
	Level 1+0+clamping strip				07883									
							07890	07891	07892	07896	07947	07894	07893	07895
	w cm						80	100	112,5				40	
	w m		1-	12		1-6								
	h cm	120			114,4	112,5						60		
										100x	1x	4x		





PRODUCT INFORMATION FlexiPanel-2_TY_EN - 21.12.2022 - www.vs-furniture.com

FlexiPanel for wall or cabinet mounting Media rail with two board levels.

Mounting on walls or Serie 800 special add-on cabinets. When wall-mounted, it is possible to compensate for slight wall unevenness of max. 13 mm.

System consisting of two aluminium profiles positioned above one another, equipped as standard with a hook strip and optionally with an integrated picture clamping strip. Lightweight boards can easily be inserted in and removed from the two-part profiled rail or can be slid in front of or behind one another. As an option, a wall-mounted, writable base surface made from enamel steel can be inserted at the back (level 0). The end of the profile is closed with a tight-fitting plastic cap. Boards can be used on both sides and are equipped with a fabric lining that is suitable for pins, an enamel steel surface with different rulings or a laminate coating. The wood-fibre board is equipped all-round with a moulded, shock-resistant polyurethane edge.

The following material groups are available: Writing surface made of steel: E1; Pinboard made of fabric: S72; Chipboard with writable laminate: L(white).

FlexiPanel				Double rai				Board		Pin	Magnet	Hooks	Mini-board	Hook
I ICAII dilCi	Assembly	Wall			Cabinet	for all rails			for boards		for wall-mounted rails			
	Level 1	07884				07889			3	101 000	1103	101 (waii-iiiouiite	u rans
		07004				07009								
	Level 1+0		07885											
	Level 1+clamping strip			07886										
	Level 1+0+clamping strip				07887									
							07890	07891	07892	07896	07947	07894	07893	07895
	W						800	1000	1125				400	
	h							1125					600	
										100x	1x	4x		





PRODUCT INFORMATION S800-FlexiPanel_TY_EN - 25.11.2021 - www.vs-furniture.com

Serie 800 **Add-on cabinets for** FlexiPanel integration.

Element cabinet (see table for details) in height of 3 height units.


Type: Shelved add-on cabinet, in some cases with centre partition. With doubled top and bottom panel for attachment of FlexiPanel system rail.

Internal equipment consisting of shelf inserts or gratnells plastic boxes.

The following material groups are available: Body and bases made of chipboard: L6.

Serie 800			D=42,5			D=58,0			D=42,5	
	Н					114,4 зғн				
	W= 40 cm	44880			44980					
	W= 50 cm	44881			44981					
	W= 60 cm	44882			44982					
	W= 71 cm							44877		
	W= 80 cm	44883			44983					
	W= 100 cm	44884	44885	44886	44984	44985	44986			
	W= 105,5 cm								44878	
	W= 120 cm	44887	44888	44889	44987	44988	44989			
	W= 140 cm									44879
	Adjustable shelf inserts	2	4	4	2	4	4	-	-	-
	CP, CPsb	-	CP	CPsb	-	CP	CPsb	-	-	-
	Number of boxes (h 7,5/15)	-	-	-	-	-	-	4/2	6/3	8/4
	Number of compartiments	-	-	-	-	-	-	2	3	4





PRODUCT INFORMATION MediaPro-B_TY_EN - 05.12.2016 - www.vs-furniture.com

MediaPro-II-Basic Rail.

MediaPro-II-Basic, wall-mounted media rail.

System comprising a multifunctional aluminum rail system with an integrated picture rail and a profile section for level 1 slot-in accessories and boards.

Function. VS level 1 accessories and the picture rail (see table) can be slid over each other.


Mounting. Wall-mounted with visible screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, boards (also height-adjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection.

The following material groups are available: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm					REFE	
Basic	with level 1	07800	07840	07801	07802		
	for level 1						07842
	for picture rail					07841	
	d·h	1,3·3,6	0,5·4,0				
	Length min-max	100-	1200				
		Media rail	Wall protection	90° corner connector	2x Stopper	4x Picture hook	4x Suspension hook





PRODUCT INFORMATION MediaPro-C_TY_EN - 05.12.2016 - www.vs-furniture.com

MediaPro-II-Comfort Rail.

MediaPro-II-Comfort, wall-mounted media rail.


System comprising a multifunctional aluminum rail system with an integrated picture rail, a magnetically adherent decorative band and a profile section for level 1 slot-in accessories and boards.

Function. VS level 1 accessories, the picture rail and the magnetically adherent strip (see table) can be slid over each other. **Mounting.** Wall-mounted with concealed screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, magnets, stoppers, boards (also height-adjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection. The following material groups are available: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm					REFE		
Comfort	with level 1	07805	07840	07806	07807			
	for level 1						07842	
	for picture rail					07841		
	for magnetically adherent surface							07947
	d·h	1,4·4,5	0,5·4,0					
	Length min-max	100	-1200					
		Media rail	Wall protection	90° corner connector	2x Stopper	4x Picture hook	4x Suspension hook	1x Magnet





PRODUCT INFORMATION MediaPro-P_TY_EN - 06.02.2019 - www.vs-furniture.com

MediaPro-II-Premium Rail.

MediaPro-II-Premium, wall-mounted media rail.

System comprising a multifunctional aluminum rail system with an integrated picture rail, a magnetically adherent decorative band and profile sections for level 1 and level 2 slot-in accessories and boards. Additionally with an enamel steel baseplate as level 0.

Function. VS level 1 and 2 accessories, the picture rail and the magnetically adherent strip (see table) can be slid over each other.

Mounting. Wall-mounted with concealed screw fastenings. Longer wall rail systems are combined from several 3-meter elements and if necessary a cut element. Connection is effected linearly with a concealed adapter or with a 90° corner connector for angle joints. Comes with plastic end caps as standard. Additionally, the wall protection rail should be used to prevent the system from getting dirty in the area of the lower rollers.

Accessories. 90° corner connector, wall protection rail, plastic picture hooks, magnets, stoppers, boards (also height-adjustable), flip-charts, roll-charts, projection boards and aluminum suspension hooks with integrated anti-theft protection. The following material groups are available: Rail made of aluminium: M(anodisé).

	Max. load: 100 kg/lin.m Fastening possibility: every 40 cm									FFF		
Premium	with level 1, 2	07813	07814	07815	07816	07810	07840	07811	07812			
	for level 2										07842	
	for picture rail									07841		
	for magnetically adherent surface											07947
	d·h					1,6.8,6	0,5.4,0					
	h	100	120	100	120							
	Length min-max	20	00, 250, 30	00, 350, 40	00	100-	1200					
		Media rail,		, baseplate		Rail	Wall	90°	2x	4x	4x	1x
		Wall pro	otection	Shelf pro	otection		protec-	corner	Stopper	Picture	Suspension	Magnet
		str	rip	str	rip		tion	connector		hook	hook	





PRODUCT INFORMATION MediaPro-Board_TY_EN - 04.08.2023 - www.vs-furniture.com

MediaPro-II Board.

System. Boards for slotting into the MediaPro-II rail systems. Can optionally be used on two sides or one side. The elements can be easily slid.


Function. Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

Board areas. Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated plastic glide elements or aluminum roller glide elements and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

Board surfaces. Enamel steel (with and without lines) for chalk or VS boardmarker, cork linoleum, natural cork and felt covering (suitable for pins) are available. Different materials can be used on the front and back of all boards. Accessories. Magnetically adherent pen holder and sponge holder.

Note. The models can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and one level.

The following material groups are available: Writing surface made of steel: E1; Projection surface: E(matt white).







PRODUCT INFORMATION MediaPro-Chart_TY_EN - 06.04.2022 - www.vs-furniture.com

MediaPro-II Flipchart, rollchart.

System. Charts for slotting into the MediaPro-II rail systems. The elements can be easily slid.

Function. Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

Board areas. Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated rollers and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

Board surfaces in white enamel steel (without lines) for VS boardmarker and with paper holders for flip- and roll-charts including pad or roll of paper.

Note. The model can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and the corresponding level.

The following material groups are available: Writing surface made of steel: E(white).

Flipchart		Level 1	07825	07826		07827	07828	
Rollchart	Comfort							
	Premium	Level 2	-					
	Accessories				07846			07847
		w⋅h	70·100	70·120	68-99	70·100	70·120	68-3000
			Flipo	hart	Flipchart block	Rollo	hart	Rollchart roll
					10 pads, each w/ 20 sheets			2 30 m rolls





PRODUCT INFORMATION MediaPro-PBoard-N_TY_EN - 05.12.2016 - www.vs-furniture.com

MediaPro-II Projection board (tilting).

System. Projection boards for slotting into the MediaPro-II rail systems. The elements can be easily slid. Function. Level 1 boards can be slid over elements of the picture rail and the magnetically adherent strip. Level 2 boards can also be slid over level 1 slot-in elements.

Projection areas. Sturdy, lightweight design with anodized aluminum edging and rounded safety corners. Aluminum safety hanging fittings with integrated rollers and unhinging retainer at the top. Aluminum-colored plastic spacer wheels at the bottom.

Board surfaces in coated matt white for slide, film, daylight, LCD and video projections. Board function. Tilting. **Note.** The model can only be used in each case within one system, i.e. MediaPro-Basic or Comfort or Premium, and the corresponding level.

The following material groups are available: Projection surface: E(matt white).

Projektion	Basic Comfort	Level 1	07830	07831	07832	07833	07834	07835	07836	07837	07838
	Comfort										
	Premium	Level 2									
		w·h	135-135	150-150	165-165	180-180	200-200	160-120	180-135	200-150	220-165
		Protrusion, top	15	30	45	60	80	0	15	30	45
				tiltir	ig up to 28° (1:1)			tilting up t	o 28° (4:3)	

Boards





PRODUCT INFORMATION TopScript-I_TY_EN - 14.03.2023 - www.vs-furniture.com

TopScript-I

Elongated wall board with one writing or pin surface.

Installation. Wall-mounted, suspended

Board surfaces made from steel sheet, corkinol, cork or cork with fabrics (without modell 66514–16), held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip (optional) and wiper holder (optional) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Aluminium picture clamping strip with four movable clamping points per linear metre.

Note: Please note any discrepant dimensions during assembly.

The following material groups are available: Pinboard made of fabric: S72; Pinboard made of cork: K1; Writing surface made of steel: E1.

TopScript-I	W	100	120	150	200,4	250,4	300,4	400,4
		66500		66501	66502			
	Total h	80		80	80			
		66503	66504	66505	66506	66507	66508	66509
	Total h	100,8	100,8	100,8	100,8	100,8	100,8	100,8
					66510	66511	66512	66513
	Total h				120,8	120,8	120,8	120,8
					66514	66515	66516	
	Total h				153,2	153,2	153,2	





PRODUCT INFORMATION TopMove-I_TY_EN - 10.08.2022 - www.vs-furniture.com

TopMove-I Sliding board with one writing surface.


Sliding frame with extruded surround, aluminium profiles with natural anodized finish and chipboard front cover. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in body. The board surface can be moved vertically.

Installation. Wall (A) or floor-mounted (B), free-standing (C) or mobile (D).

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps.

Accessories. Wall-mounted projection surface.

The following material groups are available: Frame made of aluminium: M(anodisé); Writing surface made of steel: E1. Further products on this page: JUMPER Air Move, EcoTable-Q.







PRODUCT INFORMATION TopMove-V_TY_EN - 10.08.2022 - www.vs-furniture.com

TopMove-V Sliding board with five writing surfaces.


Sliding frame with extruded surround, aluminium profiles with natural anodized finish and chipboard front cover. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in body. The board surface can be moved vertically.

Installation. Wall (A) or floor-mounted (B), free-standing (C) or mobile (D).

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder on main surface (F3) and dirt collection channel on the two wings (F1, F2/F4, F5) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Wall-mounted projection surface. Model 66600 ptionally with insertable matte glass wing.

The following material groups are available: Frame made of aluminium: M(anodisé); Writing surface made of steel: E1. Further products on this page: JUMPER Air Move, EcoTable-Q.







PRODUCT INFORMATION TopPilon-I_TY_EN - 04.03.2021 - www.vs-furniture.com

TopPilon-I

Pylon board with one writing surface.


Pair of pylons (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically between the pylons. See table for maximum pylon height.

Installation. Wall mounting.

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre, wall-mounted projection surface.

The following material groups are available: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1. Further products on this page: JUMPER Air Move, EcoTable-Q.







PRODUCT INFORMATION TopPilon-II_TY_EN - 28.04.2020 - www.vs-furniture.com


TopPilon-II

Pylon double board with two writing surfaces.

Double pair of pylons (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically between the pylons. See table for maximum pylon height. **Installation.** Wall mounting.

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip on the board surfaces made from aluminium with natural anodized finish and with side safety caps Accessories. Centre, wall-mounted projection surface.

The following material groups are available: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1. Further products on this page: JUMPER Air Move, EcoTable-Q.







PRODUCT INFORMATION TopPilon-V_TY_EN - 28.04.2020 - www.vs-furniture.com

TopPilon-V Pylon folding board with five writing surfaces.


Pair of pylons (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically in front of the pylons. See table for maximum pylon height.

Installation. Wall mounting.

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder (optional) on main surface (F3) and dirt collection channel on the two wings (F1, F2/F4, F5) made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre, wall-mounted projection surface.

The following material groups are available: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1. Further products on this page: JUMPER Air Move, EcoTable-Q.







PRODUCT INFORMATION TopPilon-VI_TY_EN - 04.10.2021 - www.vs-furniture.com


TopPilon-III, TopPilon-VI Double-pylon folding board with six writing surfaces.

One or Two pairs of pylons (pairs of uprights) made from combined, extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically in front of the pylons. See table for maximum pylon height. Installation. Wall mounting.

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Chalk strip and wiper holder on main surface and dirt collection channel on the wings made from aluminium with natural anodized finish and with side safety caps.

Accessories. Centre-mounted projection surface or screen.

The following material groups are available: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1.







PRODUCT INFORMATION TopPilon-Tridacta_TY_EN - 28.04.2020 - www.vs-furniture.com

TopPilon-Tridacta Pylon board with two writing and one projection surface.


Two pairs of pylons (pair of uprights) made from extruded aluminium profiles with natural anodized finish. Counterweights made from steel or plastic, lightweight, low-noise and maintenance-free, travelling in the uprights. The board surface can be moved vertically and horizontally in front of the pylons. See table for maximum pylon height.

Installation. Wall mounting.

Board surfaces made from steel sheet, held in frame without screws, with rounded aluminium profiles and safety corners. Wiper holder and chalk strip on the board surfaces (F1, F2) made from aluminium with natural anodized finish and with side safety caps.

Centre, wall-mounted projection surface. Surface can be tilted to any position, held in frame without screws, with rounded aluminium profiles and safety corners.

The following material groups are available: Pylon made of aluminium: M(anodisé); Writing surface made of steel: E1; Projection surface: E(matt white).







PRODUCT INFORMATION VistaFixWand_TY_EN - 23.03.2023 - www.vs-furniture.com

VistaFix

Projection screen for wall mounting.

Installation. Wall-mounting hanging.

Projection screen is enclosed without screws in rounded aluminium profile with safety corners.

Note: The projection screen is not suitable for use with ceiling-mounted projectors.

The following material groups are available: Projection surface: L(grey white).

VistaFix	Projection					66	549		
	1:1			147-147					
	16:10				160-100	192-120	215-135	244·153	271-170





PRODUCT INFORMATION VistaFlexPilon_TY_EN - 14.07.2022 - www.vs-furniture.com

VistaFlex, VistaFlex-Pilon Projection screen.

Installation on TopPilon single-surface and double-surface boards or with bracket on ceiling or wall.

Material. Extruded aluminium (white RAL 9016) housing, corresponding to the spacing between the columns.

Features Type A. Bevel gear drive on right hand side with removable winding handle. Height of projection screen continuously adjustable with automatic end stop when fully pulled-out.

Features Type B. Plug-in electric motor on right hand side with cable. Height of projection screen continuously adjustable with automatic end stop (Connection to electricity supply is customer responsibility).

The following material groups are available: Projection surface: E(diffusing).

		P					P						
VistaFlex	Type A	06452	06453	06454	06455	06456	06470	06471	06472	06473	06474	06475	06476
	Type B	06462	06463	06464	06465	06466	06480	06481	06482	06483	06484	06485	06486
	Projection	200-200	250-200	250-250	300-250	300-300	180-200	200-200	200-200	250-200	200-200	250-200	300-200
	for board w						20	10	25	0	30	0	400
	Total w	216	266	266	316	316	22	5	27	5	32	5	425
	Housing						11.	11					





PRODUCT INFORMATION TopMobil-Circle_TY_EN - 15.03.2023 - www.vs-furniture.com

TopMobil-Circle

Framed board with two writing surfaces.


Frame made from powder-coated oval steel tube. Mobile with four castors, two of which are lockable. Installation. Mobile.

Board surfaces can be rotated horizontally through 360° and can be fixed in any position, usable on both sides. Board surface made from steel sheet, cork or cork with fabric, held in frame without screws, with rounded aluminium profiles, safety corners, wiper and chalk holder.

The following material groups are available: Pinboard made of fabric: S72; Pinboard made of cork: K1; Writing surface made of steel: E1.








PRODUCT INFORMATION Zeichengeraete_TY_EN - 08.11.2018 - www.vs-furniture.com

Drawing equipment.

Pointer, ruler (with graduations), 45° square, 30° square, protractor, angle and compass.

Drawing equipment Set (6936). Unbreakable plastic storage case, for separate wall attachment. 4 plastic parts consisting of: pointer (6920), ruler (6921), protractor (6924), compass (6926).

Drawing equipment Set (6937). Unbreakable plastic storage case, for separate wall attachment. 6 plastic parts consisting of: pointer, glass-fibre (6920), ruler (6921), 45° square (6922), 30° square (6923), angle (6925), compass (6926).







Multipurpose chairs, office swivel chairs





PRODUCT INFORMATION Jumper-Air-Active_TY_EN - 23.06.2023 - www.vs-furniture.com

JUMPER Air Active Forward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.	3	3	3	3		
JUMPER Air Active		33410	33412	33413	33415	33416	33417
	Seat w·h·d	470-465-460	485-480-460	470-465-460	485-480-460	440-460-425	455-475-425
	Total w·h·d	532-849-547	532-854-547	615-849-547	615-854-547	519.81	2.515
	Armrest h			66	69		
	Seat shell		X	L		l	-
	Stacking height	5)	3	}	Ę	5





PRODUCT INFORMATION Jumper-Air-Four_TY_EN - 23.06.2023 - www.vs-furniture.com

JUMPER Air Four Four-legged office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. With glide elements for hard or soft floorings or with 2C universal glide elements depending on model.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.			A	A		
JUMPER Air Four		33310	33312	33313	33315	33316	33317
	Seat w·h·d	470-460-460	485-475-460	470-460-460	485-475-460	440-460-425	455-475-425
	Total w·h·d	538-838-566	538-845-571	615-838-566	615-845-571	512.80	9.529
	Armrest h			65	54		
	Seat shell		Х	L		Ĺ	-
	Stacking height	5	5	3	3	5	





PRODUCT INFORMATION Jumper-Air-Four-P_TY_EN - 16.01.2023 - www.vs-furniture.com

JUMPER Air Four Plus Chair for high sitting.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Chairs in 4 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. With covered seat fixing and grip hole.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4.

JUMPER Air Four Plus		33304	33305	33306	33307
	Seat w·h·d mm	440.610.425	440.720.425	440.760.425	440.830.425
	Total w·h·d mm	518-950-554	522·1060·572	524·1100·597	524·1171·622
	Distance of seat to floor mm	610	720	760	830
	Distance of seat to foot position h mm		46	60	
	Optimum table height mm	840-910	950-1020	990-1060	1060-1130
	Seat shell		Ĺ	-	
	Stacking height		5	5	





PRODUCT INFORMATION Jumper-Air-Meet_TY_EN - 23.06.2023 - www.vs-furniture.com

JUMPER Air Meet Backward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes L and XL. Optionally available with upholstered seat or all-round upholstery consisting of plastic core with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.						
JUMPER Air Meet		33610	33612	33613	33615	33616	33617
	Seat w·h·d	470-471-460	485-486-460	470-471-460	485-486-460	440-472-425	455-487-425
	Total w·h·d	531-888-571	531-893-571	615-888-571	615-893-571	513.84	19.525
	Armrest h			69)3		
	Seat shell		X	L		Ĺ	-
	Stacking height	5	5	3	3	5	5





PRODUCT INFORMATION Jumper-Air-Move_TY_EN - 24.03.2024 - www.vs-furniture.com

JUMPER Air Move Office swivel chair for seated and standing workplaces.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Plus model for raised seated/ standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps. Available as both a chair and armrest chair.

Seat shell made from double-walled, structured polypropylene (Air) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing and is available in the sizes XL and L. Optionally available with upholstered seat consisting of plastic core with taut fabric cover.

Equipment and options. Depending on the model, equipped with glide elements or castors for hard or soft floorings or with 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: C4,(white); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 15 mm. Backrest 10 mm.						
JUMPER	Lift		33510	33512	33513	33515		33517
Air Move		Seat w·h·d	470-446-574-460	485-461-589-460	470-446-574-460	485-461-589-460		455-433-561-425
		Total w·h·d	686-847-975-686	686-831-959-686	686-847-975-686	686-831-959-686		601.780-908.601
		Armrest h	660-788					
		Seat shell		X	Ĺ			L
		Height increase with castors		+		+ 23,5		
	Plus		33520	33522	33523	33525	33526	33527
		Seat w·h·d	470-530-778-460	485-545-793-460	470.530-778.460	485-545-793-460	440-503-751-425	455-518-766-425
		Total w·h·d	686-932-1180-686	686-947-1195-686	686-932-1180-686	686-947-1195-686	601-864-	1112-601
		Armrest h			745-	-993		
		Seat shell		Х	Ĺ		l	_
		Height increase with castors		- 2	2,0		+ 23,5	





PRODUCT INFORMATION Jumper-Ply-Active_TY_EN - 13.09.2023 - www.vs-furniture.com

JUMPER Ply Active Forward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1, (natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.			3	33	3	3	
JUMPER Ply Active		33460	33461	33462	33463	33464	33465	33466
	Seat w·h·d	470-465-442	485-48	30-442	470-465-442	·465·442 485·480·442		440-465-422
	Total w·h·d	532-85	52.547	532.857.547	615-85	52.547	615-857-547	519-816-515
	Armrest h					669		
	Seat shell			X	L			L
	Stacking height		5		3			5





PRODUCT INFORMATION Jumper-Ply-Four_TY_EN - 13.09.2023 - www.vs-furniture.com

JUMPER Ply Four Four-legged office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. With glide elements for hard or soft floorings or with 2C universal glide elements depending on model.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1, (natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.					A	A	
JUMPER Ply Four		33360	33361	33362	33363	33364	33365	33366
	Seat w·h·d	471-460-442	486-47	5.442	471-460-442	486-47	75-442	440-460-422
	Total w·h·d	538-840-567	538-840-567	538-845-567	615-840-567	615-840-567	615-845-567	513-803-532
	Armrest h				65	55		
	Seat shell	XL						
	Stacking height		5			3		5





PRODUCT INFORMATION Jumper-Ply-Four-P_TY_EN - 13.09.2023 - www.vs-furniture.com

JUMPER Ply Four Plus Chair for high sitting.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair is stackable (see table). Chairs in 4 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1, (natural oak).

JUMPER Ply Four Plus			33354	33355	33356	33357	
	Seat w·h·d mm		440-610-422	440.720.422	440.760.422	440.830.422	
	Total w·h·d mm		518-955-557	522·1064·575	524-1105-581	526-1175-593	
	Distance of seat to floor mm		610	720	760	830	
	Distance of seat to foot position h mm		460				
	Optimum table height mm		840-910	950-1020	990-1060	1060-1130	
	Seat shell		·	Ĺ			
	Stacking height			5			





PRODUCT INFORMATION Jumper-Ply-Meet_TY_EN - 13.09.2023 - www.vs-furniture.com

JUMPER Ply Meet Backward-sprung cantilevered office chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. The chair and armrest chair are stackable (see table).

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1, (natural oak); Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 10 mm.						3	
JUMPER Ply Meet		33660	33661	33662	33663	33664	33665	33666
	Seat w·h·d	470-460-442	485-47	75-442	470-460-442	485.4	75-442	440-460-422
	Total w·h·d	531.89	91.571	551-896-571 615-89		91.571 615.896		513-854-525
	Armrest h				69)3		
	Seat shell			X	L			L
	Stacking height		5			5		





PRODUCT INFORMATION Jumper-Ply-Move_TY_EN - 24.03.2024 - www.vs-furniture.com

JUMPER Ply Move Office swivel chair for seated and standing workplaces.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Plus model for raised seated/ standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps. Available as both a chair and armrest chair.

Seat shell made from plywood (Ply) with anti-slip paint, concealed seat fixing and grip hole. Optionally available with upholstered seat or all-round upholstery, each with taut fabric cover.

Equipment and options. Depending on the model, equipped with glide elements or castors for hard or soft floorings or with 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

33561	3562 33563	33564	33565					
485-465-617-442	470-450-602-442	70-450-602-442 485-465						
86 686-853-1	00.686 686.848-	1000-686	686-853-1000-686					
		658-810						
XL								
+ 7,0								
33571	3572 33573	33574	33575	33576				
485-555-830-442	470-540-815-442	485.555	-830-442	440.508-830.422				
53-1228-655 655-958-1	33-655 655-938-1213-655	655-953-1228-655	655-958-1233-655	601-871-1146-601				
		748-1023						
XL								
	+ 7,0			+ 23,5				
		+ 7,0	+ 7,0	+ 7,0				





PRODUCT INFORMATION PMove-LuPo-Tablar_TY_EN - 24.03.2024 - www.vs-furniture.com

PantoMove-LuPo College chair with tray.

Frame consisting of an aluminium star-foot and plastic-covered swivelling or height-adjustable pillar. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect. The shell is manufactured with a hidden seat fixing.

Tray made from white CDF fibre board, swivelling and mounted on a support on the right or left. Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1.

When fitted with castors, the height increases by 23,5 mm. PantoMove-LuPo 31580 31581 Lift 460 412-501 h mm Seat shell Tablet left left right right





PRODUCT INFORMATION PMove-LuPoSoft_TY_EN - 24.03.2024 - www.vs-furniture.com

PantoMove-LuPo, PantoMove-Soft Star-foot chair.

Frame consisting of an aluminium star-foot and plastic-covered gas spring mechanism. Upholstered and non-upholstered chairs and armrest chairs are available.

Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with particularly ergonomic 3D rocker mechanism.

Plus model for raised seated/standing workplaces with castors that are locked in place when under load and a fixable foot ring that is height-adjustable in 3-cm steps.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated, high polished Alu); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

		Upholstery: Seat 20 mm. Backrest 15 mm.								
PantoMove-LuPo	Lift		31510	31511						
	Plus (High)				31512	31517				
PantoMove-Soft	Lift						31513	31514		
	Plus (High)								31515	31516
		Seat w·h·d	450-477-	-605·450	450.555-	-805-450	480-492-	-620-450	480.575-	-825·450
		Total w·h·d	700-846-974-700		700-936-	1186-700	700-863-	-991·700	700-940-	1210.700
		Armrest h		649-767		733-983		649-777		733-983
		Seat shell		XL						





PRODUCT INFORMATION PSwing-LuPoSoft_TY_EN - 23.06.2023 - www.vs-furniture.com

PantoSwing-LuPo, PantoSwing-Soft Forward-sprung cantilever chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. Upholstered and non-upholstered chairs and armrest chairs are available. For use under high material loads, with extremely stable cross-strut between the skids. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements for hard and soft floors or 2K universal glide elements. Optionally available with table edge protection for piggy-back chair stacking.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

	Upholstery: Seat 20 mm. Backrest 15 mm.	Optionally with table-edge protection for piggy-back chair mounting.				
PantoSwing-LuPo			31410	31412		
PantoSwing-Soft					31413	31414
	Seat w·h·d		450-46	60.450	480.48	80-450
	Total w·h·d		520-825-545	575-825-545	520.835.545	575-835-545
	Armrest h			650		650
	Seat shell			X	L	





PRODUCT INFORMATION Compass-LuPoSoft_TY_EN - 23.06.2023 - www.vs-furniture.com

Compass-LuPo, Compass-Soft Four-legged chair.

Frame made from welded, powder-coated or chromium-plated circular steel tube. Optionally available with armrests and plastic lining, as chair with row connectors, as chair with writing and laptop support or as chair with double castors. Seat shell made from double-walled, structured polypropylene (LuPo) for comfortable seating with air cushion effect in the non-upholstered models. The shell is manufactured with a hidden seat fixing. Optionally with a taut, all-round fabric cover (Soft).

Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. With book or storage basket under the seat shell.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C1,(white); Fabric cover: S51,52,74,78,79,80.

Compass		Upholstery: Seat 20 mm. Backrest 15 mm.		LuPo		Soft Soft			
Compass			31310 31312 3			31382	31384	31381	
		Total w·h·d	510-826-530	600.826.530	637.836.775	510.830.570	600.830.570	580.830.885	
	RV		31311			31383			
		Total w·h·d	545-826-530			545-830-570			
	Castors		31315	31317	31318	31387	31388	31389	
		Total w·h·d	540.826.530	600-826-530	648-836-775	540-830-570	600-830-570	648-830-780	
		Seat w·h·d		450-460-450		480-480-450			
		Armrest h		635			635		
		Seat shell			X	IL '			
		RV spacing	535			535			





PRODUCT INFORMATION PMove-VF_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoMove-VF Five-star foot chair.

Frame comprising an aluminium star foot and a plastic-covered gas-filled telescopic strut.

Seat shell made of plywood with anti-slip paint and visible seat mounting. Optionally rigidly padded all over. Equipment and options. Glide elements or castors for hard or soft floors or 2C universal glide elements. Optionally with foot ring or with particularly ergonomic 3D rocking mechanism.

Model Plus for raised sitting/standing workstations with castors braked under load and with a foot ring that is height-adjustable and lockable in 3 cm increments.

The following material groups are available: Frame made of steel tube: M1,(high polished Alu, chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 20 mm. Backrest 20 mm.							
PantoMove-VF	Lift		31540	31541	31542	31545	31546	31547	
		Seat w·h·d	450-443-595-450	450-463-	-615-450	450-443-595-450	450·463-615·450		
		Total w·h·d	700-861-1013-700	700.881-1033.700		700-861-1013-700	700.881-1033.700		
		Armrest h				653-805			
		Seat shell			X	XL			
	Plus (High)		31550	31551	31552	31555	31556	31557	
		Seat w·h·d	450-533-806-450	450-553-	-826·450	450-533-806-450	450-553-	-826-450	
		Total w·h·d	700.945-1218.700	700-965-	1238·700	700-945-1218-700	·945-1218·700 700·965-1238·700		
		Armrest h	,			741-1014			
		Seat shell			Х	L			





PRODUCT INFORMATION PSwing-VF_TY_EN - 07.08.2023 - www.vs-furniture.com

PantoSwing-VF Forward-flexing cantilever chair.

Frame of one-piece powder-coated or chrome-plated bent round steel tube. Chairs and armchairs are available. Seat shell of plywood with anti-slip varnish and visible seat attachments. Optional firm all-round upholstery. Features and options. Glide elements for hard and soft floors or 2K universal glide elements. Optionally with table-edge protection for piggy-back chair mounting.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

	Upholstery: Seat 15 mm. Backrest 15 mm.	Optionally with table-edge protection for piggy-back chair mounting.						
PantoSwing-VF			31430	31431	31432	31440	31441	31442
	Seat w·h·d		450-460-450	450-47	75-450	450-460-450	450.47	75-450
	Total w·h·d			520.850.545			575-850-545	
	Armrest h						650	
	Seat shell				X	L		





PRODUCT INFORMATION Compass-VF_TY_EN - 07.08.2023 - www.vs-furniture.com

Compass-VF Four-legged chair.

Frame of bent and welded, powder-coated or chrome-plated round steel tube. Optionally as a chair with arms with plastic covering, as a chair with row connector, as a chair with writing and laptop surface or with 4 double castors.

Seat shell made of plywood (VF) with anti-slip paint. Optionally with rigidly padded seat surface or rigidly padded all over. Equipment and options. Glide elements for hard and soft floors or 2C universal glide elements. For maximum stacking quantity, see table. With book/storage basket under the seat pan.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,78,79,80,82.

		Upholstery: Seat 15 mm. Backrest 15 mm. VF/RV: w +35 mm				R		R	
Compass	VF		31330	31331	31332	31340	31341	31342	31350
	VF (RV)		31335	31336	31337				
		Seat w·h·d	450-445-450	450.46	0.450	450-445-450	450.46	60-450	450-445-450
		Total w·h·d		510.835.570			580.835.885		
	Armrest h						630		
		Stacking height		10					
		Seat shell	XL						
		RV spacing		535					
	VF (Castors)		31360	31361	31362	31365	31366	31367	31370
		Seat w·h·d	450-450-450	450.46	5-450	450-450-450	450.46	55-450	450-450-450
		Total w·h·d	'	545.840.570		'	590-840-570		580-840-885
		Armrest h					635		
		Stacking height			6	ò			
		Seat shell				XL			





PRODUCT INFORMATION NF-Compass_TY_EN - 23.06.2023 - www.vs-furniture.com

NF-Compass Four-legged chair.

Frame made from curved, welded, powder-coated or chromium-plated circular steel tube. Optionally available with armrests and plastic lining or as a chair with row connector.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options Glide elements for hard and soft floors or 2C universal glide elements.

Accessories. Stacking trolley model 31198 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C7; Fabric cover: S46,51,52,64,74,76,78,79,80,82.

	Upholstery: Seat 20 mm. Backrest 10 mm.				R	R	R
NF-Compass		32300	32301	32302	32305	32306	32307
	RV	32310	32311	32312			
	Seat w·h·d	434-460-440	434-480-440	434-480-430	434-460-440	434-480-440	434-480-430
	Total w·h·d		483-809-540			570-809-540	
	Armrest h					650	
	Stacking height			1	0		
	RV spacing		508				





PRODUCT INFORMATION NF-Move_TY_EN - 23.06.2023 - www.vs-furniture.com

NF-Move Star-foot chair – the ergonomic seating solution.

Frame consisting of an aluminum star-foot and plastic-covered gas spring mechanism. Optionally available with armrests and plastic lining.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options Glide elements or castors for hard and soft floors or 2C universal glide elements. Optionally available with foot ring or with particularly easy-to-use 3D tilt mechanism with sideways tilt capability. With piggy-back hook (models without armrests) for suspension of chair on table tops.

Model Plus for raised sitting/standing workstations with castors braked under load and with a foot ring that is height-adjustable and lockable in 3 cm increments.

The following material groups are available: Frame made of steel tube: M1; Seat and backrest: C7; Fabric cover: S46,51,52,64,74,76,78,79,80,82.

		Upholstery: Seat 20 mm. Backrest 10 mm. When fitted with castors, the height increases by 23,5 mm.							
NF-Move			32500	32501	32502	32505	32506	32507	
		Seat w·h·d	434-419-571-440	434-429-	591-440	434-419-571-440	434-429-	591-440	
		Total w·h·d		601-775-927-601		686·775-927·686			
		Armrest h					645-797		
	Plus (High seat)		32510	32511	32512	32515	32516	32517	
		Seat w·h·d	434-509-782-440	434-529-	802-440	434-509-782-440	434-529-	802-440	
		Total w·h·d		601-865-1138-601			686-865-1138-686		
		Armrest h				735-1008			





PRODUCT INFORMATION NF-Swing_TY_EN - 23.06.2023 - www.vs-furniture.com

NF-Swing Forward-sprung cantilever chair.

Frame made from curved, powder-coated or chromium-plated circular steel tube. With an extremely stable strut between the skids. Optionally available with armrests and plastic lining.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fiber content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard or soft floors or dual-component multipurpose glide elements or, optionally, interchangeable glides with replaceable glide elements. Optionally available with table edge protection for piggyback chair stacking.

Warning: The NF-Swing cannot be combined with the Duo-C 2451 school desk.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: C7; Fabric cover: S46,51,52,64,74,76,78,79,80,82.

	Upholstery: Seat 20 mm. Backrest 10 mm.	table-ed protecti piggy-b	ion for					
NF-Swing			3240	0 32401	32402	32405	32406	32407
	Seat w·h·d		434-460-4	0 434-480-440	434-480-430	434-460-440	434-480-440	434-480-430
	Total w·h·d			525.816.540			582.816.540	
	Armrest h						650	





PRODUCT INFORMATION NF-Wire_TY_EN - 23.06.2023 - www.vs-furniture.com

NF-Wire Wire frame chair.

Frame made from curved, welded and chrome-plated steel tubing (d= 12 mm). Optionally available as armrest chair with plastic arm support, each equipped with row connector. Can be stacked to a height of 9 to 15 units depending on the model variant (see table).

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fibre content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard and soft floors.

The following material groups are available: Frame made of steel tube: M(chrome-plated); Seat and backrest: C7; Fabric cover: S46,51,52,64,74,76,78,79,80,82.

	Upholstery: Seat 20 mm. Backrest 10 mm.	R					
NF-Wire		32350	32351	32352	32360	32361	32362
	RV	32355	32356	32357	32365	32366	32367
	Seat w·h·d	434-460-440	434-480-440	434-480-430	434-460-440	434-480-440	434-480-430
	Total w·h·d		571.811.540			571.811.540	
	Armrest h					675	
	Stacking height	15	10	9	15	10	9
	RV spacing		555				





PRODUCT INFORMATION NF-Wire-P_TY_EN - 23.06.2023 - www.vs-furniture.com

NF-Wire-Plus Wire frame chair.

Frame made from curved, welded and chrome-plated steel tubing (d= 12 mm) with a cross brace as a footrest. Chairs in 2 fixed heights for temporary sitting up at sit-stand or stand-up tables.

Seat and backrest shell manufactured using a monosandwich process. Made from polypropylene with a hard core and glass-fibre content. With a flexible outside and edge area to prevent uncomfortable pressure points when sitting. Optionally with a tightly upholstered seat and backrest area.

Equipment and options. Glide elements for hard and soft floors.

The following material groups are available: Frame made of steel tube: M(chrome-plated); Seat and backrest: C7; Fabric cover: S46,51,52,64,74,76,78,79,80,82.

	Upholstery: Seat 20 mm. Backrest 10 mm.						
NF-Wire Plus		32370	32371	32372	32375	32376	32377
	Seat w·h·d mm	434-650-440	434-670-440	434-670-430	434.830.440	434.850.440	434.850.430
	Total w·h·d mm		553-1011-540			566-1191-540	
	Distance of seat to floor mm	650	67	70	830	85	50
	Distance of seat to foot position h mm	460	48	30	460	48	80
	Optimum table height mm		880-950			1060-1130	
	Seat shell			l	-		





PRODUCT INFORMATION KN-39_TY_EN - 07.08.2023 - www.vs-furniture.com

KN-39 Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chairs, chairs with solid beech armrests or chairs with plywood writing tablet (left or right) available.

Seat and backrest of plywood with visible seat attachments. Optionally with firm upholstery on one side.

Features and options. Glide elemtens for hard or soft floors. For maximum number stackable, see table. When using row linking (RV), the same types can be combined. Optionally with removable writing tablet (left or right).

Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

		Upholstery: Seat 15 mm. Backrest 10 mm.	R	R	R	R	R	R	P	R	R
KN-39			03901	03902	03903	03916	03917	03918	03913	03914	03915
	RV		03904	03905	03906						
		Seat w·h·d	395-460-445	395.47	75-445	395-460-445	395-47	75-445	395-460-445	395.47	′5·445
		Total w·h·d		496-785-530			580-785-530			565-785-678	
		Armrest h					712				
		Stacking height		10							
		RV spacing		506							





PRODUCT INFORMATION WD-39_TY_EN - 07.08.2023 - www.vs-furniture.com

WD-39 Four-legged chair.

Frame of welded, powder-coated or chrome-plated round steel tube. Chairs, chairs with solid beech armrests or chairs with plywood writing tablet (left or right) available.

Seat and backrest of plywood with visible seat attachments. Optionally with firm upholstery on one side.

Features and options. Glide elements for hard or soft floors. For maximum number stackable, see table. When using row linking (RV), the same types can be combined. Optionally with removable writing tablet (left or right).

Accessories. Stacking cart model 03834 for 2 stacks and stacking trolley model 3835 for 1 stack of chairs.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat and backrest: H1; Fabric cover: S40,46,51,52,64,74,76,78,79,80,82.

		Upholstery: Seat and backrest 15 mm.			R	R		R	P.	R	R
WD-39			03940	03941	03942	03960	03961	03962	03950	03951	03952
	RV		03945	03946	03947						
		Seat w·h·d	410-470-460	410-48	35-460	410-470-460	0.460 410.485.460		410-470-460 410-485-460		35-460
		Total w·h·d		485-830-530			605-830-530			570-830-700	
		Armrest h					640			715	
		Typ A(B) w⋅d							A 2:	36·545 (B 260·3	360)
		Stacking height		10							
		RV spacing		520							





PRODUCT INFORMATION LiteBench-ST_TY_EN - 11.10.2023 - www.vs-furniture.com

LiteBench-ST Stackable bench.

Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the bench is stackable. What is more, they can be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Benches with glide elements for hard or soft floorings or with 2C universal glide elements.

Bench in 6 fixed heights.

Seat top Consisting of a HPL or chipboard top and glued (KU) plastic border. Available with edged or rounded corners as required.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4.

	Seating heights for students' benches 2 = 31 cm 3 = 35 cm 4 = 38 cm 5 = 43 cm 6 = 46 cm 7 = 51 cm		7			
LiteBench-ST	Seat d = 35 cm	31083	31084	31085	31086	31087
	Top w cm	150	170	190	210	230
	for table w cm	160	180	200	220	240
	t Total cm			43		
	Fixed height		2	34567		
	Stacking height			4		
	Stacked footprint w·d cm	165-43	185-43	205-43	225-43	245-43
	Weight kg	15,5	17,0	18,5	20,0	21,5





PRODUCT INFORMATION M-Bench_TY_EN - 03.02.2023 - www.vs-furniture.com

M-Bench

Cheek bench, free-standing or wall-mounted.

Construction of two side-panel elements, a seat plate and a stable, centrally positioned double crosspiece, each made of laminate or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both side-panels with glides.

Installation. For use in corridors or assembly halls, or in rooms with high safety requirements, also with floor or wall mounting.

The following material groups are available:; Top veneered: F1.

	Seating heights (± 1 cm) for students' desks 6 = 46 cm	
M-Bench	d = 35 cm	30213 30214 30215 30216 302
	w cm	148 168 188 208 2
	for table w cm	160 180 200 220 2
	h cm	46
	Fixed height	6





PRODUCT INFORMATION Rondo-Plus_TY_EN - 05.10.2023 - www.vs-furniture.com

Rondo Plus Four legged high stool.

Frame of welded, powder-coated round steel tube with footrest.

Frame sizes in 3 fixed heights.

Seat of plywood with concealed seat attachments.

Features and options. Glides for hard and soft floors.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Seat made of wood: H1.

Rondo	Plus		03816	03817	03818
		Seat ø cm		35	
		Distance of seat to floor cm	65	76	83
		Distance of seat to foot support h cm	46	52	
		Optimum table height cm	88-95	99-106	106-113





PRODUCT INFORMATION Stakki_TY_EN - 06.12.2023 - www.vs-furniture.com

VS Stakki Three-legged plastic chair.

Monobloc made from stable, durable and extremely scratch-resistant, glass-fibre reinforced polypropylene recyclate. The chair is stackable. See table for maximum stacking capacity. The VS Stakki with UV stabilizer can be used indoors and outdoors. There may be slight color variations in products made of recycled material.

Chair in 2 fixed heights.

Equipment and options. With non-slip universal glide elements.

Accessories. Stacking trolley model 03836 for 1 stack of chairs.

The following material groups are available: Body made of plastic: C6.

	Seating heights (± 1 cm) for students' chairs 4 = 38 cm 6 = 46 cm		
VS Stakki			03811
	Fixed height	4	6
	Seat w·d cm	450-450	538-557
	Stacking height		10





PRODUCT INFORMATION Com_TY_EN - 07.08.2023 - www.vs-furniture.com

Com High seat.

Skid frame made from welded, chrome-plated or white-aluminium-coated circular steel tube. With cross-strut as foot support.

Seat made from ergonomically shaped plywood or from solid HPL material. Optionally also available with cushioned seat. Equipment and options. Plastic glide elements for soft floors or felt glide elements for hard floors.

The following material groups are available: Frame made of steel: M(chrome-plated); Seat made of wood: H(natural, black); Seat made of HPL-top: L(black, gray, white); Fabric cover: S69.

	Upholstery: Seat 10 mm.		
Com		31731	31732
	Seat w·h·d	450·790·410	450-800-410
	Total w·h·d	530.97	70-560
	Total w·h·d Back h	530·97 200	70·560 190
	Back h	200	190
	Back h Distance of seat to floor mm	200 790	190 800





PRODUCT INFORMATION LightUp_TY_EN - 25.05.2022 - www.vs-furniture.com

LightUp Office swivel chair.

Office swivel chair with synchronous mechanism and continuous seat height adjustment.

Seat and backrest with frame and mesh cover or breathable molded foam.

Frame consisting of a 5-spoke star foot. All the materials are environmentally friendly, easy to separate and recyclable. Seat optionally with sliding seat surface (6 cm) and seat inclination adjustment for individual positioning.

Armrests optionally made from plastic with soft PU arm supports, height adjustable over 80 mm. Depth- and widthadjustable depending on model.

Lumbar support (optional), height- and depth-adjustable.

The following material groups are available: Plastic frame: C; Frame made of metal: M(polished Alu); Fabric cover: S69.

LightUp		31723	31724
	Back	upholstery	net
	Seat w·h·d	480·450	-580-440
	Total w·h·d	700-970-	-1100-660
	Back h	5	50
	Weight kg	1.	5,5





PRODUCT INFORMATION Shape-V_TY_EN - 23.02.2022 - www.vs-furniture.com

Shape elan visitor Chair.

Designed using curved, chromium-plated circular steel tube. Available as four-legged or cantilever chair, optionally with black plastic armrests.

Seat upholstered.

Backrest with plastic frame, upholstered with breathable molded foam.

Equipment. All models are stackable (see table).

The following material groups are available: Frame made of metal: M(chrome-plated); Fabric cover: S66.

		A				
Shape elan visitor		31715	31716	31717	31718	
	Back		upho	lstery		
	Seat w·h·d	450·440·460				
	Total w·h·d	530.870.590	630-870-590	530-870-590	630-870-590	
	Back h		43	30		
	Stacking height	4	-	3		
	Weight kg	6,2 9,0			0	





PRODUCT INFORMATION Shape_TY_EN - 20.09.2023 - www.vs-furniture.com

Shape economy2 Swivel chair.

Office swivel chair with synchronous mechanism, continuous seat height adjustment and safety gas spring, optionally with armrests.

Seat and backrest upholstered with breathable molded foam or back-support mesh. Comfortable flat seat and mid-height or high backrest with plastic external shell. Adjustable upholstered backrest.

Frame consisting of a 5-spoke star foot with soft or hard castors.

Synchronous mechanism. The seat and backrest are synchronized to move with sitter and are always at the correct angle. Continuously adjustable and lockable support pressure for the back.

Synchronous mechanism – 3D (optional). As for the synchronous mechanism, but with additional automatic adjustment capability for the entire upper part of the chair (seat and backrest) either forward (inclination of seat up to –8°) or backward (inclination of backrest from 82° to 128°), as well as to the side (lateral movement up to +/-6°).

Synchronous mechanism – 3D, lockable (optional). With additional locking capability in zero position or at -6° forward inclination.

Lumbar support (optional) mechanical depth adjustment (3.5 cm).

The following material groups are available: Plastic frame: C; Frame made of metal: M(polished Alu, Alu silver); Fabric cover: S66.

Shape economy2		31712	31713	31714
	Back	uphol	stery	net
	Seat w·d cm	490:	390	500.380
	Seat h cm (optional)		400-520 (450-560)	
	Total w·h·d cm	720.900-1110.720	720.980-1190.720	720·1010-1130·720
	Back h cm	500	580	610
	Weight kg	13,5	14,8	12,9






PRODUCT INFORMATION Fan_TY_EN - 09.03.2023 - www.vs-furniture.com

Fan Upholstered armchair.

Armchair consisting of an ergonomically shaped seat shell made of moulded foam with integrated armrests. Frame in 6 different finishes. Consisting of a 4-star spider base with glides or castors or a skid base with glides, each powder-coated or chrome-plated. Or with a centre column and a 4-star base in polished aluminium or a disc base, the latter with automatic return. And a version with 4 wooden legs.

Seat cushion as accessory for more seating comfort.

The following material groups are available: Seat upholstery: S46,69,80,83; Frame made of steel tube: M(chrome-plated).





Upholstery elements





PRODUCT INFORMATION Revo_TY_EN - 22.03.2024 - www.vs-furniture.com

Revo Stools and sofas.


Upholstered soft seating programme with stool and sofa elements – based on harmoniously cubic elements with rounded edges and with or without backrest or with a high partition add on element in the back. Sofa and armchair optionally with electrification for mobile devices.

Construction consisting of recyclable polypropylene with moulded foam upholstery. No staples or adhesives are used. The partition wall is attached with a metal fitting.

Combination. Individual elements can be combined to create seating landscapes.

Fire protection optional for the materials Xtreme (S46) and Step (S78) according to DIN 66084 corresponding to class P-a (high).

The following material groups are available: Fabric cover: S46,74,78,80.







PRODUCT INFORMATION Vancouver_TY_EN - 25.03.2024 - www.vs-furniture.com

Vancouver Armchairs and sofas.

Upholstered soft seating programme with stool, armchair and sofa elements – based on a clear, cubic form. Sofa and armchair optionally with electrification for mobile devices.

Construction consisting of a dimensionally stable body made of wood-based material with foam upholstery and a frame made of flat steel runners or round tubular feet.

Combination. Individual elements can be combined to create seating landscapes.

Fire protection in accordance with DIN 66084 corresponding to classes P-c (low) and P-b (medium) for material group Stamskin Top (S40) and optionally corresponding to class P-a (high) for material group Xtreme (S46) and Step (S78). The following material groups are available: Fabric cover: S40,46,74,78,80.

		8				
Vancouver		30320	30321	30322	30323	30324
	Seat w·d / ø mm	410	410-410	530-480	1330-480	1610-480
	Total w·d / ø mm	410	410.410	700-680	1500-680	1780-680
	Seat h mm				440	
	Total h mm	45	50		710	
		Sto	ool	Armchair Sofa		a
				1-seater	2-seater	3-seater





PRODUCT INFORMATION Vancouver-HiBack_TY_EN - 25.03.2024 - www.vs-furniture.com

Vancouver

Armchairs, sofas and Vis-a-Vis elements with upholstered walls.


Upholstered soft seating programme with armchair, sofa and Vis-a-Vis element - based on a clear, cubic form. Each with a 3-sided, upholstered wall for visual and acoustic screening. Optionally with electrification for mobile devices. **Construction** consisting of a dimensionally stable body made of wood-based material with foam upholstery. Frame made of flat steel runners or round tube feet.

Combination. Individual elements can be combined to create seating landscapes.

Fire protection in accordance with DIN 66084 corresponding to classes P-c (low) and P-b (medium) for material group Stamskin Top (S40) and optionally corresponding to class P-a (high) for material group Xtreme (S46) and Step (S78). The following material groups are available: Fabric cover: S40,46,74,78,80.

Vancouver		30325	30326	30327	30328	30329
	Seat w⋅d / ø mm	530-480	1330-480	1610-480	1330-480	1330-480
	Total w·d / ø mm	740-700	1540-700	1840-700	2380·1540	2380·1840
	Seat h mm			440		
	Total h mm			1400		
		Armchair	So	fa	Vis-a	ı-Vis
		1-seater	2-seater	3-seater	2-seater	3-seater





PRODUCT INFORMATION Shift-p-LSitz_TY_EN - 23.06.2023 - www.vs-furniture.com

Shift+ Landscape Soft seating elements.

Upholstered-element system consisting of carcass and seating elements.

Seating elements are linear or curved stools. Individual elements can be combined to form complete landscapes. Elements consisting of a floor plate with plastic or felt glide elements and a cushion of foam with leatherette cover.

Upholstered–element in 3 fixed heights.

Carcass of melamine-resin-coated chipboards with glued-on plastic edge. With glued centre wall for partitioning the carcass. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel.

Function: Curved Landscape seating and cabinet elements can be combined linearly and, thanks to the matched inner and outer radii, back to back to create circular and serpentine seating/cabinet landscapes.

Fire protection of the upholstery elements optionally according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available: Body made of chipboard: L4; Perforated-plate: M1; Fabric cover: S40,64,82.

Shift+ Landscape	Seat heights for students' seating elements h = 30 • 2 h = 38 • 4 h = 46 • 6								
Shift+ Landscape		45298	45297	09325	09328	09329	09326	09327	
	W	105,5	110	52,75	52,75 105,5		0 140,8/105,5		
	h	4	2	30·38·46					
	d			52,75		72,5/52,75			
	Size								
			60°			60°			
	Shelves	two sides	one side						





PRODUCT INFORMATION Cloud_TY_EN - 06.12.2023 - www.vs-furniture.com

Cloud Beanbag and flat pouffe.

Upholstered bag elements of different shapes, each comprising an inner bag with removable cover.

Inner bag filled with new, freshly expanded EPS polystyrene beans, with a grain of 3-6 mm diameter. Flame-retardant in accordance with DIN 4102 B1.

Cover made of Cordura® (polyamide 6.6 / nylon) with extreme tensile strength and abrasion resistance. The surface is water-repellent impregnated. The fabric is PFC-free and certified to Ökotex Standard 100. Equipment. Model 09383 with carrying handle and 2 pockets. The following material groups are available: Fabric cover: S41.

		8				
Cloud		09380	09381	09382	09383	09378
	Ø	400	1200		1050	
	h	520	300		1400	
	w·h·d			1800-250-1400		
	Seat h				500-600	
	Quantity I					100
						Refill pack





PRODUCT INFORMATION ClubLounge_TY_EN - 23.06.2023 - www.vs-furniture.com

ClubLounge Seat and couch elements.

Upholstered-element system comprising table and seating elements.

Seating elements are stools, easy chairs, sofas, benches and corners sofas in two different seating heights. Individual elements can be combined into entire seating landscapes. Elements comprising a floor plate with glide elements and a cushioned section of foam material with leatherette cover.

Table element same as the stool, but with an internal chipboard body and a graphite-grey (RAL 7024), powder-coated sheet metal covering as a table and playing surface.

Fire protection optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high).

The following material groups are available: Fabric cover: S40,64,82.

		♦							
ClubLounge	Seat h = 340	09390	09391	09392	09393	09394	09395	09396	
	Total w·h·d	530·340·546	1060-340-546	1590-340-546	530-640-624	1060-640-624	1590-640-624	1060-640-1060	
	Seat h = 420	09350	09351	09356	09352	09353	09357	09354	
	Total w·h·d	650-420-560	1300-420-560	1800-420-560	650-800-880	1300-800-880	1800-800-880	1300-800-1300	
	Table h = 420								09355
	w·d								650-850





PRODUCT INFORMATION Lounge-Sessel_TY_EN - 27.11.2023 - www.vs-furniture.com

Serie Lounge Armchairs LowBack and HiBack.

Range of upholstered furniture consisting of armchairs with low or high backrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining. With a close fit between seat surface and backrest.

Frame made from a 5-spoke tubular steel structure with two seat heights (430 or 460 mm) and gas spring with swivel function, depth suspension and optionally with spring-back function (for model 30188). Glide element with felt or plastic covering.

Equipment and options: Round upholstered cushion with central button-type gathering.

Fire resistance in accordance with DIN 66084 as standard in conformity with classes P-c (low) and P-b (medium). The following material groups are available: Frame made of steel: M(chrome-plated, black RAL 9011); Fabric cover: S46,51,78,79,80.

Serie Lounge		30186 30188	30189
	w·h·d	805·1325·820 808·730 (760)·808	450·100·450
	Seat w·h·d	449·430 (460)·550	
	Seat h retrorotation function	420 (450)	
	Total h retrorotation function	720 (750)	





PRODUCT INFORMATION Lounge-Sit_TY_EN - 22.06.2022 - www.vs-furniture.com

Serie Lounge Linear seating elements NoBack, LowBack and HiBack.

Range of upholstered furniture including stool, bench, armchair and sofa elements – based on the use of cubic elements with low, high or no backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20-mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

Serie Lounge		30120	30121	30122	30125	30126	30127	30110	30113	30111	30191	30190	30195
	Seat w·d	800-800	1200-800	1600-800	800-500	1200-500	1600-500	800-500	1200-500	1600-500			
	Total w·d				800-800	1200-800	1600-800	800-800	1200-800	1600-800	260.560		
	Seat h					400 (460)							
Total h 400 (460)				720 (780)			1	1370 (1430))	150			
												Connector	Power
												set	socket





PRODUCT INFORMATION Lounge-SitWin_TY_EN - 29.11.2021 - www.vs-furniture.com

Serie Lounge Chaise longue and corner elements LowBack.

Range of upholstered elements with corner elements and chaise longue – based on the use of cubic elements with low backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests. Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

Serie Lounge		30130	30131	30132	30133	30190
	w·h·d					
	Seat w·h·d					
						Connector set





PRODUCT INFORMATION Lounge-SitRund_TY_EN - 29.11.2021 - www.vs-furniture.com

Serie Lounge Curved seating elements NoBack, LowBack and HiBack.


Range of upholstered furniture including stool, bench, armchair and sofa elements – based on the use of curved 60° or 90° elements with low, high or no backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

Combination. Individual elements can be combined to form seating landscapes as required.

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.







PRODUCT INFORMATION Lounge-VisAVis_TY_EN - 29.11.2021 - www.vs-furniture.com

Serie Lounge Vis-a-Vis elements HiBack.

Range of upholstered elements with 90° corner elements – based on the use of cubic elements with high backrest. With functional gap between the seating surface and backrest for the insertion of variable-position armrests. Multiple Vis-a-Vis elements can be combined to create a closed-off island for communication. A technical element makes it possible to integrate a table, display and light and is equipped with a triple socket.

Design consisting of a stable, wood-based body with foam cushioning and cotton wool fleece lining.

Frame made from circular steel brackets with two seating heights (400 or 460 mm) with plastic, felt or dual-component universal glide elements and 20 mm height adjustment.

Optionally with electrification kit 1 (2x Schuko, 2x USB charger) or electrification kit 2 (4x Schuko, 2x USB charger, 1x HDMI, 1x Mini DisplayPort, 2x Cat 6).

Fire resistance in accordance with DIN 66084 in conformity with classes P-c (low), P-b (medium) and P-a (high) for the fabrics of the groups S78,79,80. In class P-a (high) with additional flame blocker.

Serie Lounge		30115	30117	30119	30116	30118	30114	20115	20116	30190	30193	30194
Vis-a-Vis	Seat w	800/1300		800/1300		00/1300	350					
	Seat h			400	(460)							
	Seat d			5	00							
	Total w	1200	1600	800	1200	1600	800	825	1225			
	Total h			1368	(1428)			680	(740)			
	Total d		800	305			800					
	Segment		left	centre	centre right							
										Connector set	Screen holder	LED lamp



Multipurpose tables





PRODUCT INFORMATION EcoTable-Q-MZ_TY_EN - 12.12.2023 - www.vs-furniture.com

EcoTable-Q


Rectangular table with square tubular legs

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 castors, 2 of which are lockable.

Table height 74 cm and 7 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. Equipped with angled corners in all cases.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L2; Top veneered: F1.







 $\textbf{PRODUCT INFORMATION} \ \, \textbf{EcoTable-Q-TrapTi_TY_EN-12.12.2023-www.vs-furniture.com}$

EcoTable-Q

Trapezoidal, semi-circular and circular table with square tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from square tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 (circular Table) castors, 2 of which are lockable.

Table height 74 cm and 7 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. Equipped with angled corners in all cases.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L2; Top veneered: F1.

EcoTable-Q	d = 65	23114			23115						
	d = 70		23179			23178					
	d = 80			23189			23188				
								23150	23151	23153	
	w/ø	130/65	140/70	160/80	130	140	160	90	100	120	
	h				40, 53,	59, 64, 71, 74 ,	76, 82				





PRODUCT INFORMATION EcoTable-R-MZ_TY_EN - 12.12.2023 - www.vs-furniture.com


EcoTable-R

Rectangular table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 castors, 2 of which are lockable.

Table height 74 cm and 7 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners. The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L2; Top veneered: F1.







PRODUCT INFORMATION EcoTable-R-TrapTi_TY_EN - 12.12.2023 - www.vs-furniture.com

EcoTable-R

Trapezoidal, semi-circular and circular table with round tubular legs.

Frame consisting of an all-round rectangular steel edging with welded-on table legs made from round tubular steel, powder-coated with coloured epoxy resin. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 (circular Table) castors, 2 of which are lockable.

Table height 74 cm and 7 other heights.

Table top made from 19-mm or 25-mm melamine resin-coated, laminate-coated or veneered chipboard with glued plastic or solid wood edge or from rigid 13-mm HPL top. All models available with angled or curved (radius = 25 mm) corners. The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; HPL-top: L4; Chipboard with laminate: L2; Top veneered: F1.

						Ì					
EcoTable-R	d = 65	23014			23015						
	d = 70		23079			23078					
	d = 80			23089			23088				
								23050	23051	23053	
	w/ø	130/65	140/70	160/80	130	140	160	90	100	120	
	h		40, 53, 59, 64, 71, 74 , 76, 82								





PRODUCT INFORMATION Cross-Q_TY_EN - 29.11.2022 - www.vs-furniture.com

Cross-Q

Individual table with square tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from square tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table height 74 cm and 7 other heights.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

Optionally with an E-box or a built-in socket from 90 cm wide tables for electrification in the centre of the table.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4; Top veneered: F1.

Further products on this page: JUMPER Air Move.

Cross-Q	d = 60 cm	01840					01841	01842	01843	01844	01845
	d = 70 cm		01850				01851	01852	01853	01854	01855
	d = 80 cm			01860			01861	01862	01863	01864	01865
	d = 90 cm				01870		01871	01872	01873	01874	01875
	d = 100 cm					01890	01891	01892	01893	01894	01895
	w cm	60	70	80	90	100	120	140	160	180	200
	h cm			'	4	0, 53, 59, 64,	71, 74 , 76, 82)			





PRODUCT INFORMATION Cross-R_TY_EN - 21.03.2023 - www.vs-furniture.com

Cross-R

Individual table with round tubular legs.

Frame consisting of a welded, set-back rectangular steel edging, powder-coated with black epoxy resin and screwed-on bracket with table legs made from round tubular steel, powder-coated with coloured epoxy resin or chrome-plated. Table with levelling screws, glide elements for hard or soft floorings or universal glide elements, or with 2 or 4 lockable castors. Table height 74 cm and 7 other heights.

Table top made from 19-mm melamine resin-coated or veneered chipboard with glued plastic or solid wood edge or from highly rigid 13-mm HPL solid board. All models available with angled or curved (radius = 25 mm) corners.

Optionally with an E-box or a built-in socket from 90 cm wide tables for electrification in the centre of the table.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4; Top veneered: F1.

Further products on this page: JUMPER Air Move.

Cross-R	d = 60 cm	01800					01801	01802	01803	01804	01805
	d = 70 cm		01810				01811	01812	01813	01814	01815
	d = 80 cm			01820			01821	01822	01823	01824	01825
	d = 90 cm				01830		01831	01832	01833	01834	01835
	d = 100 cm					01880	01881	01882	01883	01884	01885
	w cm	60	70	80	90	100	120	140	160	180	200
	h cm			·	4	0, 53, 59, 64,	71, 74 , 76, 82	2	·		





PRODUCT INFORMATION LiteTable-ST_TY_EN - 11.10.2023 - www.vs-furniture.com

LiteTable-ST Stackable table.


Frame made from welded round tubular steel legs with all-round rectangular tubular steel top frame, all powder-coated. Because the inner and outer legs are arranged in pairs, the table is stackable. What is more, they can be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Tables with glide elements for hard or soft floorings or with 2C universal glide elements and, optionally, with two castors at the outer legs. Table in 9 fixed heights.

Table top Consisting of a HPL or chipboard top and glued plastic border. Available with edged or rounded corners as required.


Optionally it is also possible to use table connectors depending on the table arrangement (model 21003).

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2.

Further products on this page: Compass-Soft.







PRODUCT INFORMATION Clapp-4Q_TY_EN - 24.05.2023 - www.vs-furniture.com

Clapp-4Q

Folding table with square tubular legs.

Frame consisting of two rectangular tubular steel edgings along the long side, screwed rigidly to the table top. The two U-shaped leg brackets made from square tubular steel are activated by means of a folding mechanism with safety bracket and then locked in place when open or closed. The leg brackets are chrome-plated or coloured and edgings are black powder-coated with epoxy resin. The table legs have levelling screws, glide elements for hard or soft floorings.

Table height 74 cm.

Table top made from 19-mm melamine resin-coated chipboard with glued plastic edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

Equipped with stack protection to prevent scratches and damage to surfaces. A stacking cart can be used to transport the folded tables.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.

Further products on this page: JUMPER Air Meet.

Clapp-4Q	d = 60	02735 02	736 0273	7 02738	09456
	d = 70	02740 023	741 0274	2 02743	
	d = 80	02745 02	746 0274	7 02748	
	W	120	140 10	0 180	
	h		74	·	
	h (folded) max.		8,1		
	Stacking height		10		
	w·h·d				174-91-68





PRODUCT INFORMATION Clapp-4R_TY_EN - 24.05.2023 - www.vs-furniture.com

Clapp-4R

Folding table with round tubular legs.

Frame consisting of two rectangular tubular steel edgings along the long side, screwed rigidly to the table top. The two U-shaped leg brackets made from round tubular steel are activated by means of a folding mechanism with safety bracket and then locked in place when open or closed. The leg brackets are chrome-plated or coloured and edgings are black powder-coated with epoxy resin. The table legs have levelling screws, glide elements for hard or soft floorings.

Table height 74 cm.

Table top made from 19-mm melamine resin-coated chipboard with glued plastic edge or from highly rigid 13-mm HPL solid board. Equipped with angled corners in all cases.

Equipped with stack protection to prevent scratches and damage to surfaces. A stacking cart can be used to transport the folded tables.

The following material groups are available: Frame made of steel: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.

Further products on this page: JUMPER Ply Meet.

Clapp-4R	d = 60	02715	02716	02717	02718	09456
	d = 70	02720	02721	02722	02723	
	d = 80	02725	02726	02727	02728	
	W	120	140	160	180	
	h		7-	4		
	h (folded) max.		8,	1		
	Stacking height		1	0		
	w·h·d					174-91-68





PRODUCT INFORMATION JU-StudioTable_TY_EN - 11.10.2023 - www.vs-furniture.com

JUMPER StudioTable Stackable four-legged table.

Frame consisting of welded legs with all-round edging made from powder-coated or chromium-plated precision rectangular steel tubing. Due to the asymmetrically positioned table top, the tables are stackable but can nevertheless be rotated to form continuous rows. The edge of the top frame is equipped with stacking and glide protection. Table with glide elements for hard or soft floorings or with 2C universal glide elements.

Table height 74 cm.

Table top With a 19-mm melamine-coated or laminate-coated chipboard top and glued plastic edge or a 13-mm HPL top. Function. The table can be stacked by a single person due to the lightweight but tough materials. See table for maximum stacking capacity.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L4; HPL-top: L4; Chipboard with laminate: L2,(white writable).

			180°				
JUMPER StudioTable	Top d = 65 cm			22440	22441	22442	22443
	Top w cm			65	75	130	130/65
	w Total cm			71	81	136	
	h cm				40.53.59.64	71· 74 ·76·82	
	Stacking height	40·53·59·64 cm			8		
	Stacked footprint w·d cm	1		71.93	81.93	136-93	
	Stacking height	71- 74 -76-82 cm			6		
	Stacking area w·d cm	1		71.85	81.85	136-85	





PRODUCT INFORMATION Clapp-T_TY_EN - 24.05.2023 - www.vs-furniture.com

Clapp-T Folding table.

Frame consisting of two T-shaped foot supports made from round and two cross-frames made from rectangular steel tubing. All items powder-coated or chrome-plated. Skids with plastic kick protection and adjustable glide elements with plastic or felt. With folding mechanism and integrated stack protection.

Table height 74 cm.

Table top made from melamine-coated chipboard (19mm) with glued plastic edge or solid HPL top, each with straight corners.

Accessories: Stacking cart for transporting maximum 10 folding tables. Made from powder-coated rectangular tubular steel The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; HPL-top: L4.

Further products on this page: NF-Swing.

Clapp-T	d = 60	02755	02756	02757	02758	09456
	d = 70	02760	02761	02762	02763	
	d = 80	02765	02766	02767	02768	
	W	120	140	160	180	
	h		7-	4		
	h (folded)	9.	5	6.0	0	
	w·h·d					174-91-68





PRODUCT INFORMATION FlipTable2-RU_TY_EN - 11.09.2023 - www.vs-furniture.com

FlipTable-RU

Standing and sitting table with round tube frame and folding top.

Construction of a centrally placed black tubular steel crossbar with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer-coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of two bent, powder-coated or chrome-plated steel tubes. Frame with lockable castors.

Function. Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2,(white writable).

FlipTable-RU	d = 65 cm		22102		22103				
	d = 70 cm			22105		22106	22107	22108	22109
	d = 80 cm			22110		22111	22112	22113	22114
	d = 90 cm			22115		22116	22117	22118	22119
	Fixed heights cm	h Sitting	'		6	64, 71, 74 , 76		'	
		h Standing				88, 106			
	w cm		130	140	150	160	180	200	220





PRODUCT INFORMATION FlipTable2-TQ_TY_EN - 11.09.2023 - www.vs-furniture.com

FlipTable-TQ

Standing and sitting table with T-foot and square tube column and folding top.

Construction of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of a powder-coated square tubular column and a powder-coated or chrome-plated runner with lockable castors.

Function. Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2,(white writable).

FlipTable-TQ	d = 65 cm		22142		22143				
	d = 70 cm			22145		22146	22147	22148	22149
	d = 80 cm			22150		22151	22152	22153	22154
	d = 90 cm			22155		22156	22157	22158	22159
	Fixed heights cm	h Sitting	'		6	64, 71, 74 , 76		'	
		h Standing				88, 106			
	w cm		130	140	150	160	180	200	220





PRODUCT INFORMATION FlipTable2-TR_TY_EN - 11.09.2023 - www.vs-furniture.com

FlipTable-TR

Standing and sitting table with T-foot and round tube column and folding top.

Construction of a centrally placed black tubular steel traverse with an articulated console. Folding release can be triggered with a two-hand safety operation under the table top. With a fitting to secure the top in horizontal and vertical position and optionally with a table connector.

Table height in 1 fixed sitting, 1 standing and 4 other heights.

Table top made of melamine resin, laminate or veneer coated chipboard or HPL solid core board. Chipboard with plastic or solid wood edges. The corners are angular or optionally rounded.

Frame consisting of a powder-coated round tube column and a powder-coated or chrome-plated runner with lockable castors.

Function. Optionally with central E-box or built-in socket. When the top is folded up, any number of tables can be pushed together to optimise space.

The following material groups are available: Frame made of steel: M1; Top made of chipboard: L6; Top made of chipboard, HPL: L4; Top veneered: F1; Chipboard with laminate: L2,(white writable).

FlipTable-TR	d = 70 cm		2212	5 22126	22127	22128	22129
	d = 80 cm		2213	0 22131	22132	22133	22134
	d = 90 cm		2213	5 22136	22137	22138	22139
	Fixed heights cm	h Sitting			64, 71, 74 , 76		
		h Standing			88, 106		
	w cm		14	0 160	180	200	220





PRODUCT INFORMATION RondoLift-SiSt-Q_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoSit-Q, RondoStand-Q, RondoLift-Q Table in fixed sitting and standing height or height-adjustable. With square tubular column and square plate base.

Frame consisting of a square central column and a square plate base, with plastic or felt glides, each powder-coated. In sitting or standing height as well as height-adjustable with integrated gas spring. This is protected against unintentional release of the gas spring.

Table height is fixed or infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

			>			>			>	
RondoSit-Q	h = 74 cm	22201	22202	22203						
RondoStand-Q	h = 106 cm				22211	22212	22213			
RondoLift-Q	h = 72,5-116 cm							22221	22222	22223
	w·d cm	80-80	90-90	100-100	80.80	90-90	100-100	80.80	90.90	100-100
	Disc foot w·d cm			'	'	55.55	,	'	'	





PRODUCT INFORMATION RondoLift-SiSt-R_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoSit-R, RondoStand-R, RondoLift-R Table in fixed sitting and standing height or height-adjustable. With round tube column and round plate base.

Frame consisting of a round central column and a round disc base, with plastic or felt glides, each powder-coated. In sitting or standing height as well as height-adjustable with integrated gas spring. This is protected against unintentional release of the gas spring.

Table height fixed or infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

			7)))		
RondoSit-R	h =	74 cm	22205	22206	22207	22208								
RondoStand-R	h =	106 cm					22215	22216	22217	22218				
RondoLift-R	h = 72	,5-116 cm									22225	22226	22227	22228
	ø cm		80	90	100	120	80	90	100	120	80	90	100	120
	Disc fo	ot ø cm						6	1				<u>'</u>	





PRODUCT INFORMATION RondoLift-Q_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-Q

Height-adjustable sitting/standing table with square tube column and base.

Frame consisting of a square central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or highstrength HPL solid core board. The square tables are optionally equipped with a foldable and lockable table top for safe transport from a width of 90 cm.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

			·	
RondoLift-Q	h = 74-117,9 cm	22231	22232	22233
	w·d cm	80.80	90.90	100·100
	Star foot ø cm		104	
	Optional		Screen	
			Folding ta	ble top





PRODUCT INFORMATION RondoLift-R_TY_EN - 28.09.2023 - www.vs-furniture.com

RondoLift-R Height-adjustable sitting/standing table with round tube column and base.

Frame consisting of a round central column and a four-legged cross base, each powder-coated. Column with integrated gas spring and hand switch at the edge of the top. This is protected against unintentional release of the gas spring. The cross base is equipped with lockable castors or glides.

Table height is infinitely adjustable (see table).

Table top made of melamine resin, laminate or veneer-coated chipboard with glued-on plastic or wooden edge or high-strength HPL solid core board. The round tables are optionally equipped with a foldable and lockable table top for safe transport from a width of 90 cm.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Chipboard with laminate: L2; Top veneered: F1; HPL-top: L4,(white writable).

RondoLift-R	h = 74-117,9 cm		22235	22236	22237	22238
	ø cm		80	90	100	120
	Star foot ø cm		85		104	
	Optional			Fo	lding table top	





PRODUCT INFORMATION Puzzle_TY_EN - 22.11.2021 - www.vs-furniture.com

Puzzle

Freely-shaped table.


Frame consisting of welded round steel-tube legs and a rectangular steel-tube frame. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table height of 71 cm and 76 cm.

Table top made of melamine-resin-coated chipboard with glued-on plastic or beech edge.

The following material groups are available: Frame made of steel tube: M1; Top made of chipboard: L6.

Further products on this page: PantoMove-VF.








PRODUCT INFORMATION TeamTable_TY_EN - 22.11.2021 - www.vs-furniture.com

TeamTable Freeform stand-at table.

Frame consisting of welded round steel-tube legs, a rectangular steel-tube frame and an intermediate shelf of chipboard. All steel parts are powder-coated. Single table with floor-level adjustment screws.

Table height of 103 cm for raised sitting or 110 cm as stand-at table.

Table top made of melamine-resin-coated, linoleum-coated or veneered chipboard with glued-on plastic or beech edge. The following material groups are available: Frame made of steel tube: M1; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.







PRODUCT INFORMATION TriUnion-Office_TY_EN - 06.04.2022 - www.vs-furniture.com

TriUnion Office stand-at table.

Frame made from welded, screwed, round tubular steel legs with rectangular tubular steel top frame and foot support. All powder-coated. Optionally available with chrome-plated foot support ans plastic kick protection. Table with castors or glide elements for hard or soft floorings.


Table height of 106 cm for raised sitting or 120 cm as stand-at table.

Table top (right-angle triangle with two equal sides) made from melamine-resin coated chipboard with glued plastic edge or highly compacted tops (HPL). All table tops with rounded corners.

Function: Many combinations possible to form rows or group workspaces. Optionally with table connectors.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L4; Top made of linoleum: L8; Top veneered: F1; HPL-top: L4.

Further products on this page: PantoMove-Soft (Plus).







PRODUCT INFORMATION M-Table-Office_TY_EN - 20.09.2023 - www.vs-furniture.com

M-Table

Cheek table in standing and sitting height.

Construction of two side-panel elements, a tabletop and a stable, centrally positioned double crosspiece, each made of laminate- or veneer-coated chipboard. Additional steel connecting fittings for increased stability. Both sides with glides. As a standing table, with two additional tubular steel footrests as standard.

Table height in 74 cm for sitting, in 106 cm for high sitting or 120 cm as standing table.

Electrification optional with metal cable outlet, built-in socket or a module for wireless charging of smartphones. In the centre of the table in a maximum of 3 possible positions.

Installation. Free-standing or wall-mounted or in combination with the M-Panel as a meeting point. For use in corridors or assembly halls, or in rooms with high security requirements, also with floor mounting.

The following material groups are available: Chipboard with laminate: L4; Top veneered: F1.

M-Table	d = 70 cm	20403	20404	20405	20406	20407	20423	20424	20425	20426	20427		
	d = 80 cm	20413	20414	20415	20416	20417	20433	20434	20435	20436	20437		
	w cm	160	180	200	220	240	160	180	200	220	240		
	h cm			74					106/120				





PRODUCT INFORMATION M-Panel-Office_TY_EN - 27.09.2023 - www.vs-furniture.com

M-Panel

Meeting point with display holder. Free-standing, wall-mounted or integrated with M-Table.

Wall panel as an information or meeting point to accommodate a display, sound bar or video sound bar. Panel with internal cabling. Optionally with a 2-fold Schuko socket and 2x USB.

Construction consisting of a black powder-coated steel frame with internal electrification. If wall-mounted, with a singlesided otherwise with double-sided panelling consisting of melamine or veneer-coated chipboard.

Free-standing or wall-mounted installation or in combination with the M-Table in sitting and standing height. In the case of a free-standing Installation: foot stabilisers provide stability. In traffic zones, floor mounting is recommended.

The following material groups are available: Front made of chipboard: L3; Top veneered: F1.

M-Panel	free-standing for M-Table, h = 74 cm, sit-at	20440				
	free-standing, sit-at		20442			
	wall-mounted for M-Table, h = 74 cm, sit-at			20	4.4.1	
	wall-mounted, sit-at			20	441	
	w·h cm		100-	59,5		
	free-standing for M-Table, h = 106 cm, stand-at	20445				
	free-standing, stand-at		20447			
	wall-mounted for M-Table, h = 106 cm, stand-at				440	
	wall-mounted, stand-at			20	446	
	w·h cm		100	197		
	d cm	1	0	8		
	d cm base		50			





PRODUCT INFORMATION JustBe-Re_TY_EN - 24.05.2023 - www.vs-furniture.com

JustBe Rectangular table.

Frame consisting of slightly oblique, drop-shaped tapering legs with all-round edging, each made from veneered construction beech laminate with a matte wax/oil surface. Tables with levelling screws and felt or plastic glide elements. Table top made from melamine resin or veneer-coated chipboard with glued plastic or wood edge or from melamine resin or veneer-coated MDF board with an all-round 30-degree chamfer. Rectangular table top with rounded corners. Electrical connection (optional) via the table edge. Cables are stored in a textile cable tray that is held in place between the frame edges.

The following material groups are available: Frame made of Construction beech: H(natural); Top made of MDF or chipboardl: L(white, terra grey); Top made of chipboard or MDF veneered: F(Walnut). Further products on this page: JUMPER Ply Four.

			7					
JustBe	d = 80			20251	20252	20253	20254	20255
	W			120	140	160	180	200
	h					74		





PRODUCT INFORMATION JustBe-Stand_TY_EN - 23.05.2023 - www.vs-furniture.com

JustBe Stand-at table.

Frame consisting of slightly oblique, drop-shaped tapering legs with all-round edging, each made from veneered construction beech laminate with a matt wax/oil surface. Tables with levelling screws and felt or plastic glide elements. With all-round chrome-plated foot ring.

Table height 106 cm.

Table top made from melamine resin-coated or veneered chipboard with glued plastic or wood edge or from melamine resin or veneer-coated MDF board with an all-round 30-degree chamfer. Table top with rounded corners.

Electrical connection (optional) via the table edge. Cables are stored in a textile cable tray that is held in place between the frame edges.

The following material groups are available: Frame made of Construction beech: H(natural); Top made of MDF or chipboardl: L(white, terra grey); Top made of chipboard or MDF veneered: F(Walnut).

JustBe	d = 80	20272	20273	20274
	W	140	160	180
	h		106	





PRODUCT INFORMATION DROP_TY_EN - 07.09.2022 - www.vs-furniture.com

DROP Plastic table.

Plastic table, round or square, four-legged for flexible use indoors or outdoors, e.g. in break areas, great halls or the canteen. Table made from glass fibre-reinforced polypropylene with UV stabilizer. The material is tough, weather-resistant, water-repellent and easy to clean. The table top has flattened edges. The table legs with plastic glides are delivered disassembled and attached to the table top with screws.

The following material groups are available: Body made of plastic: C(white, dolphin grey).

DROP		09365		09366
	Table top ø / w·d	70		73.73
	Total ø	83		104
	h	7	2	
	Stacking height		5	





School office





PRODUCT INFORMATION Ne-ReTi_TY_EN - 22.11.2021 - www.vs-furniture.com

NetWork Basic table.

Constructed of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.


Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws or castors.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp, OfficeBox.







PRODUCT INFORMATION Ne-TrapTi_TY_EN - 22.11.2021 - www.vs-furniture.com

NetWork

Basic table (Semicircular and trapezoid D=70, D=80).

Constructed of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.

Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed. Legs fitted with levelling screws or castors.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: Compass-VF.







PRODUCT INFORMATION Ne-AnbauTi_TY_EN - 22.11.2021 - www.vs-furniture.com

NetWork

Add-on table (Droplet and bow shaped table).

Construction partly with a round support leg. Quarter-circle tables on the straight with a half-oval-shaped frame and a function groove between table top and frame for accommodating accessories and for mounting further tables and tops. Steel parts either powder-coated or chrome-plated.

Table heights (supporting leg) are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp.

			•			21313	•	21326	(%)	21317	80.	•	21315
NetWork	Add-on table		21313	21314	21323	21324	21326	21336	21317	21327	21337	21315	21325
		W	77	'	8	30	55	60	80	90	100	44/6	60
		d	92	!	10	00	90	100	80	90	100	160	180
		Extension d	80)	9	90	90	100	00	90	100	160	100
		h						52.58	64-70-76				
		sq. m	0,6	1	0,6	68	0,41	0,49	0,5	0,63	0,78	0,89	1,00
		add-on side	left	left right left right			left/i	right			left/right		





PRODUCT INFORMATION Ne-AnTi_TY_EN - 22.11.2021 - www.vs-furniture.com

NetWork Add-on table.

Constructed of four-sided, half-oval shaped top frame and round legs, both of powder-coated or chrome-plated steel tube. Functional gap between table top and supporting frame accepts accessories and adapters for the linking of further tables and tops.

Electrification is available through a grid cable basket which is hinged on both sides or clip-on plastic modules. The cable outlets are holes with plastic or aluminium inserts.

Table heights are fixed or adjustable in either steps or continuously with a winding handle. Legs fitted with levelling screws or castors.

Table top is a melamine-resin laminated, veneered or linoleum covered chipboard with glued-on plastic or beech edges. Choice of square or round corners. The angled top insert of leather-covered steel sheet can be positioned in the corner and allows a greater table depth and thus optimum spacing from the monitor.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.

Further products on this page: LightUp, OfficeBox.

				° © — © © © • ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	• • • • • • • • • • • • • • • • • • • •		• \varTheta 🥯	900 0	°⊙ ⊚⊛⊗⊚⊝ ⊛ °			
NetWork	d = 60				21444	21445	21446	21447	21448	21449		
	d = 70					21204						
	d = 80	21220			21221	21222	21223	21224	21225	21226	21398	
	d = 90		21250		21251	21252	21253	21254	21255	21256		
	d = 100			21280	21281	21282	21283	21284	21285	21286		
	W	80	90	100	120	140	160	180	200	220		
	h			72·76 (65-85)				,				
	Ø										74	





PRODUCT INFORMATION Ne-CPUGitter_TY_EN - 18.10.2022 - www.vs-furniture.com

NetWork CPU accessories and stand-at desk.

CPU-holder for attachment of the CPU to the table side.

L-shaped grid of powder-coated steel rod. The holder is inserted into the functional gap between table top and frame. Further shelves can be hung onto it. The CPU is secured with a strap and quick-release fastener.

Hanging shelves are of melamine-resin laminated chipboard with glued-on plastic edges and rounded corners. Fitted with a bracket of powder-coated steel rod for hanging onto the CPU-holder and CPU-grid, for the upper and lower positions. Stand-at desk for insertion into the functional gap between table top and frame. With a swivelable post of powder-coated steel tube as well as a working surface of melamine-resin laminated chipboard.

The following material groups are available: Frame made of steel tube: M(arctic); Top made of chipboard: L(black). Further products on this page: LightUp.

NetWork		21396	20322	20323	20324	20325	21493
	w·d		60-20	60-40	60.20	60-40	60-40
		for table height min. 64 cm (glide					
		elements), min. 70 cm (castors)					
		CPU holder	Hang-in s	helf lower	Hang-in sl	helf upper	
		with retaining strap					
	sq. m						0,24
	h (by table height 72 cm)						





PRODUCT INFORMATION Pareto-C_TY_EN - 06.04.2022 - www.vs-furniture.com

Pareto-C

Height-adjustable, transport-optimized desk with C-type foot.

Design in accordance with DIN EN 527-1 consisting of two asymmetrically positioned tubular steel cross-pieces and welded brackets.


Substructure consisting of two C-type feet made from powder-coated metal with round, square or rectangular uprights and skids with angular ends. Electrically-driven height-adjustment with one- or two-stage telescoping uprights, optionally with display, memory, collision protection and child safety protection. Table legs can be folded for ease of transport.

Table top made from melamine-resin, veneer or linoleum-coated chipboard with edged corners.

Electrical connections (optional) by means of a folding metal cable tray with round cable chain.

Cable outlet through a maximum of three metal outlets (left, centre, right) or a cable flap positioned on the left or right. Accessories for electrical connection (Schuko power socket) and CPU holder with retaining strap.

The following material groups are available: Frame made of steel tube: M2; Top made of chipboard: L6; Top made of linoleum: L8; Top veneered: F1.







PRODUCT INFORMATION OBoxKurz_TY_EN - 23.03.2023 - www.vs-furniture.com

OfficeBox Mobile containers (short).

Body made of melamine-resin-coated chipboards with glued-on plastic edge. With 4 castors, 2 of which can be locked, or as stationary container with slide elements. Mobile containers also available in half-size format (see table).

Front made of us melamine-resin-coated chipboard with glued-on plastic edge or veneered. Optionally 1. with metal, plastic or wood bow handles; 2. with horizontal aluminum handle strips; 3. on both sides with vertical, milled handle strips or 4. without handle with "push to open" technology.

Drawers in 1,5, 2, 3 and 4 HU with partial or over-extension, 6 HU drawers with over-extension. Optionally with slide-in damping.

Equipment for 1.5 HU with plastic material pull-out. And 6 HU with suspension frame for DIN A4 folders. Optionally with seat cushion and foldable push-handle.

The following material groups are available: Body made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Fabric cover: S46,51,52,74,78,79,80.

	Seat cushions available as an option: - h = 4,5 cm - max. load 110 kg		-	- - - - 0	= - -	- - - 0 0	- - - -	
OfficeBox	HU	9,5				10,5		
D=60	w carcass 43	40500	40501	40502	40503	40504	40505	
	Storage set no.	1	2	2	1	2	2	
	w carcass 33 Half-Size	40520	40521	40522	40523	40524	40525	
	Storage set no.	7	Ç	9	7	S)	
	h total (with cushion)	55 (59,5)						
	HU	1,5.2.6	1,5.2.3.3	1,5·2·2·4	1,5·3·6	1,5·3·3·3	1,5.2.3.4	













PRODUCT INFORMATION OBoxLang_TY_EN - 23.03.2023 - www.vs-furniture.com

OfficeBox Stationary and mobile containers (long).

Body made of melamine-resin-coated chipboards with glued-on plastic edge. With 4 castors, 2 of which can be locked, or as stationary container with slide elements. Mobile containers also available in half-size format (see table).

Front made of us melamine-resin-coated chipboard with glued-on plastic edge or veneered. Optionally 1. with metal, plastic or wood bow handles; 2. with horizontal aluminum handle strips; 3. on both sides with vertical, milled handle strips or 4. without handle with "push to open" technology.

Drawers in 1,5, 2, 3 and 4 HU with partial or over-extension, 6 HU drawers with over-extension. Optionally with slide-in damping.

Equipment for 1.5 HU with plastic material pull-out. And 6 HU with suspension frame for DIN A4 folders. Optionally with seat cushion.

The following material groups are available: Body made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Fabric cover: S46,51,52,74,78,79,80.

	Seat cushions available as an option: - h = 4,5 cm - max. load 110 kg			- - - - -	- - -	- - - -	- - - -			- - - -
OfficeBox	HU		9,5			10,5			13,5	
D=80	w carcass 43	40510	40511	40512	40513	40514	40515	40516	40517	40518
	Storage set no.	3	2	1	3	4		-	5	6
	w carcass 33 Half-Size	40530	40531	40532	40533	40534	40535			
	Storage set no.	8	1	0	8	10)			
	h total (with cushion)	55 (59,5)		60 (64,5)			72 (76,5)			
	HU	1,5·2·6	1,5-2-3-3	1,5-2-2-4	1,5·3·6	1,5.3.3.3	1,5·2·3·4	1,5.6.6	1,5·3·3·6	1,5.3.3.3.3





Serie 2000, LinkUp (partition walls)





PRODUCT INFORMATION LinkUp_TY_EN - 01.02.2024 - www.vs-furniture.com

LinkUp Mobile partition wall

System consisting of a mobile partition wall. Several partition walls can optionally be linked together using magnetic connecting fittings. **Several partitions** can be pushed into each other to save space.


Frame construction with a steel tube running all the way round on a crossbar, a filling element or an all-round fabric covering.

Filling element made of 1. a magnetic and writable, enamelled chipboard, 2. a cork-coated, pinable chipboard or 3. a cork-and textile-coated, pinable chipboard.

All-round fabric covering as 4. privacy screen and optionally with an acoustically effective filling.

Support elements consisting of 2 short runners, each with 2 castors.

The following material groups are available: Frame made of metal: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Pinboard made of cork: K(natural cork); Pinboard made of fabric: S72; Fabric cover: S46,51,52,74,78,79,80.







PRODUCT INFORMATION S2000-P-23_TY_EN - 23.06.2023 - www.vs-furniture.com

Serie 2000

Typ P. Folding screen (2/3 parts).

System consists of 2 or 3 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. 2. chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 155 cm). 3. From a lightweight top with fabric covering. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.

The following material groups are available: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.

		The state of the s								
Serie 2000	h 112,5 (with castors 124)		05530	05531	05532	05533	05545	05546	05547	05548
Тур Р	h 150,0 (with castors 161)		05535	05536	05537	05538	05550	05551	05552	05553
	w Element		80	90	100	120	80	90	100	120
	w sliding handle + connector		179	199	219	259	269	299	329	389
	No. of elements			2	!	2				





PRODUCT INFORMATION S2000-P-45_TY_EN - 23.06.2023 - www.vs-furniture.com

Serie 2000

Typ P. Folding screen (4/5 parts).


System consists of 4 or 5 flexibly-jointed, mobile, free-standing screen.

Construction is based on a four-sided frame of aluminium profile and a filling element. Add-on elements are connected by a flexible joint and can be easily folded together.

Filling elements: 1. Melamine-resin laminated chipboard. 2. chipboard laminated with a vitreous-enamelled metal sheet to which magnets adhere (at level 155 cm). 3. From a lightweight top with fabric covering. 4. A melamine-resin laminated sound-absorbing panel with slits. 5. A translucent double-ribbed board.

Supporting element consists of short struts each with 2 castors and a supporting castor. For safety reasons paravent screens in kindergartens and schools must be fitted with a push-handle.

The following material groups are available: Frame made of aluminum: M(anodisé); Stabiliser and foot made of aluminum: M(arctic, black RAL 9011); Writing surface made of steel: E(white); Fabric cover: S46,52,74,78,79,80; Acoustic front made of chipboard: L10; Front made of chipboard: L6.





SPACE (storage space)





PRODUCT INFORMATION SpaceWalk-G_TY_EN - 01.02.2024 - www.vs-furniture.com

SpaceWalk-G Mobile storage module with a guide system for Gratnells boxes.

Frame consisting of bent and welded rectangular steel tube on 4 lockable double swivel casters (d=65mm) and a top sheet metal shelf. Optionally with a rear panel, two side panels and a hinged door made of sheet steel in different combinations. Side parts with a recess as a handle. All steel parts powder coated in color.

Modular system consisting of 1, 2 and 3 part elements.

Rail system between the frames with plastic guides and pull-out stop. In the guides different sized Gratnells boxes with or without lid can be variably inserted in the module as required. Optionally without back panel, modules can also be used on both sides.

Locking system optionally with cylinder lock.

The following material groups are available: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 5 kg.		1	1 2	1 2	1 2 3	1 2 3				
SpaceWalk-G	one- or tow-sided	45400	45401		45402					
	either side			45403		45404				
							48565	48566	48568	48567
	W	37	7	2	10	06		31,2		
	h·d			100-49			7,5.37,5	15,0.37,5		
	Number of boxes (h 7.5/15)	9/4	18/8	18/8	27/12	27/12				
								Grat	nells	
							Plastic	boxes*	Тор	Name plate





PRODUCT INFORMATION SpaceStation-G_TY_EN - 01.02.2024 - www.vs-furniture.com

SpaceStation-G

Stationary, wall-mounted storage module with a guide system for Gratnells boxes.

Frame consisting of bent and welded rectangular steel tube on 4 adjustable feet and a top sheet metal shelf. Optionally with a rear panel, two side panels and a hinged door made of sheet steel in different combinations. Side parts with a recess as a handle. All steel parts powder coated in color. The modules must be fixed to the wall and can be interlinked.

Rail system between the frames with plastic guides and pull-out stop. In the guides different sized Gratnells boxes with or without lids can be variably inserted in the module as required.

Locking system optionally with cylinder lock.

The following material groups are available: Frame made of metal: M1; Gratnells plastic box: C3.

* Max. load per box: 5 kg.		1	1 2				
SpaceStation-G		45406	45407	48565	48566	48568	48567
	W	37	72		31,2		
	h·d	184	·49	7,5:37,5	15,0.37,5		
	Number of boxes (h 7.5/15)	18/8	36/16				
					Grat	nells	
				Plastic	boxes*	Тор	Name plate





Shift+ (storage space)





PRODUCT INFORMATION Shift-p-LRegal_TY_EN - 06.02.2023 - www.vs-furniture.com

Shift+ Landscape Mobile shelf units.


Constructed from glued linear and curved (60°) body on steel crosspiece with 4 or 5 (60°) tech castors, 2 of them lockable. Optionally with 4 or 5 adjustable feet.

Body made from melamine resin-coated chipboard with glued (KU) plastic edge. With glued central panels to subdivide the body. With rows of drill holes (25 mm) for shelf inserts and perforated sheet visible back panel. With back panel and storage space on both sides depending on model.

Function (options): With shelf inserts or wardrobe hooks (4-way or 8-way) and magnets on the outside surfaces for docking-on further cabinet elements. Curved Landscape seat, table and cabinet elements can be combined in rows or as circular and undulating seating/cabinet landscapes thanks to the harmonized internal and external radii.

Sliding handles (optional) made from steel on the top of the body.

The following material groups are available: Body made of chipboard: L4; Perforated-plate: M1.







PRODUCT INFORMATION Shift-p-LSchrank_TY_EN - 24.05.2023 - www.vs-furniture.com

Shift+ Landscape Mobile cabinet elements.

Structure of glued linear carcasses on a steel cross-member with 4 technical castors, 2 of which are lockable. Optional with 4 adjustable feets. Optional with 4 adjustable feets.

Carcass made of melamine-resin-coated chipboards with glued-on plastic edge. With glued, 2/3-height centre walls for partitioning the carcasses in the lower area. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel. With a locker on the left or right side.

Front consisting of a single-wing door with bow-type handle, inset-type handle or handle knob.

Locking system optionally with cylinder or turn-knob locks.

Function: With magnets (optional) on the outer sides for docking further cabinet elements.

Push-handles (optional) made of steel on the top of the carcass.

The following material groups are available: Body made of chipboard: L4; Front made of chipboard: L4,(orange, light blue, light green); Perforated-plate: M1.

Shift+ Landscape	h with (without) handle = 115,6 (110,2)	45319
	w·d	105,5·42,5
	Number of shelf inserts	3
	Door	left right





PRODUCT INFORMATION Shift-p-LSchrank2_TY_EN - 24.05.2023 - www.vs-furniture.com

Shift+ Landscape Mobile cabinet elements with doors for specialist rooms.

Structure of glued linear bodies on a steel cross-member with 4 technical casters, 2 of which are lockable. Optional with 4 adjustable feets.

Body of melamine-resin-coated chipboards with glued-on plastic edge. With glued center walls for partitioning the bodies. With rows of holes (25 mm) for adjustable shelf inserts and a perforated-plate back panel. Partly with plastic boxes/trays on guide rails (see table).

Front consisting of 1, 2 or 3 wing doors with bow-type handle, inset-type handle or handle knob (see table).

Locking system optionally with cylinder or turn-knob locks.

Function: Optional with magnets on the outer sides for docking further cabinet elements.

Push-handles (optional) made of steel on the top of the body.

The following material groups are available: Body made of chipboard: L4; Front made of chipboard: L4, (orange, light blue, light green); Perforated-plate: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes and shelf inserts for each row									
Shift+ Landscape	h with (without) handle = 96,9 (91,5)	45324			45323			45322		
	h with (without) handle = 115,6 (110,2)		45329			45328			45327	
	h with (without) handle = 134,4 (129,0)			45342			45341			45340
	w·d					105,5·42,5				
	Number of doors		1			2			3	
	Number of raw					3				
	* Number of boxes (h 7.5/15) per row	8/4	10/5	12/6	8/4	10/5	12/6	8/4	10/5	12/6
	* Number of shelf inserts per row					6				





PRODUCT INFORMATION Shift-p-LTaschen_TY_EN - 02.02.2023 - www.vs-furniture.com

Shift+ Landscape Mobile storage cabinets.

Constructed from glued linear body on steel crosspiece with 4 tech castors, 2 of them lockable. Optionally with 4 adjustable feet.

Body made from melamine resin-coated chipboard with glued (KU) plastic edge. With glued central panels to subdivide the body, fixed, glued construction shelf and a perforated sheet visible back panel. Some available with plastic boxes on guide rails (see table). Optionally with protective rubber mats on the shelves.


Function (options): It is possible to define compartments for satchels, wardrobes with 4-way or 8-way hooks or plastic Gratnells boxes for each cabinet unit (row) individually depending on the size of the cabinet. With magnets on the external surfaces for docking-on further cabinet elements.

Sliding handles (optional) made from steel on the top of the body.

The following material groups are available: Body made of chipboard: L4; Perforated-plate: M1; Gratnells plastic box: C3.

	* Possibility of choosing boxes, shelf inserts and wardrobe hooks for each row							
Shift+ Landscape	h with (without) handle = 96,9 (91,5)	45320			45321			
	h with (without) handle = 115,6 (110,2)		45325			45326	45330	45332
	h with (without) handle = 134,4 (129,0)			45339				
	w·d				105,5.42,5			
	Number of satchel compartments				3	4	8	6
	Number of raw	3				1		
	* Number of boxes (h 7.5/15) per row	8/4	10/5	12/6	2/1	10/5		
	* Number of shelf inserts per row	2						
	* Number of wardrobe hooks per row		1	1		1		





PRODUCT INFORMATION Shift-p-EBoden_TY_EN - 05.01.2021 - www.vs-furniture.com

Shift+ Landscape Adjustable shelf inserts.

Adjustable shelf inserts are available in melamine-resin-coated chipboard, each with glued-on plastic edges. The shelf inserts can be freely positioned by means of shelf supports in the holes and secured against slipping out.

Shift+	for cabinet d = 42,5	45286	45287	45276		45288	45289	45279		45278		45280		45281	
Landscape	for cabinet d = 53,0				45277				45283		45282		45284		45285
	W	49,9	32,6	49	9,9	73	1,0	73,0	78,2	73,0	78,2	63,1	65,7	63,1	65,7
	d	41	41,0				54,7		42,1	36,3	42,1	33,6	38,8	33,6	38,8
	d (center panel, decor)			19,4	24,5										
	d (center panel, perforated panel)			19,7	24,9										
	Cupboard	1-side	ed use	2-sid	ed use	1-side	ed use				2-side	ed use			
	Position of shelf insert			-		left 🕴	right		side ght		side ift		side eft		ide ght





PRODUCT INFORMATION Shift-p-Zub_TY_EN - 26.01.2021 - www.vs-furniture.com

Shift+ Landscape Accessories.

Magnetic write-on film for use on all magnetic surfaces, for example the perforated metal back panels of the Shift+ Landscape cabinet-type units. The surface can be written on using board markers and can be wiped-off dry. Writing / cleaning material: Wiper (magnetic, for dry wiping, with replaceable felt insert), felt insert (for Model 06962, packet of 10 strips), Board marker (can be wiped-off dry, packet of 10 pens), magnet. Gratnells plastic boxes for Shift + cabinets with Gratnells rail system.

* Max. load per box: 5 kg.													
Shift+		45272	45273	45274	45275	06962	06963	06966	07947	48565	48566	48568	48567
Landscape	W	12,0	29,7	42,0	59,4						31,2		
	h	14,0	42,0	59,4	84,0					7,5	15,0		
	d										37,5		
	DIN		A3	A2	A1								
	Unit		10	2	2		10	4	1				
		Bookend	Magne	tic write-	on film	Wiper	Felt clea-	Board-	Magnet	Grat	nells	Top for Grat-	Gratnells
							ning cloth	marker		plastic	boxes*	nells boxes	name plate





LearnBox (personal storage space)





PRODUCT INFORMATION LearnBox-S_TY_EN - 16.05.2023 - www.vs-furniture.com

LearnBox

Container for students' workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Design consisting of glued bodies made from melamine-resin-coated chipboard with glued plastic edge.


Base cabinets for positioning on the left or right side of the workplace. With one open compartment and a Gratnells tray. Optionally available with castors, 2 of which are lockable, or adjustable glide units. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization at the side of the workplace, with open compartments or with a flap, depending on the model. With perforated sheet back panel and a sheet metal side element with pen tray, both magnetic.

Combination with 76 cm-high tables from the TriTable-III and Cross ranges. Cover panels for base cabinets to match the table tops. Base and add-on cabinets that are accessible from both sides (40051, 40059, 40060) are available for space-optimized use.

The following material groups are available: Body made of chipboard: L6; Front made of chipboard: L3; Perforated-plate: M1.

Further products on this page: PantoMove-LuPo.







PRODUCT INFORMATION LearnBox-L_TY_EN - 16.05.2023 - www.vs-furniture.com

LearnBox

Container for teachers' workstations.

Modular cabinet system consisting of base and add-on cabinets for individual storage space.

Design consisting of glued bodies made from melamine-resin-coated chipboard with glued plastic edge.

Base cabinets for positioning on the left or right side of the workplace. With drawers or wing doors, each with bow handles, inset handles or lever handles, and with cylinder or turn knob locks. Optionally available with castors, 2 of which are lockable, or adjustable glide units. With a cover panel or prepared for an add-on cabinet.

Add-on cabinets for organization at the side of the workplace, with open compartments or with a flap, depending on the model. With perforated sheet back panel and a sheet metal side element with pen tray, both magnetic.


Combination with 76 cm-high tables from the TriTable-III and Cross ranges. Cover panels for base cabinets to match the table tops.

The following material groups are available: Body made of chipboard: L6; Front made of chipboard: L3; Perforated-plate: M1

Further products on this page: PantoMove-Soft.

				<u> </u>						
LearnBox	Lower cabinet	40052	40053	40054						
	Add-on cabinet				40055	40056	40057	40058		
	W				36,5					
	h		76,0		38,0					
	d				70,0 (80,0)					
	Alignment to user				lin	ks	rec	hts		
	Door (left/right)	1								
	Materials drawer	1	1	2						
	Drawer		2	2						
	Open compartment				4	3	4	3		
	Flap					1		1		





PRODUCT INFORMATION LearnBox-Zub_TY_EN - 24.05.2023 - www.vs-furniture.com

LearnBox

Cover panels and organizational accessories.

Cover panels made from 19 mm chipboard or HPL to match the table top.

Organizational equipment in the form of drawers, adjustable hanging frame and material trays.

Plastic Gratnells trays for Shift+ cabinets with Gratnells rail system.

Available for selection: Plastic insertable materials tray as well as drawer partition and adjustable hanging frame.

The following material groups are available: Cover top made of chipboard: L6; Cover top veneered: F1; Cover top made of HPL: L4.

* Max. load per 5 kg.	box:									
LearnBox	LIGNOpal	d = 70	40061							
Accessories		d = 80	40064							
	HPL	d = 70	40062							
		d = 80	40065							
				40067	40068	40069	48565	48566	48568	48567
		w·h·d					31,2.7,5.37,5	31,2·15·37,5		
		w·d							31,2·37,5	
			Cover panel	Drawer	Adjustable	Materials tray		Grat	nells	
				partition	hanging frame		Plastic	boxes*	Тор	Name plate

Serie 600 (mobile storage space)







 $\textbf{PRODUCT INFORMATION} \ S600-SchrReg_TY_EN - 23.05.2023 - www.vs-furniture.com$

Serie 600

Cupboard. Open cupboard. Storage module.


Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open or with double wing doors of chipboard laminated with melamine-resin sheet and glued-on (KU) plastic edges. The doors are fitted with metal bow handles.

Organisation. Both the open shelf and cupboard versions have adjustable chipboard shelves.

Locks. Optionally with cylinder or turning knob locks. Model 45235 alternatively with personal property boxes and rubber mat.

The following material groups are available: Frame made of steel tube: M1; Front made of chipboard: L(astral silver); Body made of steel: M1.











PRODUCT INFORMATION S600-AufBe_TY_EN - 27.11.2023 - www.vs-furniture.com

Serie 600 Storage module.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open.

Organisation. Body with vertical compartments and runners for small (yellow), medium (red) or large (green) plastic boxes. The boxes can be freely combined provided the 3 different heights are taken into account. The internal partitions are made of chipboard laminated with melamine-resin sheet. There are 3 additional side compartments of office file size. **Plastic storage boxes** must be ordered separately.

The following material groups are available: Frame made of steel tube: M1; Body made of steel: M1.

	Max. load per box: 5 kg.							
Serie 600		09196	09197	09198	09100	45244	45242	45245
Storage	w·d		31.2	42.7		48.48	85.48	125-48
module	h	7.5	15.0	30.0				
				00.0				
	h design castor 7,5 (10)			00.0			124 (128)	
	h design castor 7,5 (10) h special castor 7,5 (10)			00.0		I	124 (128) 125 (129)	<u> </u>
	_		.0.0	56.6		12		36
	h special castor 7,5 (10)		1818	00.0		12	125 (129)	36







PRODUCT INFORMATION S600-Compass_TY_EN - 23.05.2023 - www.vs-furniture.com

Serie 600 UnoBean module.

Carcass comprising a steel-tube skeleton with 4 posts, a solid-sheet base and 3 perforated-sheet sides, all powder-coated. With design or technical castors or optionally with adjustable feet.

Front with lockable double wing door.


Organisation. Carcass with vertical compartments and rails for UnoBean school-table/desk box trays. Inner side sections and centre wall made from chipboard. Carcass additionally with 3 folder-sized side compartments.

Storage box trays made from plastic must be ordered separately.

The following material groups are available: Frame made of steel tube: M1; Front made of chipboard: L(astral silver); Body made of steel: M1.

	Max. load per box: 5 kg.			
Serie 600		48-256-00	48-257-00	45229
UnoBean-Modul	w·d	52-4	12,6	125.48
	h	7,2		
	Number of box trays			34
	h design castor 7,5 (10)			159 (163)
	h special castor 7,5 (10)			160 (164)







PRODUCT INFORMATION S600-Garderobe_TY_EN - 16.03.2023 - www.vs-furniture.com

Serie 600 Clothes, shoe and satchel cupboard.

Body consists of a tubular-steel skeleton with 4 posts, a solid-metal bottom and 3 perforated-metal sides, each powder-coated. With design or special castors or optional adjustable feet.

Front open.

Shoe cupboard with 16 or 20 shoe compartments of chipboard laminated with melamine-resin sheet and glued-on (KU) plastic edges.

Clothes cupboard, at the bottom: 15 shoe compartments of chipboard as well as at top: wardrobe with 6 triple hooks. Satchel cupboard with 8 or 12 satchel compartments of chipboard. Optionally with self-adhesive protective rubber mats. The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1.

Serie 600		45236	45232	45233	45234	45237
Wardrobe	w·d			125.48		
	h design castor 7,5 (10)	89	(93)	159 (163)	124 (128)	159 (163)
	h special castor 7,5 (10)	90	(94)	160 (164)	125 (129)	160 (164)







PRODUCT INFORMATION S600-Papier_TY_EN - 06.07.2022 - www.vs-furniture.com

Serie 600

Cupboard for paper and handicraft.

Body consisting of a tubular-steel carcass with 4 posts, a solid-sheet base and 3 perforated-plate sides, each powder-coated. With design or technical castors or optionally with adjustable feet.

Front with doors and drawers, each consisting of melamine-resin-coated chipboard with glued-on plastic edge and with metal bow handles.


Organisation (top). Cupboard element with a double wing door.

Optionally with 1 or 2 shelf inserts or left side with 6 guides for plastic boxes and right side with 1 chipboard shelf insert. Organisation (bottom). 7 drawers with pull-out stop for DIN A2 format. Further formats (DIN A3, A4, A5) with drawer partitions possible (see table).

Locks. Both cupboard elements optionally with cylinder locks.

Drawer partitions and storage boxes of plastic must be ordered separately.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Front made of chipboard: L(astral silver); Body made of steel: M1.






PRODUCT INFORMATION S600-Regal_TY_EN - 24.05.2023 - www.vs-furniture.com

Serie 600 Open cupboard.

Body consists of a tubular-steel skeleton with 4 tubular corners/legs, a solid metal bottom and 3 perforated-metal sides, all powder-coated. Standard with design or special castors or optional adjustable feet.

Organisation with open compartment and adjustable shelves of steel or melamine-resin laminated chipboard with glued-on (KŪ) plastic edges.

The following material groups are available: Frame made of steel tube: M1,(chrome-plated); Body made of steel: M1; Bases made of chipboard: L6; Bases made of steel: M(arctic, anthracite, black RAL 9011, white).















PRODUCT INFORMATION S8Mobil-FTuer_TY_EN - 23.05.2023 - www.vs-furniture.com

Serie 800-Mobil Mobile swing-door cabinets.

Mobile element cabinet (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Swing-door cabinet, some with central panel (CPsb) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Front consisting of 2 separately closing single swing doors or a double swing door (CPsb) with bow handles, inset handles or lever handles.

Locking system with cylinder or turn knob locks as standard.

Internal equipment consisting of shelf inserts.

The following material groups are available: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1.

Serie 800	H =		88,2	2FH			125,7 зғн			163,2 4FH			200,7 sfh	
D=42,5	W= 80 cm	47400	47401	47402		47403	47404	47405						
	W=100 cm	47412	47413	47414		47415	47416	47417						
	W= 120 cm	47424	47425	47426	47427	47430	47431	47432						
D=50,0	W= 80 cm	47406	47407	47408		47409	47410	47411						
	W= 100 cm	47418	47419	47420		47421	47422	47423						
	W= 120 cm	47433	47434	47435	47436	47437	47438	47439						
D=58,0	W= 80 cm	47500	47501	47502		47503	47504	47505	47506	47507	47508	47509	47510	47511
	W= 100 cm	47512	47513	47514		47515	47516	47517	47518	47519	47520	47521	47522	47523
	W= 120 cm	47524	47525	47526	47527	47530	47531	47532	47533	47534	47535	47537	47538	47539
	Adjustable shelf inserts	1	2	2	6	2	4	4	3	6	6	4	8	8
	Locks / CP, CPsb	1/-	2 / CP	1 / CPsb	1 / CPsb	1 / -	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	1 / -	1 / CP	1 / CPsb









PRODUCT INFORMATION S8Mobil-Regal_TY_EN - 25.11.2021 - www.vs-furniture.com

Serie 800-Mobil Mobile shelf units.

Mobile element cabinet (see table for details) in 2, 3, 4 and 5 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open cabinet, partly with central panel (MWz) flush with the body or set-back for the horizontal subdivision of the body. With visible back panel fixed in groove.

Internal equipment consisting of shelf inserts.

The following material groups are available: Body and bases made of chipboard: L6.

Serie 800	H =			88,2	2 2FH				125,7 зғн			163,2 4FH			200,7 sfh	
D=42,5	W= 80 cm	47450						47453								
	W=100 cm	47462	47463	47464				47465	47466	47467						
	W=120 cm	47474	47475	47476	47477	47478	47479	47480	47481	47482						
D=50,0	W= 80 cm	47456						47459								
	W= 100 cm	47468	47469	47470				47471	47472	47473						
	W= 120 cm	47483	47484	47485	47486			47487	47488	47489						
D=58,0	W= 80 cm	47550						47553			47556			47559		
	W= 100 cm	47562	47563	47564				47565	47566	47567	47568	47569	47570	47571	47572	47573
	W= 120 cm	47574	47575	47576	47577			47580	47581	47582	47583	47584	47585	47587	47588	47589
	Adj. shelf inserts	1	2	2	6	8	12	2	4	4	3	6	6	4	8	8
	Wooden boxes H=14,0	-	-	-	-	12	16	-	-	-	-	-	-	-	-	-
	CP, CPsb	-	CP	CPsb	CP	CP	CP	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb









PRODUCT INFORMATION S8Mobil-Gratnells_TY_EN - 29.11.2021 - www.vs-furniture.com

Serie 800-Mobil Mobile Gratnells cabinets.

Mobile element cabinet (see table for details) in 2 and 3 height units and 3 fixed depths. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open or closed cabinet with 2 to 4 rows of plastic Gratnells boxes, 7.5 or 15 cm high. Central panels and side elements with guide rails for Gratnells boxes. Cabinet with visible back panel fixed in groove.

Front consisting of double swing door (CPsb) with bow handles, inset handles or lever handles depending on model. Locking system with cylinder or turn knob locks as standard.

The following material groups are available: Body and bases made of chipboard: L6; Front made of chipboard: L3; Front veneered: F1; Gratnells plastic box: C3.

Serie 800	H =		88,2	2FH		125,7 зғн
D=42,5	W= 71 cm	47440				
	W= 105,5 cm		47441		47443	47444
	W= 140 cm			47442		
	Number of boxes (h 7,5/15)	16/8	24/12	32/16	24/12	36/18
	Locks	-	-	-	1	1







PRODUCT INFORMATION S8Mobil-Ranzen_TY_EN - 23.05.2023 - www.vs-furniture.com

Serie 800-Mobil Mobile satchel cabinets.

Mobile element cabinet (see table for details) in 2 and 3 height units. The cabinets are suitable for a maximum additional load of 75 kg/sqm and some of them are equipped with counterweights to provide the necessary stability. Lockable 75-mm design castors ensure safe mobility.

Type: Open cabinet with 3 to 4 rows of satchel compartments. Some with individual plastic Gratnells boxes, 7.5 or 15 cm high, in each satchel cabinet or with complete row of Gratnells boxes. Cabinet with visible back panel fixed in groove. The following material groups are available: Body and bases made of chipboard: L6; Gratnells plastic box: C3.


Serie 800	H =	88,2 2FH		125,	7 3FH	~
D=42,5	W= 105,5 cm	47445	47446	47447		
	W= 120 cm				47448	
	W= 140 cm					47449
	Number of boxes (h 7,5/15)	6/3	6/-	12/6	-/-	8/-
	Number of compartiments	3	6	4	8	8





Serie 800 (cabinet walls)





TECHNICAL DESCRIPTION S800-Vor1_TB_EN - 07.11.2023 - www.vs-furniture.com

Serie 800 Preliminary remark – grid

Preliminary remark – grid system.

Series 800 element cabinets are made from melamine-resin-coated chipboard with glue-on plastic or beech edge. Cabinets are available in 6 widths, 6 heights and 2 depths. One height grid (1FH) corresponds to 375 mm. Add-on cabinets are available 1, 2 and 3FH without [1] and with [2] base for a ladder rail to be installed (cf. table). In addition, many models (without technical built-in components) can be variably shortened in the width, height and depth dimensions in five-millimetre increments and thus built for a perfect fit in all room situations.

Top shelves are placed on the side walls and thereby form a cleanly structured top cover for low cabinets.


Cabinet fronts (2 cm) and further protruding parts such as handles for example are not taken into consideration in the depth specifications.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available: Front made of chipboard: L3; Body and bases made of chipboard: L6; Front veneered: F1.

													XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
Serie 800		File height (37,5)	1FI	Н	2F	:H	3F	H	4 F	Н	5F	H	6F	Ή
	Cabinet	h without base			77,0		114,5		152,0		189,5		227,0	
		h with base 7,5 cm			84,5		122,0		159,5		197,0		234,5	
	Add-on cabinet	h without base		37,5		75,0		112,5						
		h with base 7,5 cm (ladder rail)		45,0		82,5		120,0						





TECHNICAL DESCRIPTION S800-Vor2_TB_EN - 24.07.2023 - www.vs-furniture.com

Preliminary remark – carcass construction.

Series 800 element cabinets are supplied fully glued or disassembled, with eccentric connectors. The row of holes (dia. 3 mm) at a grid distance of 25 mm can be used right through.

Shelf carriers (load class L75) are screwed into standard-equipped cabinets [1] and screwed and inserted into individually equipped cabinets [2].

Adjustable shelf inserts [3] made from chipboard (up to a width of 80 cm), MFB board (width 40 - 120 cm) and sheet steel (width 80 - 120 cm) have a concealed mounting for the shelf carriers.

Vertical carcass structures are fashioned by glued and, in the case of disassembled cabinets, by construction shelves [4] with eccentric connectors.


Horizontal carcass structures are fashioned by middle partitions flush with the carcass [5] or set back [6]. These are glued or, in the case of disassembled cabinets, equipped with eccentric connectors. Middle partitions flush with the carcass permit the use of separately closing single swing doors. Set-back partitions are combined with double swing doors.

Bases are a structural component of the carcass construction made from chipboard [7] or are positioned as a steel base [8] at the height of 75 mm below the carcass. Both base types have precision height adjustment by means of an Allen key [9] through the bottom shelf. The chipboard base can be fitted with a base cover strip flush with the front/door [10]. Base recesses [11] on the back are possible in the case of floor strips.

Wardrobe and washbasin cabinets are provided with plastic ventilation outlets on the top and bottom edges of the door. Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108–007) must be secured to the wall or floor.

Serie 800	Cupboard w	40	50	60	80	90	100	120	80	90	100	120	120	120
	Shelf w	36,1	46,1	56,1	76,1	86,1	96,1	116,1	37,1	42,1	47,1	57,1	37,4	27,5
	Middle partition									1			2	3
*D=42,5	Load according to L75	10	13	15	21	24	27	32	10	11	13	14	10	7
*D=58	(kg)	14	18	22	30	34	38	46	11	16	18	22	14	





TECHNICAL DESCRIPTION S800-Vor3_TB_EN - 04.03.2021 - www.vs-furniture.com

Preliminary remark – swing doors.

Series 800 element cabinets can be fitted with two different door hinges for the opening angles 110° [1] or 270° [2]. 110° door hinges cannot be seen from the outside and have damped door closing. Both hinges are available for single and for double swing doors in accordance with the carcass structure.


Single swing doors [3] are available hung on either the left or the right. The hanging side can be freely defined for widths up to 60 cm.

Double swing doors [4] are fitted with a flexible plastic impact strip.

Bow handles (steel, plastic and wood), knob handles und inset handles (round) are available to choose from.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.





TECHNICAL DESCRIPTION S800-Vor4_TB_EN - 04.03.2021 - www.vs-furniture.com

Preliminary remark – closing of swing doors, sliding doors and roller shutters.

Series 800 element cabinets are available with swing doors (see Preliminary remark – swing doors) and with assorted sliding doors and roller shutters.

Lockable single and double swing doors [1] are equipped with cylinder or turning-knob locks and a locking rod with striker on the top and bottom shelves. [7] Bow handles (steel, plastic and wood), knob handles and inset handles (round) are available to choose from.

Glass sliding doors [2] (optionally lockable) made from single-layer safety glass are equipped with a roller guide and a rail system made from aluminium. A pressure-cylinder lock locks the door.


Chipboard sliding doors [3] (optionally lockable) are locked by a pressure-cylinder lock. [7] Bow handles (steel, plastic and wood), knob handles and inset handles (round and rectangular) are available to choose from.

Vertical roller shutters [4] (optionally lockable) made from plastic are fitted on 5FH cabinets with a horizontal strip handle [5] over the entire cabinet width. All cabinets are equipped with a strip handle with catch. A roller-shutter lock locks the roller shutter.

The keys will fold [6] and are supplied with a spare key located in the plastic lid in the case of customer-defined locking or locking based on a locking plan.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.





TECHNICAL DESCRIPTION S800-Vor5_TB_EN - 04.03.2021 - www.vs-furniture.com

Preliminary remark – closing of drawers and lockers.

Series 800 element cabinets are available with swing doors (see Preliminary remark – swing doors) and with assorted drawers and lockers.


Drawer cabinets [1] (optionally lockable) are available with 1 or 2 rows of drawers which are equipped in each case with central rod locking and a lock in the top drawer. [5] Bow handles (steel, plastic and wood), knob handles and inset handles (round) are available to choose from.


Locker cabinets [2] (always lockable) are available with simple case locks or with combination locks. All without handles. Suspension filing cabinets and wide drawers [3] (optionally lockable) are available with central rod locking and a lock in the top drawer. Pulling out several drawers at once is disabled.

Keys are folding [4] and are supplied on delivery with a spare key integrated in the plastic cap.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.







TECHNICAL DESCRIPTION S800-Vor6_TB_EN - 04.03.2021 - www.vs-furniture.com

Serie 800

Preliminary remark – wardrobe.


Series 800 element cabinets with swing doors can be equipped from 4FH as wardrobe cabinets. 3 different wardrobe systems are used, depending on the width and depth dimensions.

- [1] Width less than 50 cm, depth = 42.5 cm: Centrally positioned 3-point hook under the hat shelf (max. load 35 kg).
- [2] Width from 50 cm, depth = 42.5 cm: Pull-out wardrobe rod under the hat shelf (max. load 6 kg).
- [3] Width from 40 cm, depth = 58.0 cm: Laterally positioned wardrobe bar under the hat shelf (max. load 50 kg).

Wardrobe cabinets are equipped with plastic ventilation outlets [4] on the top and bottom edges of the door. Hat shelves [5] are located in 4FH-high cabinets at position 3FH and in 5FH- and 6FH-high cabinets at position 4FH. 6FH cabinets also have an additional adjustable shelf insert.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.






TECHNICAL DESCRIPTION S800-Vor7_TB_EN - 06.04.2022 - www.vs-furniture.com


Serie 800


Certified as belonging to sound absorption class C.

The swing doors and roller shutters of Series 800 units can be acoustically enhanced in order to improve sound absorption in rooms in which noise reverberates. This is achieved by using perforated surfaces for the swing doors and roller shutters. Swing doors certified as belonging to sound absorption class C: The sound absorption properties of Series 800 cabinets equipped with perforated swing doors in a reverberation chamber were determined in independent measurements performed according to DIN EN ISO 354. In addition, the determined sound absorption level was rated as being of sound absorption class C in accordance with DIN EN ISO 11654. Other measured characteristic values: Noise Reduction Coefficient NRC=0.65; Sound Absorption Average SAA=0.64 (according to ASTMC 423-09).

Roller shutters certified as belonging to sound absorption class C: The sound absorption properties of Series 800 cabinets equipped with perforated roller shutters in a reverberation chamber were determined in independent measurements performed according to DIN EN ISO 354. In addition, the determined sound absorption level was rated as being of sound absorption class C in accordance with DIN EN ISO 11654. Other measured characteristic values: Noise Reduction Coefficient NRC=0.60; Sound Absorption Average SAA=0.65 (according to ASTMC 423-09). Standard surfaces are not eligible for classification (NOC).









Serie 800	H (in cm for standard base) =		84,5 _{2FH}			122,0 зғн			159,5 4FH		XXXXXX	197,0 sfH			234,5 ғн	
		44030	64,5 2FH		44031	122,U 3H	I	44032	159,5 4H		44033	197,U 5FH		44034	234,5 6H	
D=42,5																
	W= 50 cm	44130			44131			44132			44133			44134		
	W= 60 cm	44230			44231			44232			44233			44234		
	W= 80 cm	44035			44036			44037			44038			44039		
D=58,0	W= 40 cm	44330			44331			44332			44333			44334		
	W= 50 cm	44430			44431			44432			44433			44434		
	W= 60 cm	44530			44531			44532			44533			44534		
	W= 80 cm	44335			44336			44337			44338			44339		
	Adjustable shelf inserts	1			2			3			4			5		
5				B					150.5			1070				
	H (in cm for standard base) =		84,5 2FH			122,0 зғн			159,5 4FH			197,0 sfh			234,5 6FH	
D=42,5	W=100 cm		44136		44141				44145				44149			
	W=120 cm	44235	44236	44237	44241	44242	44243	44244	44245	44246	44247	44248	44249	44250	44251	44252
D=58,0	W=100 cm		44436		44441	44442					44447	44448	44449	44450		44452
	W= 120 cm	44535	44536	44537	44541	44542	44543	44544	44545	44546	44547	44548	44549	44550	44551	44552
	Adjustable shelf inserts	1	2	2	2	4	4	3		6	4	8	8	5	10	10
	Adjustable shelf inserts CP, CPsb	1 -	2 CP	2 CPsb	-	4 CP	4 CPsb	-	6 CP	6 CPsb	4	8 CP	8 CPsb	5	10 CP	CPs
D=42,5		44000 44100 44200 44300 44400 44500	CP 84,5 2FH			СР		44002 44102 44202 44302 44402 44502	CP 159,5 4FH		44003 44103 44203 44303 44403 44503 4	CP		44005 44105 44205 44305 44405 5 1	СР	
D=42,5 D=58,0 Serie 800 D=42,5	CP, CPsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 50 cm W= 60 cm Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm W= 100 cm W= 120 cm W= 100 cm	44000 44100 44200 44300 44400 1 1 1 44500 44500 44110 44210 44310 44410	84,5 2FH 84,5 2FH 44011 44111 44211 44311	44012 44112 44212 44312	44001 44101 44201 44301 44401 2 1 1 44014 44114 44214 44314 44414	122,0 зян 122,0 зян 44015 44115 44215 44315	44016 44116 44216 44316 44416	44002 44102 44202 44302 44402 3 1 1 44017 44117 44217 44317 44417	159,5 4FH 159,5 4FH 159,5 4FH 44018 44118 44218 44318	44019 44119 44219 44419	44003 44103 44203 44303 44403 4 1 1 44020 44120 44220 44320 44420	197,0 sFH 197,0 sFH 197,0 sFH 44021 44121 44221 44321	44022 44122 44322 44422	44005 44105 44205 44305 44405 5 1 1 44025 44125 44125 44225 44325 44425	234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44326 44426	44027 44127 44227 44427
D=42,5 D=58,0 Serie 800 D=42,5	CP, CPsb H (in cm for standard base) = W= 40 cm W= 50 cm W= 60 cm W= 60 cm W= 60 cm Adjustable shelf inserts Locks H (in cm for standard base) = W= 80 cm W= 100 cm W= 120 cm	44000 44100 44200 44300 44400 1 1 1 44500 44110 44210 44310 44410 44510	84,5 2FH 84,5 2FH 44011 44111 44211 44311	44012 44112 44212 44312 44412	44001 44101 44201 44301 44401 2 1 1 44014 44114 44214 44314 44414	122,0 зян 122,0 зян 44015 44115 44215 44315	44016 44116 44216 44316 44416 44516	44002 44102 44202 44302 44402 3 1 1 44017 44117 44217 44317 44417 44517	159,5 4FH 159,5 4FH 159,5 4FH 44018 44118 44218 44418 44418	44019 44119 44219 44419	44003 44103 44203 44303 44403 4 1 1 44020 44120 44220 44320	197,0 sFH 197,0 sFH 197,0 sFH 44021 44121 44221	44022 44122 44322 44422	44005 44105 44205 44305 44405 5 1 1 44025 44125 44225 44325	234,5 6FH 234,5 6FH 234,5 6FH 44026 44126 44226 44326	4402° 4412° 4422° 4442°




									\bigcirc		R		
Carria 000	11.			107/	2		107.0		P	24.5	— V	2245	
D=42,5	H(in cm for standard base) = W= 40 cm			197,0 44004	0 2+3FH (Shelf)		197,0 _{2+3F}	H	44008	234,5 _{2+4FH}	4400	234,5 4+:	2FH
D=42,3	W= 40 cm			44104					44108	44106	4410		
	W= 60 cm			44204					44208	44206	4420		
D=58,0	W= 40 cm			44304					44308	44306	4430	07	
	W= 50 cm			44404					44408	44406	4440		
	W= 60 cm			44504					44508	44506	4450		
	Adjustable shelf inserts Locks			3					4	2		2	
	LUCKS			1					'	2		2	
									1				
Serie 800	H (in cm for standard base) =	197	7,0 2+3FH (Shelf)		197,0	2+3FH	No.	234	1,5 2+4FH		<u> </u>	234,5 4+2FH	
D=42,5	W= 80 cm	44023	,O 2+3FH (SHEII)	44	024	2+3FF	4400		440	28	44029	254,5 4+211	
D-12,0	W= 100 cm		44123		44	24		4410		44128		44129	
	W= 120 cm		44223		442	224		4420	9	44228		44229	
D=58,0		44323		44	324		4430	-	443		44329		
	W= 100 cm		44423		444			4440		44428		44429	
	W= 120 cm Adjustable shelf inserts	3	44523 2+2		3	2+2		4450	9 5	44528 4 2+3	_	44529 6+1	
	Locks / CP, CPsb	1/-	1 / CPsb		2/- 2/0		1/			2/- 2/CPsb		2 / CPsb	
		.,	17 61 30		21 21			17613	2	27 61 30	-1	2 / 61 30	
	* for ladder rail												
												_	
									\bigcirc				
Serie 800	H =	37,5	1FH * 45,0 1FH	37,5 1FH	* 45,0 1FH	75,0 _{2FH}	*82,5 2FH	75,0 2FH	*82,5 2F	н 112,5 зғн	*120,0 зғн	112,5 зғн	*120,0 зғн
D=42,5	W= 40 cm	478			47821	44080	44090	44081	4409		47860	47841	47861
	W= 50 cm	478	02 47822	47803	47823	44180	44190	44181	4419	1 47842	47862	47843	47863
	W= 60 cm	478			47825	44280	44290	44281	4429		47864	47845	47865
D=58,0	W= 40 cm	479			47921	44380	44390	44381	4439		47960	47941	47961
	W= 50 cm	479			47923	44480	44490	44481	4449		47962	47943	47963
	W= 60 cm Adjustable shelf inserts	479	04 47924	47905	47925	44580	44590	44581	4459	1 47944 1 2	47964	47945	47965
	Locks		1 1	-	-	1		-		- 1	1	-	-
	1										- 1		
Serie 800	H =		37,5 1FH		1 1	,0 1FH for ladde	r rail		37,5 1FH		45	0 1FH for ladder	rail
D=42,5		478			47826	, In lot ladde	- an	47807	U/JU IFH		47827	Unit of ladder	- un
	W= 100 cm	478		47810		47829	47830	47811	47812	2 47813	47831	47832	47833
	W=120 cm	478					47836	47817	4781		47837	47838	47839
D=58,0	W= 80 cm	479			47926			47907			47927		
	W= 100 cm	479			47928	47929	47930	47911	47912		47931	47932	47933
	W=120 cm	479	14 47915	47916	47934	47935	47936	47917	47918	8 47919	47937	47938	47939
	Adjustable shelf inserts			1/00		- 0.100	1 / 00 /	-	10		-	-	-
	Locks / CP, CPsb	1	/- 2/CF	1 / CPsb	1 / -	2 / CP	1 / CPsb	-/-	-/C	P - / CPsb	-/-	- / CP	- / CPsb

Adjustable shelf inserts

Locks / CPsb





1 / CPsb

2

1 / CPsb



											CHARLES
Serie 800	H (in cm for standard base) =										84,5 2FH
D=42,5	W= 40 cm										44830
,	W= 50 cm										44840
	W= 60 cm										44845
D=58,0											44930
	W= 50 cm										44940
	W= 60 cm										44945
	Drawers Locks										5
	LUCKS										1
Serie 800	H (in cm for standard base) =					84,5 2FH				197,	O SFH
D=42,5				44831	44	332	44833		44835	44834	44836
	W=100 cm			44841	44	342	44843			44844	
	W= 120 cm			44846	44	347	44848			44849	
D=58,0				44931		932	44933		44935	44934	44936
	W= 100 cm			44941		942	44943			44944	
	W= 120 cm	/ D		44946		947	44948		1.5	44949	2/5
	Adjustable shelf inserts Locks	/ Drawers		1/5	2	1 / 5	- / 10 2		- / 5 1	2 / 10	2 / 5
Serie 800	H (in cm for standard base) =		9/1	5 2FH	122,) aru		107	0 sfH	2	34,5 _{6FH}
D=42,5			47600		47602	47603	3 .	47604		605 4760	
5-42,5	W= 100 cm		47610		47612	47613		47614		615 4761	
	W=120 cm		47620	47621	47622	47623		47624		625 4762	
D=58,0	W= 80 cm		47700	47701	47702	47703	3	47704	47	705 4770	
	W= 100 cm		47710		47712	47713		47714		715 4771	
	W= 120 cm	/D II ·	47720		47722	47723		47724		725 4772	
	Adjustable shelf inserts	/Pull-outs	-/2		-/3	- / 6		2 / 2		1/3 3/	
	Locks		1	1	1		1	2		2	2 2
Serie 800 D=42,5	H (in cm for standard base) = W= 160 cm								84,5 ₂ F 4763 (
D=58,0									47730		
2-30,0	Adjustable shelf inserts									2 47731	
	Locks									1 1	
	1	L									<u> </u>




Serie 800	H (in cm for standard base) =				84,5	2FH	1	22,0 з	FH	1	59,5 4FH			197,0	5FH	
D=42,5	W= 80 cm				4480	00							44803	3 4	4804	44059
,-	W= 100 cm				4480)5		4480	6		44807		44808	3 4	14809	44159
	W= 120 cm				4481			4481			44812		44813		4814	44259
	W= 160 cm					_					44817		4401	-	7017	77233
					4481			4481	_							
	W= 180 cm				4482	_		4482	1		44822					
D=58,0	W= 80 cm				4490	00							44903	3 4	14904	44359
	W= 100 cm				4490	05		4490	6		44907		44908	3	14909	44459
	W= 120 cm				4491	10		4491	1	-	44912		44913	3 4	4914	44559
	W= 160 cm				4491	15		4491	6		44917	1				
	W= 180 cm				4492	_		4492			44922					
	Adjustable shelf inserts				1102	_			4		6		2+:	2	2+2	2+2
	•					2										
	Locks					1			1		1			1	2	2
Serie 800	H (in cm for standard base) =													197,0		
D=42,5	W= 80 cm												44073	3 4	14071	44072
D=58.0	W= 80 cm												44373	3 4	14371	44372
5-00,0																
	Adjustable shelf inserts												2+:		3	4
	Locks													2	2	1
Serie 800 D=42,5 D=58,0	H (in cm for standard base) = W= 40 cm W= 40 cm Adjustable shelf inserts			84,5 2f 44600 44650	0 4460 0 4465	1	159,5 4FH 44602 44652	_	1603 1653		604 654	4460	_	06 4460	_	08 44609
								-					-			
	Locks				2	3	4		5		3		4	3	2	1 1
Serie 800	H (in cm for standard base) =	84,5 _{2FH}	122,0 3FH	159,5 4FH							19	97,0 sfH				
D=42,5	W= 80 cm	44610	44611	44612	44613	44	1614	446	15	446	16	44617	4461	8 4461	9 4462	0 44621
	W= 80 cm		44661	44662	44663		1664	446	_	446	_	44667				
D=58,0		44660				44		+40	_	440						
	Adjustable shelf inserts	-		-	-		2		-		2	4			2	- 2
	Locks	4	6	8	10		6		8		6	4		1	1	- 1
Serie 800 D=42,5 D=58,0	H (in cm for standard base) = W= 50 cm W= 100 cm W= 50 cm W= 100 cm					84,5 640 690		645		122,C -641 -691	446 446		159, 44642 44692	5 4FH 44647 44697	19 4464 4469	44648
	Locks					2		4		3		6	4	8		5 10
	FOCKS							7		٥		0	4	۰ ا		10



Serie 800	H (in cm for standard base) =				84,5 :	2FH 12	2,0 зғн	159,5	4FH	197,0 sfh	84,5 21	н 1	22,0 зғн	159,5 4FH	197,0 sfh
D=58,0					4468	30 4	4681	440	682	44683	4468	5 4	44686	44687	44688
	Locks					2	3		4	5		2	3	4	5
	Mail slot					-	-		-	-		2	3	4	5
Serie 800	H (in cm for standard base) =		84,5 _{2FH}			122,0 :	FH		1	97,0 sfh			12	2,0 зғн	
D=42,5		44736			44739				447	47					
	W= 105,5 cm		44730			4474	10			44	748 44	731	44732		
	W= 120 cm													44733	
	W= 140 cm			44737				44741							44734
	Number of boxes (h 7,5/15)	4/2	6/3	8/4		(5/3	8/4			12/6	6/-	12/		8/-
	Number of compartiments	2	3	4			6	8		4	6	6		4 8	8
	Coat hooks	-	-	-	Х		Х	Х		Х	Х	-			-
Serie 800	H (in cm for standard base) =								197,	O sfh					
D=42,5													4	4075	
	W= 120 cm			44270	44	271	4	14272		44273	44	274			
D=58,0				44570	4.4	F71		14570		44570	4.4	F74	4	4375	44570
	W= 120 cm Adjustable shelf inserts			44570	44	571	- 4	14572 4		44573	44	574 2+2		4	44576
	Locks / CP, CPsb			1 / -	2	/ CP		1/-		2 / MW		2/-	1	/ CPsb	1 / -
Serie 800	H (in cm for standard base) =				84	,5 ^{2FH}					122	0 3FH	159,5 ^{4Fl}	197	O SFH
D=42,5						4463	0				1.22,		.00,0	107	
	W=105,5 cm							4631		440	633 44	634	44635	44636	44637
	W=120,0 cm	44238	44239	44240	44213										
	W=140,0 cm								4463	2					
D=58,0	W=120,0 cm	44538			44513										
	Adjustable shelf inserts / Boxes H=7,5/15,0	6/-/-			6/-/-	- / 16 /	8 -/:	24 / 12	- / 32 /	16 - / 24	/ 12 - / 36	6 / 18	1 / 24 / 1	2 2 / 24 / 12	1 / 36 / 18
	Adjustable shelf inserts / Wooden boxes H=14,0	_	8 / 12											1	
	Locks	-	-	-	1		-	-		-	1	1		1 1	1
Serie 800 D=33,0	H= W= 60 cm										44625	6 4	75,0 14626	2FH	
D-33,0	W= 80 cm										77023	1	. 1520	44627	44628
	Adjustable shelf inserts										2	2	2	2	2
	Locks											1	-	1	-
	•														







Serie 800				Nic	hes			Shelved ba	ase cabinet	Padded	mats
	H cm =	74,9	2FH	112,	4 3FH	149,	9 4FH	47	10H		
D=47,5	W= 100 cm	47880		47881		47882		(1x) 47884		48614	
	W= 160 cm		47885		47886		47887		(2x) 47889		48615
	W=200 cm		47890		47891		47892		(2x) 47884		48616
D=63,0	W=100 cm	47980		47981		47982		(1x) 47984		48617	
	W= 160 cm		47985		47986		47987		(2x) 47989		48618
	W=200 cm		47990		47991		47992		(2x) 47984		48619
	Shelved base cabinet	1	2	1	2	1	2				
	Cushioning									1-part	2-part

	_			1			
Serie 800							Niches
	H =						97,0 sfh
D=58,0	W= 100 cm					479	83
	W=200 cm						47993





PRODUCT INFORMATION S800-Regal-4-8_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800 Shelving cabinets, 40 to 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available: Body and bases made of chipboard: L6.

			045		400.0	\(\sqrt{200,000} \)	450.5				
	H (in cm for standard base) =		84,5 _{2FH}		122,0 зғн		159,5 4FH		197,0 5FH	234,5 бЕН	
D=42,5	W= 40 cm	44030		44031		44032		44033	440	034	
	W= 50 cm	44130		44131		44132		44133	44	134	
	W= 60 cm	44230		44231		44232		44233	442	234	
	W= 80 cm	44035		44036		44037		44038	440	039	
D=58.0	W= 40 cm	44330		44331		44332		44333	443	334	
	W= 50 cm	44430		44431		44432		44433	444	134	
	W= 60 cm	44530		44531		44532		44533	44!	534	
	W= 80 cm	44335		44336		44337		44338	443	339	
	Adjustable shelf inserts	1		2		3		4		5	





PRODUCT INFORMATION S800-Regal-10-12_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800 Shelving cabinets, 100 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Open shelving cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

The following material groups are available: Body and bases made of chipboard: L6.

			B	B			B									
	H (in cm for standard base) =		84,5 _{2FH}			122,0 зғн			159,5 4FH			197,0 5FH			234,5 6FH	
D=42,5	W= 100 cm	44135	44136	44137	44141	44142	44143	44144	44145	44146	44147	44148	44149	44150	44151	44152
-	W= 120 cm	44235	44236	44237	44241	44242	44243	44244	44245	44246	44247	44248	44249	44250	44251	44252
D=58,0		44435	44436	44437	44441	44442	44443	44444	44445	44446	44447	44448	44449	44450	44451	44452
	W=120 cm	44535	44536	44537	44541	44542	44543	44544	44545	44546	44547	44548	44549	44550	44551	44552
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	CP, CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb	-	CP	CPsb





PRODUCT INFORMATION S800-Schrank-4-6_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Cabinets and wardrobe cabinets with one wing door, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet.

Front consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle. Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

						XXXXX				ŽAAAAA	
Serie 800	H (in cm for standard base) =		84,5 2FH		122,0 зғн		159,5 4FH		197,0 5FH		234,5 бЕН
D=42,5	W= 40 cm	44000		44001		44002		44003		44005	
	W= 50 cm	44100		44101		44102		44103		44105	
	W= 60 cm	44200		44201		44202		44203		44205	
D=58,0	W= 40 cm	44300		44301		44302		44303		44305	
	W= 50 cm	44400		44401		44402		44403		44405	
	W= 60 cm	44500		44501		44502		44503		44505	
	Adjustable shelf inserts	1		2		3		4		5	
	Locks	1		1		1		1		1	





PRODUCT INFORMATION S800-Schrank-8-12_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Cabinets and wardrobe cabinets with wing doors, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4, 5 and 6 FH.

Type: Wing-door cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Front consisting of 2 separately closing single-wing doors or one double-wing door with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts and/or according to the depth and width dimensions with wardrobe racks, drawers or hooks on the screwed wardrobe base.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =		84,5 _{2FH}			122,0 зғн			159,5 _{4FH}			197,0 5FH			234,5 бЕН	
D=42,5	W= 80 cm	44010	44011	44012	44014	44015	44016	44017	44018	44019	44020	44021	44022	44025	44026	44027
	W= 100 cm	44110	44111	44112	44114	44115	44116	44117	44118	44119	44120	44121	44122	44125	44126	44127
	W= 120 cm	44210	44211	44212	44214	44215	44216	44217	44218	44219	44220	44221	44222	44225	44226	44227
D=58,0	W= 80 cm	44310	44311	44312	44314	44315	44316	44317	44318	44319	44320	44321	44322	44325	44326	44327
	W= 100 cm	44410	44411	44412	44414	44415	44416	44417	44418	44419	44420	44421	44422	44425	44426	44427
	W=120 cm	44510	44511	44512	44514	44515	44516	44517	44518	44519	44520	44521	44522	44525	44526	44527
	Adjustable shelf inserts	1	2	2	2	4	4	3	6	6	4	8	8	5	10	10
	Locks / CP, CPsb	1	2 / CP	1 / CPsb	1	2 / CW	1 / CPsb	1	2 / CW	1 / CPsb	1	2 / CP	1 / CPsb	1	2 / CP	1 / CPsb







PRODUCT INFORMATION S800-KSchrank-4-6_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Combination cabinets and combination shelves, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height units 5 and 6 FH.

Type: Combined shelving and wing-door cabinets, each with a fixed construction base for vertical carcass division.

Front open or consisting of 2 single-wing doors hung on the left or right with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

						(Mary Control of the	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			
Serie 800	H(in cm for standard base) =	197	7,0 2+3FH (Shelf)	197	,0 2+3FH	2	234,5 _{2+4F}	1	234,5 _{4+2FH}	
D=42,5	W= 40 cm	44004				44008	44006	44007		
	W= 50 cm	44104				44108	44106	44107		
	W= 60 cm	44204				44208	44206	44207		
D=58,0	W= 40 cm	44304				44308	44306	44307		
	W= 50 cm	44404				44408	44406	44407		
	W= 60 cm	44504				44508	44506	44507		
	Adjustable shelf inserts	3				4	4	4		
	Locks	1				1	2	2		







PRODUCT INFORMATION S800-KSchrank-8-12_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Combination cabinets and combination shelves, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 5 and 6 FH.


Type: Combined shelving and wing-door cabinets, each with a fixed construction base for vertical carcass division. Some with a centre partition set back (CPsb) in the lower cabinet area for further subdivision.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.









PRODUCT INFORMATION S800-Aufsatz-4-6_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Add-on cabinets and shelves, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height unit 1, 2 and 3 FH.

Type: Shelving or wing-door add-on cabinet. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of a single-wing door hung on the left or right with bow-type handle, inset-type handle or knob handle.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

	* for ladder rail											\$\frac{\frac}\fint{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fin}}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}}}}}}}{\frac{\frac{\frac{\fir}{\fin}}}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fin}}}}{\frac{\frac{\frac{\frac{\frac{\frac}}}}}{\firan{\frac{\fir}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac}	
Serie 800	H =	37,5 1FH	* 45,0 1FH	37,5 1FH	* 45,0 1FH	75,0 _{2FH}	*82,5 _{2FH}	75,0 _{2FH}	* 82,5 2FH	112,5 зғн	*120,0 зғн	112,5 зғн	*120,0 зғн
D=42,5	W= 40 cm	47800	47820	47801	47821	44080	44090	44081	44091	47840	47860	47841	47861
	W= 50 cm	47802	47822	47803	47823	44180	44190	44181	44191	47842	47862	47843	47863
	W= 60 cm	47804	47824	47805	47825	44280	44290	44281	44291	47844	47864	47845	47865
D=58,0	W= 40 cm	47900	47920	47901	47921	44380	44390	44381	44391	47940	47960	47941	47961
	W= 50 cm	47902	47922	47903	47923	44480	44490	44481	44491	47942	47962	47943	47963
	W= 60 cm	47904	47924	47905	47925	44580	44590	44581	44591	47944	47964	47945	47965
	Adjustable shelf inserts	-	-	-	-	1	1	1	1	2	2	2	2
	Locks	1	1	-	-	1	1	-	-	1	1	-	-







PRODUCT INFORMATION S800-Aufsatz-8-12-1_TY_EN - 04.10.2021 - www.vs-furniture.com

Serie 800

Add-on cabinets and shelves (1 FH), 80 to 120 cm wide.

Element cabinet (for details, see table) in the height unit 1 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Serie 800	H =		37,5 1FH		45	0 1FH for ladder	rail		37,5 1FH		45,	O 1FH for ladder	rail
D=42,5	W= 80 cm	47806			47826			47807			47827		
	W= 100 cm	47808	47809	47810	47828	47829	47830	47811	47812	47813	47831	47832	47833
	W= 120 cm	47814	47815	47816	47834	47835	47836	47817	47818	47819	47837	47838	47839
D=58,0	W= 80 cm	47906			47926			47907			47927		
	W= 100 cm	47908	47909	47910	47928	47929	47930	47911	47912	47913	47931	47932	47933
	W= 120 cm	47914	47915	47916	47934	47935	47936	47917	47918	47919	47937	47938	47939
	Adjustable shelf inserts	-	-	-	-	-	-	-	-	-	-	-	-
	Locks / CP, CPsb	1 / -	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	- -	- / CP	- / CPsb	- -	- / CP	- / CPsb







PRODUCT INFORMATION S800-Aufsatz-8-12_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Add-on cabinets and shelves (2 FH), 80 to 120 cm wide.


Element cabinet (for details, see table) in the height unit 2 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.









PRODUCT INFORMATION S800-Aufsatz-8-12-3_TY_EN - 06.04.2022 - www.vs-furniture.com

Serie 800

Add-on cabinets and shelves (3 FH), 80 to 120 cm wide.

Element cabinet (for details, see table) in the height unit 3 FH.

Type: Shelving or wing-door add-on cabinet, some with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division. Optionally with pedestal for mounting a ladder rail.

Front open or consisting of 2 separately closing single-wing doors or one double-wing door (CPsb) with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Serie 800	H =		112,5 зғн		120	,0 3FH for ladde	r rail		112,5 зғн		120	,O 3FH for ladde	r rail
D=42,5	W= 80 cm	47846			47866			47847			47867		
	W= 100 cm	47848	47849	47850	47868	47869	47870	47851	47852	47853	47871	47872	47873
	W= 120 cm	47854	47855	47856	47874	47875	47876	47857	47858	47859	47877	47878	47879
D=58,0	W= 80 cm	47946			47966			47947			47967		
,	W= 100 cm	47948	47949	47950	47968	47969	47970	47951	47952	47953	47971	47972	47973
	W= 120 cm	47954	47955	47956	47974	47975	47976	47957	47958	47959	47977	47978	47979
	Adjustable shelf inserts	2	4	4	2	4	4	2	4	4	2	4	4
	Locks / CP, CPsb	1 / -	2 / CP	1 / CPsb	1 / -	2 / CP	1 / CPsb	- / -	- / CP	- / CPsb	-/-	- / CP	- / CPsb







PRODUCT INFORMATION S800-Aufsatz-Schieb_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Add-on cabinets with sliding doors.

Element cabinet (see table for details) in two or three height units.

Type: Cabinet with sliding doors and central partition to subdivide the body.

Front consisting of chipboard sliding doors, each with a metal strip handle or with bow handles, inset handles or lever handles.

Locking system optionally available with cylinder locks.

Internal equipment consisting of shelf inserts.

Serie 800	H =	75,0 2FH	112,5 зғн
D=42,5	W= 80 cm	44870	
	W=100 cm	44872	44873
	W=120 cm	44874	44875
	W=160 cm	44818	44819
	W= 180 cm	44823	44824
D=58,0	W= 80 cm	44970	
	W=100 cm	44972	44973
	W=120 cm	44974	44975
	W=160 cm	44918	44919
	W= 180 cm	44923	44924
	Adjustable shelf inserts	2	4
	Locks / CPsb	1 / CPsb	1 / CPsb







PRODUCT INFORMATION S800-Aufsatz-SchOrg_TY_EN - 17.04.2023 - www.vs-furniture.com

Serie 800

Add-on cabinets with sliding doors (organisable).

Element cabinet (see table for details) in two or three height units.

Type: Sliding-door cabinet with double centre partition for carcass division. Prepared for suspension filing cabinets or wide drawers.

Front consisting of chipboard sliding doors, each with a metal strip handle or with bow handles, inset handles or lever handles.

Locking system optionally available with cylinder locks.

Internal equipment consisting of shelf inserts.

Serie 800	H =	75,0 2ғн	112,5 зғн
D=42,5		44828	44829
D=58,0	W=160 cm	44928	44929
	Adjustable shelf inserts	2	4
	Locks / CPsb	1 / CPsb	1 / CPsb





PRODUCT INFORMATION S800-Schub-4-6_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Drawer cabinets, 40 to 60 cm wide.

Element cabinet (for details, see table) in the height unit 2 FH.

Type: Drawer cabinet.

Front consisting of 5 drawers with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of draws with steel sheet side elements.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5 2FH
D=42,5	W= 40 cm	44830
	W= 50 cm	44840
	W= 60 cm	44845
D=58,0	W= 40 cm	44930
	W= 50 cm	44940
	W= 60 cm	44945
	Drawers	5
	Locks	1





PRODUCT INFORMATION S800-Schub-8-12_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800


Drawer cabinets and combination cabinets, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2 and 5 FH.

Type: Drawer or combination drawer cabinet. For 5 FH with a fixed construction base for vertical carcass division. Front consisting of 1 or 2 rows of drawers. Some with additional storage space behind single-wing doors (2 FH) or double-wing doors (5 FH). Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of draws with steel sheet side elements and shelf inserts behind door panels. Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.







PRODUCT INFORMATION S800-Registratur-8_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800 Filing cabinets, 80 to 120 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 5 and 6 FH.

Type: Filing or combination filing cabinet. From 5 FH with a fixed construction base for vertical carcass division. Front consisting of a row of drawers. For 5 and 6 FH with additional storage space behind double-wing doors. Each with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of suspension-file or wide drawers and adjustable shelf inserts behind the door fronts. Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

			40 40							
Serie 800	H (in cm for standard base) =	84,5 _{2FH}		122,0 зғн		197,	0 5FH	234,5 бРН		
D=42,5	W= 80 cm	47600	47601	47602	47603	47604	47605	47606	47607	
	W= 100 cm	47610	47611	47612	47613	47614	47615	47616	47617	
	W= 120 cm	47620	47621	47622	47623	47624	47625	47626	47627	
D=58.0	W= 80 cm	47700	47701	47702	47703	47704	47705	47706	47707	
	W=100 cm	47710	47711	47712	47713	47714	47715	47716	47717	
	W= 120 cm	47720	47721	47722	47723	47724	47725	47726	47727	
	Adjustable shelf inserts /Pull-outs	-/2	- / 4	-/3	- / 6	2 / 2	1/3	3 / 2	2/3	
	Locks	1	1	1	1	2	2	2	2	







PRODUCT INFORMATION S800-SchiebeOrg_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800 Sliding-door cabinets (organisable).


Element cabinet (for details, see table) in the height units 2, 3 and 4 FH.

Type: Sliding-door cabinet with double centre partition for carcass division.

Front consisting of chipboard sliding doors, each with a metal handle strip.

Locking system optionally with cylinder locks.

Interior equipment consisting of adjustable shelf inserts or optionally with suspension filing cabinets or wide drawers. Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).









PRODUCT INFORMATION S800-Schiebe_TY_EN - 18.01.2022 - www.vs-furniture.com

Serie 800

Sliding-door and glass sliding-door cabinets, 80 to 180 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Sliding-door, glass sliding-door and combination cabinet. For 5 FH with a fixed construction base for vertical carcass division.

Front consisting of chipboard sliding and glass sliding doors and double-wing doors, each with bow-type handles, inset-type handles or knob handles. Some with roller shutters and bow-type handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5 _{2FH}	122,0 зғн	159,5 4FH		197,0 5ҒН	
D=42,5	W= 80 cm	44800			44803	44804	44059
	W=100 cm	44805	44806	44807	44808	44809	44159
	W= 120 cm	44810	44811	44812	44813	44814	44259
	W=160 cm	44815	44816	44817			
	W= 180 cm	44820	44821	44822			
D=58,0	W= 80 cm	44900			44903	44904	44359
	W= 100 cm	44905	44906	44907	44908	44909	44459
	W=120 cm	44910	44911	44912	44913	44914	44559
	W=160 cm	44915	44916	44917			
	W= 180 cm	44920	44921	44922			
	Adjustable shelf inserts	2	4	6	2+2	2+2	2+2
	Locks	1	1	1	1	2	2







PRODUCT INFORMATION S800-VertRoll_TY_EN - 06.09.2022 - www.vs-furniture.com

Serie 800

Vertical roller-shutter cabinets, 80 cm wide.

Element cabinet (for details, see table) in the height units 5 FH.

Type: Vertical roller-shutter and combination cabinet. For 5 FH combination cabinet with a fixed construction base for carcass division.


Front consisting of a vertical roller shutter of plastic slats, chipboard sliding doors or double-wing doors, each with bow handles, inset handles or knob handles, vertical roller shutter with handle strip.

Locking system optionally with cylinder or turn-knob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).

The following material groups are available: Roller cover made of plastic: C(astral silver); Body and bases made of chipboard: L6; Front made of chipboard: L3.







PRODUCT INFORMATION S800-PostWert-4_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Mailbox cabinets and locker cabinets, 40 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Small-locker cabinet with a fixed construction base for vertical carcass division into 1 FH and/or 2 FH units. Front consisting of single-wing doors hung on the left or right in 1 FH without handles or in 2 FH with bow-type handles, inset-type handles or knob handles. Some with open horizontal or vertical mailboxes divided into 2 or 4 slots. Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts for large lockers with 2 height units.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

				(AAA)		NAM					
Serie 800	H (in cm for standard base) =	84,5 2FH	122,0 зғн	159,5 _{4FH}				197,0 5FH			
D=42,5	W= 40 cm	44600	44601	44602	44603	44604	44605	44606	44607	44608	44609
D=58,0	W= 40 cm	44650	44651	44652	44653	44654	44655	44656	44657		
	Adjustable shelf inserts	-	-	-	-	1	-	1	2	1	1
	Locks	2	3	4	5	3	4	3	2	1	1





PRODUCT INFORMATION S800-PostWert-8_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Mailbox cabinets and locker cabinets, 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Small-locker cabinet with a fixed construction base for vertical carcass division into 1 FH and/or 2 FH units. 2 FH units with centre partition flush with the carcass or set back (CPsb) in the lower cabinet area for further subdivision. Front consisting of single-wing doors hung on the left or right in 1 FH without handles or in 2 FH single- or double-wing doors with bow-type handles, inset-type handles or knob handles. Some with open horizontal or vertical mailboxes divided into 2 or 4 slots. Magazine cabinets with flaps opening upwards.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts for small lockers with 2 height units.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =	84,5 _{2FH}	122,0 зғн	159,5 _{4FH}					197,0 5ҒН				
D=42,5	W= 80 cm	44610	44611	44612	44613	44614	44615	44616	44617	44618	44619	44620	44621
D=58,0	W= 80 cm	44660	44661	44662	44663	44664	44665	44666	44667				
	Adjustable shelf inserts	-	-	-	-	2	-	2	4	2	2	-	2
	Locks	4	6	8	10	6	8	6	4	1	1	-	1





PRODUCT INFORMATION S800-PostWert-5-10_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Valuables-locker and eddy cabinets, 50 and 100 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Small-locker cabinet with fixed construction bases for vertical carcass divisions into 1 FH units. 58 cm deep models are suitable for storing the eddy toolbag.

Front consisting of single-wing doors in 1 FH without handles hung on the left or right.

Locking system optionally with cylinder or turn-knob locks.

Erection: Models from a height of 197 cm, must be secured to the wall or floor (DGUV Regel 108-007).

Serie 800	H (in cm for standard base) =	84,5	2FH	122,	0 зғн	159,	5 4FH	197,	O 5FH
D=42,5	W= 50 cm	44640		44641		44642		44643	
	W= 100 cm		44645		44646		44647		44648
D=58,0	W= 50 cm	44690		44691		44692		44693	
	W= 100 cm		44695		44696		44697		44698
	Locks	2	4	3	6	4	8	5	10





PRODUCT INFORMATION S800-Eddy_TY_EN - 06.04.2022 - www.vs-furniture.com

Serie 800 eddy cabinet, 80 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Cabinet with asymmetrically arranged small and eddy lockers. With fixed construction bases for vertical carcass division into 1 FH units. Optimized for storing the eddy toolbag.

Front consisting of double-wing doors in 1 FH without handles hung on the left and right. Optional letter slot. Locking system optionally with cylinder- or combination lock (with fixed or free code).

Erection: Models from a height of 197 cm, must be secured to the wall or floor (DGUV Regel 108-007).

Serie 800	H (in cm for standard base) =	84,5 _{2FH}	122,0 зғн	159,5 4ғн	197,0 5FH	84,5 _{2FH}	122,0 зғн	159,5 4FH	197,0 5FH
D=58,0	W= 80 cm	44680	44681	44682	44683	44685	44686	44687	44688
	Locks	2	3	4	5	2	3	4	5
	Mail slot	-	-	-	-	2	3	4	5





PRODUCT INFORMATION S800-Ranzen_TY_EN - 17.05.2022 - www.vs-furniture.com

Serie 800 Satchel cabinets.

Element cabinet (see table for details) in two height units.

Type: Special cabinets for satchels, optionally with rail system for Gratnells plastic trays. Depending on model, with fixed construction shelf for the vertical subdivision of the carcass.

The following material groups are available: Body and bases made of chipboard: L6; Gratnells plastic box: C3.

											Tangan Ta		
Serie 800	H (in cm for standard base) =		84,5 _{2FH}		122,0 зғн			197,0 5FH		122,0 зғн			
D=42,5	W= 71 cm	44736			44739			44747					
	W= 105,5 cm		44730			44740			44748	44731	44732		
	M/ 100											44733	
	W= 120 cm											44/33	
	W= 120 cm W= 140 cm			44737			44741					44/33	44734
		4/2	6/3	44737 8/4	4/2	6/3	44741 8/4	8/4	12/6	6/-	12/6	-/-	44734 8/-
	W= 140 cm	4/2	6/3		4/2	6/3		8/4	12/6	6/-	12/6		







PRODUCT INFORMATION S800-Spezial_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Collection and special cabinets, 80 and 120 cm wide.

Element cabinet (for details, see table) in the height unit 5 FH.

Type: Collection cabinets with glass-frame doors or special cabinets with installed wardrobe, musical-instrument or kitchenette facilities. With construction base for vertical and with centre partition flush with the carcass or set back (CPsb) for horizontal carcass division.

Front consisting of double-wing doors with bow-type handles, inset-type handles or knob handles.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

								100
Serie 800	H (in cm for standard base) =				197,0 5FH			
D=42,5	W= 80 cm						44075	
,	W= 120 cm	44270	44271	44272	44273	44274		
D=58,0	W= 80 cm						44375	
	W= 120 cm	44570	44571	44572	44573	44574		44576
	Adjustable shelf inserts	4	8	4	8	2+2	4	2
	Locks / CP, CPsb	1 / -	2 / CP	1 / -	2 / MW	2 / -	1 / CPsb	1 / -





PRODUCT INFORMATION S800-Eigen-42_TY_EN - 17.05.2022 - www.vs-furniture.com

Serie 800

Cabinets and shelves with property trays in special widths.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Special cabinets with wooden or plastic property trays. For 4 and 5 FH with a fixed construction base for vertical carcass division.

Front open or consisting of double-wing doors with bow-type handles, inset-type handles or knob handles. Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts or optionally with adjustable shelf inserts and personal property boxes made of wood or with a runner system for Gratnells plastic boxes/tubs.

Erection: Models from a height of 197 cm or models with drawers and/or pullouts (DGUV Regel 108-007) must be secured to the wall or floor.

Serie 800	H (in cm for standard base) =				8	4,5 ^{2FH}				122,0 ^{3FH}	159,5 ^{4FH}	197,0 ^{5FH}	
D=42,5	W= 71,0 cm					44630							
	W=105,5 cm						44631		44633	44634	44635	44636	44637
	W=120,0 cm	44238	44239	44240	44213								
	W=140,0 cm							44632					
D=58,0	W=120,0 cm	44538			44513								
	Adjustable shelf inserts / Boxes H=7,5/15,0	6/-/-			6/-/-	- / 16 / 8	- / 24 / 12	- / 32 / 16	- / 24 / 12	-/36/18	1 / 24 / 12	2 / 24 / 12	1 / 36 / 18
	Adjustable shelf inserts / Wooden boxes H=14,0	6/-	8 / 12	12 / 16									
	Locks	-	-	-	1	-	-	-	1	1	1	1	1







PRODUCT INFORMATION S800-Haenge_TY_EN - 22.11.2021 - www.vs-furniture.com

Serie 800

Wall-mounted cabinets and shelves, 60 and 80 cm wide.


Element cabinet (for details, see table) in the height unit 2 FH.

Type: Shelving or wing-door cabinet for wall mounting.

Front consisting of a single-wing doors hung on the left or right or of double-wing doors, each with bow-type handle, inset-type handle or knob handle.

Locking system optionally with cylinder or turnknob locks.

Interior equipment consisting of adjustable shelf inserts.







PRODUCT INFORMATION S800-Querroll-Aufs_TY_EN - 06.04.2022 - www.vs-furniture.com

Serie 800

Horizontal roller-shutter cabinets, 100 to 160 cm wide.

Element cabinet (for details, see table) in the height units 2, 3, 4 and 5 FH.

Type: Horizontal roller-shutter cabinet (cabinet and add-on cabinet). With removable top shelf for inspection.

Front with plastic horizontal roller shutter and an plastic handle strip.

Locking system optionally with cylinder locks.

Interior equipment consisting of adjustable shelf inserts.

Erection: Models from height of 197 cm or models with drawers and/or pull-outs must be secured to the wall or floor (DGUV Regel 108-007).

The following material groups are available: Roller cover made of plastic: C(astral silver, white); Body and bases made of chipboard: L6.

				B							
Serie 800	H (in cm for standard base) =	84,5	2FH	122,	0 зғн	159,5 4FH	197,0 5FH	75,0) _{2FH}	112,	5 зғн
D=42,5	W=100 cm	44706		44707		44708	44709	44704		44705	
	W=120 cm	44716		44717		44718	44719	44714		44715	
	W=160 cm		44726		44727				44724		44725
	Adjustable shelf inserts	1	2	2	4	3	4	1	2	2	4
	Locks / CPsb	1	1 / CPsb	1	1 / CPsb	1	1	1	1 / CPsb	1	1 / CPsb







PRODUCT INFORMATION S800-Nische_TY_EN - 12.12.2023 - www.vs-furniture.com

Serie 800

Niches for installation in cabinet walls

Element cabinet (see table for details) in heights of 2, 3 and 4 FH.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area.

Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 40-mm chipboard and rear wall from 19-mm chipboard.


Element cabinet (see table for details) in height of 1 height unit.

Type: Open shelving cabinet as substructure for niches.

Padded mats made from foam with easy-to-clean artificial leather covering, black all-round surrounding strap and non-slip bottom with hidden zip fastener. Can be used as comfortable cover for sitting niches in cabinets.


Fire protection of upholstered mats optional according to DIN 66084 corresponding to classes P-c (low), P-b (medium), P-a (high)

The following material groups are available: Body made of chipboard: L6; Body made of chipboard with laminate: L3; Fabric cover: S40,64,82.









PRODUCT INFORMATION S800-Nische-hoch_TY_EN - 16.05.2023 - www.vs-furniture.com

Serie 800

High niches for installation in cabinet walls.

Element cabinet (see table for details) in height unit of 5 FH.

Type: Niche as open storage space for decorative purposes or with cushioning as comfortable sitting area.

Body consisting of two side parts, an upper and lower panel and a rear wall. The upper and lower panels are placed flush against the side parts and fixed with dowels. Sides and upper/lower panels made from 40-mm chipboard and rear wall from 19-mm chipboard.

Element cabinet (see table for details) in height unit of 1 FH.

Type: Open shelving cabinet as substructure for niches.

The following material groups are available: Body made of chipboard with laminate: L3; Top made of chipboard: L4; HPL-top: L4.





List of materials



Plastics: C1 Compass/Level/Panto	C2 Hokki	C3 Gratnells	C4 JUMPER
		015, 025 anthracite	
		016, 026 translucent	
027 dark red ^(NCS S 2570-R)	027 dark red (NCS S 2570-R)	030, 040 dark red ^(NCS S 2570-R)	027 dark red ^(NCS S 2570-R)
029 dark blue (NCS S 6030-R80B)	029 dark blue (NCS S 6030-R80B)	031, 041 dark blue (NCS S 6030-R80B)	029 dark blue (NCS S 6030-R808)
030 light blue ^(NCS S 1040-R90B)	030 light blue (NCS S 1040-R90B)	032, 042 light blue (NCS 5 1040-R90B)	030 light blue ^(NCS S 1040-R908)
033 light green (NCS S 1070-G60Y)	033 light green (NCS 5 1070-G60Y)	033, 043 light green (NCS S 1070-G60Y)	033 light green (NCS S 1070-G60Y)
041 turquoise (RAL 210 40 20)	041 turquoise (RAL 210 40 20)	038, 048 turquoise (RAL 210 40 20)	O41 turquoise (RAL 210 40 20)
045 broom yellow (RAL 1032)	045 broom yellow (RAL 1032)	039, 049 broom yellow ^(RAL 1032)	045 broom yellow (RAL 1032)
	037 traffic red (RAL 3020)	001, 011, 021 red (RAL 3020)	037 traffic red (RAL 3020)
073 black grey (RAL 7021)	073 black grey (RAL 7021)		073 black grey (RAL 7021)
078 dolphin grey (NCS S 4500-N)			078 dolphin grey (NCS S 4500-N)
Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.			



C5 Stapelstein	C6 VS Stakki	C7 NF	Other Plastics (C)
			017 astral silver
E01 red		027 dark red (NCS S 2570-R)	
E02 blue	029 dark blue (NCS S 6030-R80B)	029 dark blue (NCS S 6030-R80B)	
		030 light blue (NCS S 1040-R90B) 031 white (NCS S 1002-Y)	031 white (NCS S 1002-Y)
E03 green	033 light green (NCSS 1070-G60Y)	033 light green (NCS S 1070-G60Y)	
E07 yellow E19 purple			
E37 orange	037 traffic red (RAL 3020) 073 black grey (RAL 7021)	073 black grey (RAL 7021)	073 black grey (RAL 7021)
		078 dolphin grey (NCS 5 4500-N)	078 dolphin grey (NCS S 4500-N)
			328, 090, 094 white 800, 089, 093 black
Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.			



Wood surfaces: Other F1 F3 **Wood stains** wood stains Veneer Veneer 010, 900 beech natural 010, 900 beech natural 010 natural beech 010 natural beech 011, 901 beech black 011, 901 beech black 011 canadian maple 011 canadian maple 021 beech light green (NCS S 1075-G40Y) 015 natural oak 012 american natural cherry 022 beech light blue (NCS S 2040-R80B) 013 natural birch 023 beech light grey (NCS S 2000-N) 014 natural ash 014 natural ash 027 beech dark red (NCS S 2570-R) 015 european natural oak 016 pear natural wood 029 beech dark blue (NCS S 6030-R 037 beech traffic red (RAL 3020) 018 wenge 041 beech turquoise (RAL 210 40 20) 019 american walnut 019 american walnut 045 beech broom yellow (RAL 1032) 051 beech polar white Other Veneer (F) 010 natural beech Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.



Metal surfaces: M1 Epoxy resin	M2 Epoxy resin	Other M Epoxy resin	Other M Chrome, Aluminium
		000 light grey	
		008, 018 black	
030 terra grey (NCS 5 4005-Y50R)		009, 019 brilliant silver	
030 terra grey			
032 light blue (NCS S 0515-R80B)			
033 light green (NCS S 1060-G70Y)			
O41 turquoise (RAL 210 40 20)			
045 broom yellow (RAL 1032)			
059, 159 arctic	059, 159 arctic	059, 159 arctic	
063 anthracite	063 anthracite	063 anthracite	
065 black (NCS S 8505-G20Y)	065 black (NCS S 8505-G20Y)	065, 165, 910 black (NCS S 8505-G20Y)	
071 sapphire blue (RAL 5003)			
084 oxblood (NCS S 3650-R)			
091 white (RAL 9016)	091 white (RAL 9016)	091 white (RAL 9016)	
			049, 010, 020, 801 high polished alu
			060, 011 chrome-plated
Information on colour systems (e.g. NCS, RAL, Pantone)			100 alu anodised
are always approximate values.			802 alu silver



Panel surfaces: L1 LIGNOdur	L2 Chipboard	L3 Chipboard	L4 Chipboard/HPL
		O17 astral silver O18 anthracite O19 plain black (NCS S 9000-N)	
027 natural beech laminate	027 natural beech laminate	027 natural beech laminate	027 natural beech laminate
028 natural maple laminate	028 natural maple laminate	028 natural maple laminate 029 natural walnut laminate	028 natural maple laminate 029 natural walnut laminate
031 grey white (RAL 9002)	031 grey white (RAL 9002)	031 grey white (RAL 9002)	031 grey white (RAL 9002)
035 andes grey (RAL 7035)	035 andes grey ^(RAL 7035)	035 andes grey (RAL 7035)	035 andes grey (RAL 7035)
		315 orange (NCS S 0570-Y40R)	
	328 white	328 white	328 white
		340 natural oak laminate	340 natural oak laminate
Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.		412 light blue (NCS S 0515-R808) 413 light green (NCS S 1060-G70Y)	
296		415 terra grey (NCS S 4005-Y50R)	415 terra grey (NCS S 4005-Y50R)



L5 Chipboard	L6 Chipboard/MDF/HPL	L8 Linoleum	L9 Chipboard + laminate
017 astral silver	017 astral silver	051 red	
018 anthracite	018 anthracite	054 ivory	
019 plain black (NCS S 9000-N)	019 plain black (NCS S 9000-N)	057 dark grey	
027 natural beech laminate	027 natural beech laminate	058 black	027 natural beech laminate
027 flatural ocech familiate	027 naturai 0eech lammate	OSO DIACK	027 Hatural Deech laminate
	028 natural maple laminate		028 natural maple laminate
	029 natural walnut laminate		
031 grey white (RAL 9002)	031 grey white (RAL 9002)		031 grey white (RAL 9002)
oo : g. c,c	gie, iiiie		55 · g. c, ·····c
035 andes grey (RAL 7035)	035 andes grey (RAL 7035)		
328 white	328 white		328 white
	340 natural oak laminate		
Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.			
are aiways approximate values.			



Board surfaces: L10 Chipboard

Other L Chipboard

017 astral silver

017 astral silver

018 anthracite

019 plain black (NCS S 9000-N)

027 natural beech laminate

028 natural maple laminate

027 natural beech laminate

031 grey white (RAL 9002)

031 grey white (RAL 9002)

328 white

328 white

331 grey white (flat)

Information on colour systems (e.g. NCS, RAL, Pantone) are always approximate values.

443 white (Surface writable)



Eddy composite material: Glass surfaces: V1 G1 Felt TSG



001 brown



002 grey

002 TSG printed with stripes

003 TSG printed plain

V2 Carbon optic




003 carbon optic

Other

001 TSG satin-frosted


٧3 Nexus







Board surfaces: E1 Steel/steel enamel





K1 Cork 081 sand (Bulletin Board 2186) 140 black without Lineations 082 grey (Bulletin Board 2204) 141 black 1st school year 142 black 2nd school year 143 black 3rd school year 144 black 4th school year 145 black squares 5 cm 146 black squares 10 cm 147 black music lines 149 black diamond grid 5 cm

150 black diamond grid 10 cm

Other Corklinol O91, 092 Cork natural 254 an 257 green 257 green



Material: (S254, S257) 72% Polyester, 18% Polyamide, 10% Viscose Material: (S255, S259, S261, S262) 57% Polyester, 43% Polyamide Width; Weight: 1700 mm; 340 g/lm, 200 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B, \$1, d0 Environmental certifications: no heavy metal content



Fabrics: S40 Stamskin Top

by Serge Ferrari



865 turquoise (20289)



866 traffic red (07478)



868 yellow (20299)



986 dark red (07479)



989 grey (07445)

Material: Artificial leather, multilayer composite (PVC), substrate: polyamide jersey Abrasion cycles: ≥ 120.000 Width; Weight: 1400 mm; 1092 g/lm, 780 g/m² Fire resistance certifications*: EN 1021-1 (P-c, cigarette test),

EN 1021-2 (P-b, match test), NFPA 260, CAL 117 Environmental certifications: recyclable

* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

S41 Cordura

by Camira



963 blue (5722)

970 orange (2891)

971 green (6456)

972 red (3768)

973 bordeaux (3737)

974 sand (2412)

975 grey green (7448)

977 dark blue (5729)



978 brown grey (7446)

Material: 100% Polyamid 6.6, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impregnation Abrasion cycles: ≥ 200,000 Width; Weight: 1500 mm; 349 g/lm, 250 g/m² Environmental certifications: OEKO-TEX 100, recyclable, heavy metal free colours Cleaning: Handwash, lukewarm water; mild detergent; leave to dry thoroughly

S46 Xtreme

by Camira





293 light grey (YS094



296 dark green (YS045)





316 light blue (YS097)





319 dark red (YS136)

Material: 100% post-consumer recycled polyester, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impregnation Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 435 g/lm, 310 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content Cleaning: Handwash, lukewarm water; mild detergent; leave to dry thoroughly

S51 Blazer

by Camira



271 dark blue (CUZ62)





274 yellow green (CUZ1F)



276 red (CUZ63)





320 dark grey (CUZ1J)



322 grey blue (CUZ1W)



323 petrol (CUZ3B)

Material: 100% New wool Abrasion cycles; Fastness to rubbing: ≥ 50,000; 4 wet, 4 dry Width; Weight: 1400 mm; 644 g/lm, 460 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, EN 13501-1, Adhered Class D, s1, d0, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, **CAL 117** Environmental certifications: no heavy metal content




S52 Nexus

by Camira



278 anthracite (UNY11)





281 green



302 red (UNY16)



324 grey



325 dark blue (UNY15)



326 petrol (UNY10)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1730 mm; 528 g/lm, 305 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B. s2. d0. Un-adh. Class C, s1, d1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

S54 Xtreme

by Camira





293 light grey (YS094)



295 blue (YS005)



299 red (YS079)



318 green (YS159)

Material: 100% post-consumer recycled polyester, coated with two layers of acrylate; water-, oil- and dirt-repellent fluorocarbon impregnation

Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight:

1400 mm; 435 g/lm, 310 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low/Medium Hazard, BS 476 Part 7 Class 1, BS 5852, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content Cleaning: Handwash, lukewarm

water; mild detergent; leave to

dry thoroughly

(e.g. NCS, RAL, Pantone)

S64 Mover

by Alonso Mercader





311 grey brown (118)

312 blue (RAL Design 260 30 30)



314 green

Material: Artificial leather, surface 100% PU-PC, substrate: 100% polyester Abrasion cycles: ≥ 200,000 Width; Weight:

1400 mm; 430 g/lm, 307 g/m^2 Lightfastness: 6-7 (1-8) Fire resistance certification*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, CAL 117

S66 Polo

by FiDiVi



775 noir (77033)



776 anthracite (77030)



778 red (77040)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 150,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 350 g/lm, 250 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test) Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

Cleaning: Do not wash, do not bleach, iron with medium heat, clean with perchlorethylene

* All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.

Information on colour systems are always approximate values.



Fabrics: S69 Evo

by VS





790 blue (EV-9)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: 150,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 300 g/lm, 214 g/m² Pilling; Lightfastness: 5 (1-5); 4-5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test) Cleaning (dry cleaning; mechanical): With tetrachloroethylene and water solution of carbonate fluoride; clean the whole surface with a damp cloth Note: Formaldehyde measurement acc. to PN-EN ISO 14184-1; colour fastness to perspiration acc. to PN-EN ISO 105-E04

S72 Sonus

by Camira





201 0100

262 turquoise (FHU15)

Material: (S254, S257) 72% Polyester, 18% Polyamide, 10% Viscose Material: (S255, S259, S261, S262) 57% Polyester, 43% Polyamide Width; Weight: 1700 mm; 340 g/lm, 200 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), BS 476 Part 7 Class 1, EN 13501-1 Adhered Class B, \$1, d0 Environmental certifications: no heavy metal content

S74 Era

by Camira



340 dark blue (CSE40)



342 light olde





345 white green (CSE36)





349 dark red ^(CSE28)



351 pink (CSE19)





354 yellow (CSE03)

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 448 g/lm, 320 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, EN 13501-1 Adhered Class B, s1, d0, Un-adh. Class C, s1, d0, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal content

^{*} All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.



S75 Era

by Camira



341 blue (CSE12)



355 anthracite (CSE13



356 red (CSE06)

content

Material: 100% Polyester Abrasion cycles; Fastness to rubbing: ≥ 100,000; 4 wet, 4 dry Width; Weight: 1400 mm; 448 g/lm, 320 g/m² Lightfastness: 5 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Low Hazard, EN 13501-1 Adhered Class B, s1, d0, Un-adh. Class C, s1, d0, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable, with no heavy metal

S76 Mirage E

by Pugi



359 light grey (6629)



361 dark blue (6333)



363 turquoise (6366)



365 dark red (6236)





368 yellow (6053)

recyclable

Material: 100% Trevira CS (Polyester) Abrasion cycles: 100,000 Width; Weight: 1400 mm; 460 g/lm, 328 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 5, EN 13501-1 Adhered Class B, s1, d0, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, Environmental certifications: OEKO-TEX 100 (category 2),

S77 Mirage E

by Pugi





Material: 100% Trevira CS (Polyester) Abrasion cycles: 100,000 Width; Weight: 1400 mm; 460 g/lm, 328 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 5, EN 13501-1 Adhered Class B, s1, d0, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, CAL 117 Environmental certifications:


OEKO-TEX 100 (category 2), recyclable

^{*} All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.



Fabrics: S78 Step

by Gabriel




385 melange mint green (68157 documented on this page refer exclusively to the fabric itself,

384 mint green (68157)

386 green (68160 387 melange green (68160 388 olive green (68120 389 melange olive green (68120) 390 light green (68162) 391 melange light green (68162) 392 red (64013)






369 black (60999)

Material: 100% Trevira CS (Polyester) Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 470 g/lm, 335 g/m² Pilling; Lightfastness: 4-5 (1-5); 5-7 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Medium Hazard, BS 5852 Crib 0,1,5, EN 13501-1 Adhered Class B, s1, d1, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable, with no heavy metal content

S79 Trevi D

by Pugi





401 light blue (2535

402 petrol (2540)

403 green (25453)

404 red (25202) 405 orange (25102)

406 yellow (25051)

Material: 100% Trevira CS (Polyester) Abrasion cycles: 100,000 Width; Weight: 1400 mm; 630 g/lm, 450 g/m² Lightfastness: 6 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 5, EN 13501-1 Adhered Class B, s1, d0, DIN 4102 B1, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), recyclable

S80 Select

by Gabriel



410 grey blue (

411 dark blue (6607

412 blue (66190) 413 light blue (66191)

414 petrol (66192)

* All fire protection certificates not to the complete furniture as upholstery composite.



S82 Evida

432 red (57)

by Hornschuch













422 yellow (62099)

Material: 85% New Zealand wool, 15% polyamide Abrasion cycles; Fastness to rubbing: 200,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 510 g/lm, 364 g/m² Pilling; Lightfastness: 4 (1-5); 5-8 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1,5, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, with no heavy metal content




Material: Artificial leather, approx. 50% renewable raw materials, approx. 30% natural raw materials, approx. 20% mineral oil-based raw materials (Vinyl = PVC) Abrasion cycles: Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1370 mm; 1050 g/lm, 750 g/m² Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 5852 Crib 0,1, UNI 9175 class 1 IM, NFPA 260, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), with no heavy metal content

S83 Step Uni


by Gabriel















382 turquoise (67007)









396 orange (63082)

Material: 100% Trevira CS (Polyester) Abrasion cycles; Fastness to rubbing: 100,000; 4-5 wet, 4-5 dry Width; Weight: 1400 mm; 470 g/lm, 335 g/m² Pilling; Lightfastness: 4-5 (1-5); 5-7 (1-8) Fire resistance certifications*: EN 1021-1 (P-c, cigarette test), EN 1021-2 (P-b, match test), BS 7176 Medium Hazard. BS 5852 Crib 0,1,5, EN 13501-1 Adhered Class B, s1, d1, DIN 4102 B1, ÖNORM B 3825 & A 3800-1 B1/Q1, NF D 60-013, UNI 9175 class 1 IM, CAL 117 Environmental certifications: OEKO-TEX 100 (category 2), EU Ecolabel, recyclable. with no heavy metal content

^{*} All fire protection certificates documented on this page refer exclusively to the fabric itself, not to the complete furniture as upholstery composite.





